

OFFICE OF THE PANCHAYAT SAMITI: BARIPADA At/P.o.- BARIPADA, Dist.- Mayurbhanj, Odisha E-Mail: ori- BARIPADA@nic.in

8	CONSTRUCTION OF SUBCENTER BUILDING AT BAURA UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022-23.(OMBADC)	Rs.3408521/-	'C' & 'B'	Rs.34100/-	₹ 6,000	8 months
9	CONSTRUCTION OF SUBCENTER BUILDING AT DAMDARPUR UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022-23.(OMBADC)	Rs.3408513/ ₄	'C' & 'B'	Rs.34100/-	₹ 6,000	8 months
10	CONSTRUCTION OF SUBCENTER BUILDING AT BADJOD UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022-23.(OMBADC)	Rs.3405487/-	'C' & 'B'	Rs.34100/-	₹ 6,000	8 months

- 1. Cost of Tender Paper: Bids must be accompanied by paper cost of the tender amount specified for the work in the table (Col No.6).the paper cost is to be pledge in shape of bank draft (non-refundable) in favour of BDO, BARIPADA, and payable at -BARIPADA.
- 2. Earnest Money Deposit: The bid must be accompanied with E.M.D amount as specified against each work in shape of NSC/POTD/KVP/POSB/Deposit receipt of the scheduled commercial bank duly pledged in favour of BDO, BARIPADA.
- 3. Sale and Receipt of Tender Paper: The sale of the Bid documents will be made from the date of publication i.e. from dt: 28.03.2023 to 10.04.2023 up to 05.00 P.M. (on working days only). Bid should be received at the Office of the Block Development Officer, BARIPADA, Mayurbhanj, through Speed post/Regd. Post only (No tender paper will received by hand service) and super scribed as "NAME OF THE WORK"BID IDENTIFICATION NO- B.D.O, BARIPADA————. (Written in Capital letter) on the Body of cover. The last date of receipt of the bid documents will be dt: 12.04.2023 up to 05.00. P.M.
- 4. Date of Opening of the tender Paper: The Bids will open on Dt. 13.04.2023 at 11.00 A.M.at the. Conference Hall, Panchayat Samiti, BARIPADA, MAYURBHANJ in the presence of the bidders who wish to attend. If the office happens to be closed (holiday) on the date of receipt/opening of the bids as specified, the bids will be received/opened on the next working day at the same time and venue without further notice. However, date of tender paper opening may be postponed as per the convenience of the authority by intimating all the concerned tenderers through notice affixing to notice board at Office of the Block Development Officer, BARIPADA, Mayurbhanj.
- 5. Additional Performance Security Deposit: Additional Performance Security shall be obtained from the bidder when the bid amount is less than the estimated cost put to tenders per works deptt. Letter No. 4710 .dt12.04.2022 In such an event, only the successful bidder who has quoted less bid price/rates than the estimate cost put to tender shall have to furnish the exact amount of differential cost i.e., Estimated cost put to tender minus the quoted amount as additional performance security (APS) in shape of N.S.C/K.V.P/Postal time deposit pass book/Term Deposit receipt duly pledged in favour of BDO, BARIPADA within seven days, otherwise the bid shall be cancelled and the security deposit shall be forfeited. Further, proceeding for blacklisting shall be initiated against bidder.



OFFICE OF THE PANCHAYAT SAMITI: BARIPADA

At/P.o.- BARIPADA,Dist.- Mayurbhanj, Odisha E-Mail-orj-BARIPADA@nic.in

Letter no- 794

Date- 24.3.2023

INVITATIONS FOR BIDS (IFB)

Bid Identification No. 01/2022-23

BDO BARIPADA-

The Block Development Officer, BARIPADA Invites percentage rate bid tender on behalf of Governor of Odisha from registered and eligible Civil Contractor of the state PWD (R&B)/WR/Rural Works/MI/CPWD for the following work eventually to be drawn up in the PWD PI Form in confirming with the detailed Tender Call Notice.

St. No	Name of the Work	Approx. Value of the work (Rs. In Lakhs)	Class of Bidder	EMD in Rupees	Cost of Bid Document (in Rupees)	Period of Compl etion
1	CONSTRUCTION OF DAY CARE SUB- CENTRE CUM HEALTH & WELLNESS CENTRE AT BHUGUDAKATA SC UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022- 23.(NHM-PIP)	Rs.3408484/-	'C' & 'B'	Rs.34100/-	₹ 6,000	8 months
2	CONSTRUCTION OF DAY CARE SUB- CENTRE CUM HEALTH & WELLNESS CENTRE AT BASANTPUR SC UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022- 23.(NHM-PIP)	Rs.3405749	'C' & 'B'	Rs.34100/-	₹ 6,000	8 months
3	CONSTRUCTION OF DAY CARE SUB- CENTRE CUM HEALTH & WELLNESS CENTRE AT CHANDBILLA SC UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022- 23.(NHM-PIP)	Rs.3405744/-	'C' & 'B'	Rs.34100/-	₹ 6,000	8 months
4	CONSTRUCTION OF DAY CARE SUB- CENTRE CUM HEALTH & WELLNESS CENTRE AT KAILASHCHANDRAPUR SC UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022- 23.(NHM-PIP)	£ Rs.3408589/-	'C' & 'B'	Rs.34100/-	₹ 6,000	8 months
5	CONSTRUCTION OF DAY CARE SUB- CENTRE CUM HEALTH & WELLNESS CENTRE AT KARANJIA SC UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022- 23.(NHM-PIP)	Rs.3406068/-	'C' & 'B'	Rs.34100/-	₹ 6,000	8 months
6	CONSTRUCTION OF DAY CARE SUB- CENTRE CUM HEALTH & WELLNESS CENTRE AT LAXMIPOSI SC UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022- 23.(NHM-PIP)	Rs.3405379/-	'C' & 'B'	Rs.34100/-	₹ 6,000	8 months
7	CONSTRUCTION OF DAY CARE SUB- CENTRE CUM HEALTH & WELLNESS CENTRE AT TAKATPUR SC UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022- 23.(NHM-PIP)	Rs.3408234/-	'C' & 'B'	Rs.34100/-	₹6,000	8 months



OFFICE OF THE PANCHAYAT SAMITI: BARIPADA At/P.o.- BARIPADA, Dist.- Mayurbhanj, Odisha E-Mail: ori- BARIPADA@nic.in

Memo No. 796 /Date. 24.8.2023

Copy to the Collector & District Magistrate, Mayurbhanj / Superintendent of Police, Baripada / Project Director-cum-EO,Zilla Parishad,Mayurbhanj/CDM & PHO,Mayurbhanj/Chief Engineer & Basin Manager, B.S.&.B. Basin, Laxmiposi/ Superintending Engineer, Irrg. Circle, Baripada / Executive Engineer, M.I. Division, Baripada, Superintending Engineer/Executive Engineer, (R&B) Division, Baripada/Rairangpur/ N.H. Division, Baripada/Executive Engineer, Mayurbhanj Irrigation Division, Baripada/ Executive Engineer, R.W.S&S Division, Baripada / Superintending Engineer, RWD,Baripada/Rairangpur/Karanjia, Executive Officer, Baripada Municipality for information and wide circulation.

Block Development Officer, BARIPADA, Mayurbhanj

Memo No. 797 /Date. 24-3-2023

Copy to All tender committee members for information and requested to present for opening of the tenders in the given date, time & Vanue.

Block Development Officer, BARIPADA, Mayurbhanj

Memo No. 798 /Date. 24-3-2023

Copy to office Notice Board, tender file & C.P BARIPADA Block for assist for uploading the DTCN and bid documents at NIC, Mayurbhanj .

Block Development Officer, BARIPADA, Mayurbhanj



OFFICE OF THE PANCHAYAT SAMITI: BARIPADA At/P.o.- BARIPADA, Dist.- Mayurbhanj, Odisha E-Mail: ori- BARIPADA@nic.in

Bellow 5%	:	No Additional Performance Security
From 5% & above and below 10%	:	50% of (Difference between estimated cost put to tender and Bid amount.
From 10% and above	:	150% of (Difference between estimated cost put to tender and Bid amount.

- The following Documents should be furnished with the tender paper failing which the tender is liable for Rejection.
 - A) EMD Pledged in favour of BDO BARIPADA.
 - B) Attested copy of valid Contractor Registration Certificate.
 - C) Attested copy of valid Pan Card & GST Certificate.
 - D) SC/ST Contractors submit original Affidavit in support of cast certificate and attested copy Of Cast certificate.
 - E) Bank Draft towards cost of Tender paper in favour of BDO, BARIPADA.
- 7. Engineering Contractors desiring to avail the exemption facility of EMD should submit an original affidavit as regards, the fact of availing award of work without submission of EMD/ISD during the current financial year. He should also produce original contract licence at the time of opening of tender document to make necessary entry to that effect as such facilities are limited to three participation in tender during a financial year. Otherwise, their tender will be liable for rejection.
- 8. The SC/ST Contractors desirous of availing preference should submit an original affidavit in support of caste certificate and attested copy of caste certificate. Otherwise their tender will be liable for rejection.
- 9. G.S.T. as applicable shall be paid extra over and above the work value. The Contractor shall however be required to submit the TAX INVOICE along with the R.A. / final bill released of the G.S.T. amount by the department.
- 10. Shortfall of any required documents, Tender paper is liable for rejection.
- 11. A bidder can submit only one tender paper for a particular work. Submission of more than one tender paper by a bidder for a particular tender will liable for rejection of all such tender papers.
- 12. Other details can be seen in the bidding document.
- 13. The authority reserves the right to reject any or all the tenders without assigning any reason thereof.
- 14. Bid documents will be available at District NIC website i.e. www.mayurbhanj.nic.in and will be accompanied by the paper cost of the Tender paper in shape of Demand Draft Payable at BARIPADA. Mayurbhanj and DTCN with all required documents of bidder as mentioned in Tender call Notice to be sent to the Office of the Block Development Officer, BARIPADA.

Block Development Officer, BARIPADA, Mayurbhanj

Memo No. 795 /Date. 24-3-2023

Copy in duplicate forwarded to the Joint Director (Advertisement), I&P.R.Deptt.Bhubaneswar for information and necessary action. It is requested to please arrange for publication of above tender notice in two local Oriya Dailies on or before dt. 28.03.2023. The complementary copies for the same be sent to this office for record.

Block Development Officer, BARIPADA, Mayurbhani

INVITATION FOR BIDS (IFB) (FOR BUILDING WORKS)

identification 1	NO		i ender Ca	ii Nouce No	•
invites perce experience in Military Engi	entage rate to construction ineering Servent d will be re-	Officer, BARIPAl pids from registered of Buildings workices in prescribed ceived by the officers.	ed PWD "B ks in States form to be fice of the	& C" class of India or eventually	contractors with under Railway or drawn in P.W.D. dopment Officer,
					(Rupees
		with other decum			n the office of the
Panchayat		with other document on payment	of Rs		if the office of the
		on payment			t The amount is
		must be submitted			
		g noted on the cov			
	·	nitted to furnish th		aper in their	own manuscript
papers.	The property of the property o		··· ,	r	,
• •	o be complete	ed in all respects w	ithin (**********)calendar months
from the date of issue of the work order. Tenderers whose tender is accepted must submit					
programme of	f work immed	liately after issue o	f work order	r for approva	l of the Engineer-
in-charge:					
		emain valid for a p			
date of receip	t of tenders a	nd validity of tende	ers can also	be extended i	if agreed to by the
tenderer and the	-				
		ie rate should be w			
words. In case of any discrepancy in rates between words & figures the amounting words					
-	The Tenderer	should show total	of each iten	n and grand	total of the whole
Tender.			, ,,,	. 1	. 1
		e bid, the percenta			
_		erepancy between v			
		f the bidder quotes with corresponding			
		centage in excess			
	_	ge up-to two or m			
		without rounding			
_		prevailing estimati			
		ss shall be added			
-		t.no. 8310, dt. 1 7.0		1111	_
	1	•	•	1	a) is



DETAIL TENDER CALL NOTICE

NAME OF THE WORK:- CONSTRUCTION OF DAY CARE SUBCENTRE CUM HEALTH & WELLNESS CENTRE AT BASANTPUR SC UNDER BARIPADA BLOCK IN THE MAYURBHANJ FOR THE YEAR 2022-23.(NHM-PIP)

ESTIMATED COST: - Rs. 34,05,749/-

OFFICE OF THE PANCHAYAT SAMITI, BARIPADA

OFFICE OF THE PANCHAYAT SAMITI, BARIPADA

BLOCK DEVÉLOPMENT OFFICER, BARIPADA

- 18. The Department reserves the right of authority to reject any or all tenders received without assigning any reason what- so- ever.
- 19. The earnest money will be retained in the case of successful tenderer and will be dealt with as per the terms and conditions of the OPWD code and will not carry any interest. The earnest money will be refunded to the unsuccessful tenderers on application after intimation is sent of rejection of their tenders.
- The tenderer whose tender is selected for acceptance and who has no fixed deposit 20. with the Government of Orissa shall within a period of seven days upon written intimation being given to him of acceptance of his wider make an initial security deposit in the form of NSC and Postal Time Deposit pass Book and in no other form which including the amount already deposited as earnest money shall be 2% of the value of the tendered amount and sign the A raiment in the P.W.D Form No. F-2 for the fulfillment of the contract in the Office of the Panchayat Samiti or as directed. The security deposit together with the earnest money and the amount withheld according to prescribed provisions shall be retained as security for the due fulfillment of this contract. Failure to the enter into the required agreement and to make the security deposit as above shall entail forfeiture of the earnest money. No tender shall be finally accepted until the required amount of security money is deposited. The written agreement to be entered into between the contractors and the Government shall be the foundation of the rights of both the contractor and the Government and the contract shall be deemed to being complete until the agreement has first been signed by the contractor and then by the proper officer authorized to enter into the contract on behalf of the Government. The security will be refunded six months after completion of the work and payment of the final bill and will not carry any interest. In case of tenderers who have fixed deposit necessary action will be taken to degrade them if they decline to sign the agreement within the period as in the above case.
- 21. That for the purpose of jurisdiction in the event of dispute if any of the contract would be deemed to have been entered into within the State of Orissa and it is agreed that neither the party to the contract, the Agreement will be competent to bring a suit in regard to the matter by this contract at any place outside the State of Orissa.
- 22. The contractor should be liable to fully indemnify the department for payment of compensation under Workmen compensation Act VIII of 1923 on account of the workmen employed by the contractor and full amount of compensation paid will be recovered from the contractor.
- 23. The tenderers are required to abide by the Fair wage clause as introduced by Government of Orissa, Works department letter No. VIII -R-8 / 5225 dated 26.02.55 and No. IIM 56 /6 28842 (4) dated 27.09.61 as amended from time to time.
- 24. In case of any complaint by the laborer working about the Non-payment or less payment of his wages as per latest minimum wages Act, the Block Development Officer will have the right to investigate and if the contractor is found to be in default, he may recover such amount due from the contractor and pay such amount to the 1bour

- entered into by the accepted tenderer and detailed specifications for Orissa and other relevant specification and drawings which are available for sale. Complaints at a future date that plans and specifications have not been seen by tenderers cannot be entertained.
- 9. Every tenderer is expected before quoting his rates to inspect the site of the proposed work. He should also inspect the quarries and approach roads to quarries and satisfy himself about the quality and availability of materials. In every case the materials must comply with the relevant specifications. Complaints at a future date that the availability of materials at quarries has been misjudged cannot be entertained.
- 10. Samples of stone, metal, chips & bricks etc. to be used are to deposit noting the name of quarry & brick kiln under dated initials of the tenderer in the Office of the Block Development Officer before procurement for the work for testing and acceptance (Not required).
- 11. It must be definitely understood that the Department does not accept any responsibility for the correctness and completeness of the trial borings if considered to be taken at site of work.
- 13. The Tender will not be considered unless the tenderers enclose a true copy of the, PAN card and GST certificate along with the tender. Original copies are to be produced before the officer concerned at the time of opening of the tender.
- 14. The tender containing extraneous conditions not covered by the tender notice are liable for rejection and quotations should be strictly in accordance with the Invitation for Bids (IFB). Any change in the wording will not be accepted.
- 15. Letters etc. found in the tender box raising or lowering the item rates / percentage rates or dealing with any point in connection with the Bid will not be considered.
- 16. Schedule of quantity accompanies the IFB notice. It shall be definitely understood that the Government does not accept any responsibility for the correctness or completeness of this schedule and that this schedule is liable for alteration or omissions, deductions or additions as set forth in the conditions of contract and such omissions, deductions, additions or alterations all in no way invalidate the contract and no extra monetary compensation will be entertained.

	111011111111		
17.	The tenders will b	e opened by the Block Development	Officer, BARIPADA
		in his office room at	or
		in the presence of the tenderers	or their authorized
	representatives.		6.

30. If any further necessary information is required, Block Development Officer will furnish such but it must clearly be understood that the tenders must be received in order and according to instructions.

'31. (a) No relation certificate:

The contractor should have to furnish certificate along with the tender to the effect that he is not related to any officers in the rank of an Junior Engineer and above in the Office Of the Panchayat Samiti, BARIPADA or Asst. Secretary and above in the concerned Government Deptt. If the fact subsequently proved to be false, the contact will be rescinded. The earnest money and the total security will be forfeited and he shall be liable to make good the loss or damage resulting from such cancellation. The Performa for no relationship certificate is contained aseparate sheet of I.F.B.

- (b) Each tenderer must submit along with tender a note regarding his previous experience on construction of major building works. The following details must be given otherwise the tender is liable to be not considered at the direction of the authority.
- (i) Names of the major buildings:
- (ii) Estimated cost:
- (iii) Number of floors:
- (iv) Type of foundation adopted:
- (v) Date of commencement:
- (vi) Date of completion:
- (vii) Other details if any:

In addition to the above information the Performa contained in the separate page of I.F.B should also be filled in support of previous experience of the tenderer.

- 32. Tenders are required to go through each clause of P.W.D form F-2 / P-1 carefully in addition to the clause mentioned herein before tendering.
- 33. All reinforced cement concrete works should conform to Orissa Detailed Standard specifications, I.R.C and I.S.I Codes and Bridges Code sections: I, II,

34.

- 35. III, IV and VII & latest design criteria.
- 36. Shuttering and centering shall be with seasoned hardwood planks inside of which shall be lined with suitable sheeting and made leak proof and water tight or alternatively steel shuttering and centering may be used.
- 37. The Department will have the right to inspect the scaffolding, centering and shuttering made for the work and can reject partly or fully such structures if found defective in their opinion.
- 38. Concrete should be machine mixed unless otherwise ordered in writing by the Block Development Officer. The contractor should arrange his own concrete mixer, vibrator, pumps etc. for this purpose at his own cost.
- 39. Cement shall be used by bags and weight of one bag of cement being taken as fifty (50) kg.

- directly under intimation to the local labour Officer of the Government. The decision of the Block Development Officer is final and binding on the contractor.
- 25. The tenderers shall bear cost of various incidentals, sundries and contingencies necessitated by the work in full within the following or similar category.
 - a) Rent, Royalties and other charges of materials, octopi duty, all other taxes including, ferry, tools, conveyance charges and other cost on account of land and building including temporary building and temporary electric connection to work site as well as construction of service road and diversion road and its maintenance till completion of work as required by the tenderer for collection of materials, storage, housing of staff or other purpose of the work. No tenderer will however be liable to pay to Government for temporary occupation of land owned by Government at the site of the work.
 - b) Labour camps or huts necessary to a suitable scale including conservancy and sanitary arrangements therein to the satisfaction of the local health authorities.
 - c) Suitable water supply including pipe water supply wherever available for the staff and labour as well as for the work.
 - d) Fees and duties levied by the Municipal, canal or water supply authorities.
 - e) Suitable equipment's and wearing apparatus for the labour engaged in risky operations.
 - f) Suitable fencing barriers, signals, including approved patent and electric signals where necessary at works and approaches in order to protect the public and employees from accidents.
 - g) Compensation including cost of any suit for injury to persons or property due to neglect of any major precautions also become payable due to operation of the Workmen compensation act.
 - h) The contractor has to arrange adequate lighting arrangement for the work wherever necessary at his own cost.
 - 26. After the work is finished all surplus materials should be removed from the site of work. Preliminary work such as vats, mixing platforms etc. should be dismantled and all materials removed from the site and premises left neat and clean and this should be inclusive of the rates.
 - 27. No payment will be made for bench marks, level pillars, profiles and benching and leveling the ground where required. The rates to be quoted should be for finished items of work inclusive of carriage of all materials and Incidental items of works.
 - 28. It should be understood clearly that no claim what-so-ever will entertained in regard to extra items of works or extra quantity of any items besides estimated amount unless written order is 'obtained from the Engineer in-charge and rates settled before the extra items of works and extra quantity of any items of work is taken up.
 - 29. The tenderers shall have to abide by the C.P.W.D safety code rules introduced by the Government of India, Ministry of Works, Housing and Supply in their standing order No. 44150 dt. 25.11.57 which can be seen in the office of the undersigned on working day during office hours.

BLOCK DEVELOPMENT OFFICER, BARIPADA

- thereafter become due to the contractor of from his security deposit or from the proceeds of sale thereof.
- 42. The selected bidder may take delivery of department supply according to his need for work issued by the Sub-Divisional Officer -in-charge. The bidder shall make all arrangement for proper storage of materials but no cost for building shed for storage, pay of watchman etc. will be borne by the Department. The Department is not responsible for considering the theft of materials at site. It is contractor's risk. Under any such plea if the tenderer stops the work, he shall have to pay the full penalty as per clauses of the F-2 /P-1 of agreement.
- 43. The Department will have the right to supply at any time in the interest of work any departmental materials to be used in the work and the contractor shall use such materials without any controversy or dispute on that account. The rates of issue of such materials will be at the stock issue rate inclusive of storage charges or rates fixed by the Department or current market rate which-ever is higher
- 44. All materials which are to be supplied from P.W.D store will be as per availability of stock and in case of steel, the contractor will have to bear the charges of straightening, cutting, jointing, welding etc to required sizes. No cut pieces of M.S. Rods, M.S. Angles, Tees and joist etc. less than one meter in length will be accepted back as surplus and all these will be contractor's property. Amir the issue from the P.W.D store the materials may be under the custody of the contractors and the contractor will be responsible for its safety and storage. Cut pieces of more than one meter in length will be returned by the contractor at the issuing stores without any conveyance charges (Not required).
- 45. M.S. Rods, plates and structural steel will be supplied in quantity, length and size available in the stock. For payment of reinforcement, the steel including plates etc. Shall be measured in length of different diameter, size and specification as actually used (including hook sand cranks) in the work correct to an in chor cm. and their weight calculated as per sectional weight prescribedby the Indian Standard Specification oras directed by the Engineer-in-charge (wastage of bats and unnecessary lapping will not be considered for measurement and payment)
- 46. The contractor should at his own cost arrange necessary tools and plants required for the efficient execution of work and the rates quoted should be inclusive of running charges of each plant and cost of conveyances.

48. The machineries if available with the Department may be supplied on hire as per charges prescribed by Department.

40. ,	The following materials may be supplied by I the P.W.D Go-down at	be the contractor's responsibility for safe lso to bear all incidental charges such as empty cement bags and containers at the
any equa agre	b)M.S. Rods (round) or Tor Steel c) Paints of different categories Before issue of above materials to him, the of the Nationalized Banks located at	should be valid for the entire period of actor only after the materials supplied to him overed from his bill (s) in full or if the
mat	erials are partly utilized such materials are return	med by fam to the Dep. in fam and in good

OR

conditions and receipt thereof duly acknowledged by the concerned Departmental Officer.

Department shall not supply any materials, what-so-ever for the work. The tenderer shall be financially solvent and stable for advance procurement of all materials, required for the works vide Govt. of Orissa, Finance Department Memo No. 48443/F - Code - 46/95 dated 11.12.1995.

- 39. In the event of any delay in the supply of departmental materials for unavoidable reasons or non-availability of departmental materials during the period of execution the contractor should arrange the materials like steel and cement of approved quality and specification at his own cost for completion of work within the time schedule. If however, there arises delay in procurement of materials, reasonable extension of time will be granted on the application of the contractor. But no claim of compensation will be entertained under any circumstances on this account.
- 40. The contractor will be responsible for the loss or damage of any departmental materials during transit and in the execution of the work due to reasons what so -ever and the cost of such materials will be recovered from the bills at the stock issue rates or market rates whichever is higher.
- 41. If the contractor removes and Government materials supplied to him from the site of work with a view to dispose of the same dishonesty he shall be in addition to any other liability civil or criminal arising outofhis contact be liable to pay a penalty equivalent to five times the price of materials according to the rates stipulated in clause 39. The penalty so imposed shall be recovered at any time from any sum that may then orating time

BLOCK DEVELOPMENT OFFICER, BARIPADA

The Orissa Bridge & Construction CorporationLtd. will be allowed price preference upto 3% over the lowest amount (where their tender is not the lowest) provided they express willingness to exec.4te the work after reduction of rates by negotiation.(Not required)

58. AMENDMENT TO EXISTING CLAUSE

By submission of a tender for the work, a tenderer will be deemed to have satisfied himself by actual inspection of the site and locality of the work, about the quality and availability of the required quality of materials including the wheat / rice referred to above, medical aid, labour and food stuff etc, and that rates by him in the tender will be adequate to complete the work according to the specifications attached thereto and thathe had taken into account all conditions and difficulties that may be encountered during its progress and to have quoted labour rates and materials with taxes, octopi, other duties, lead, lifts, loading and unloading, freightfor all materials and all other charges necessary for the completion of the work, to the entire satisfaction of the Engineer-in-charge of the work and his authorized subordinates. After acceptance of the contract rate Government will not pay any extra charges for any reasons in case the contractor claims later on to have misjudged as regards availability of materials, labour and other factors.

- 59. The contractor will be responsible for the miss-use, loss or damage due to any reason what-so-ever of any departmental materials supplied to him during the execution of the work. In case of loss, damage or miss use recovery at the rate of 5 times the cost of the materials so issued will be deducted from the bills or his other dues.
- 60. 1% of the gross amount of the bill and surchargeas applicable will be deducted from the contractor's billtowards Income-tax.. The contractor is required to pay Royalty to Govt. as fixed from time to time.
- 61. Under no circumstances interest is chargeable for the dues or additional dues if any payable for the work.
- 62. Under section 12 of Contact Labour (Regulation and Abolition Act. 1970) the contractor who undertakesexecution of work through labour should producevalid license from Incensing authorities of Labour Department. (Only for successful bidder)
- 63. PAYMENT FOR VARIATION IN PRICES

(Vide Works Department Memorandum No. 12073/W dt. 07.04.1986, No. 14379 dt. 22.06.91 and No. 22874 dt. 24.10.92 and No. 8310 dt. 17.05.06)

(a) If during the progress of the work the price of any materials (excluding the cost of steel, cement and bitumen) incorporated in the work (being materials supplied from the Engineer-incharge's store in accordance with Clauses thereof) increases or decreases as a result of increases in the Average Wholesale Price Index (all commodities) and the contractor thereupon necessarily and properly pays in respect of that materials (incorporated in the work) such increased or decreased price, then he shall be entitled to reimbursement or liable to refund, quarterly as the case maybe, such an amount, as shall be equivalent to the plus or minus difference of 75% in between the Average Wholesale Price Index (all

BLOCK DEVELOPMENT OFFICER, BARIPADA

- 49. In the event of any delay in giving layout of the building for unavoidable reasons, reasonable extension of time willbe granted on the application of the contractor but no claims for compensation will be entertained under any circumstances.
- 50. The tenderer should furnish along with their tender a list of works which are at present in their hand in the prescribed Performa enclosed herewith.
- 51. (a) It should be clearly understood that the joints of the M.S.bars are to be provided with prescribed lapping, welding or bolts and nuts as will be directed by the Engineer-in-charge.
 - (b) Concrete test specimens 150 mm x 150 mm x 150 mm in size (whether plain or reinforced concrete) for the testing shall be taken for each structural member by a 'representative of the contractor in the presence of a responsible officer of the rank not below than that of an Assistant Engineer or Sub-Divisional Officer. The contractor shallbear the cost so involved in testing. The tests specimen in cube should be carried out in the Departmental Control and Research Laboratory of Cuttack or Bhubaneswar.
 - (c) Test specimens shall be formed carefully in accordance with the standard method of taking test specimen and no plea shall be entertained later on the grounds that the casting of the test specimens was faulty and that the result of the test specimen did not give a correct indication of the actual quality of concrete.
 - (d) Plain concrete and reinforced concrete specimens will be tested in Control and Research Laboratory at Bhubaneswar. Cost of testing all specimen and samples be borne by the Contractor.
- 52. Concrete of strength below 85% of the required strength (as determined by actual tests) shall not be accepted.
- 53. No claim for carriage of water what -so-ever will be entertained.
- 54. The contractor shall employ one or more Engineering Graduate or Diploma holders as apprentice at his own cost if the work as shown in the tenders exceeds Rs. 2,50,000/-. The apprentices will be selected by the Chief Engineer. The period of employment will commence within one month after the date of work order and would last till the date, when 90% of the work is completed. The fair wage to be paid to the apprentices should not be less than the emolument of personnel of equivalent qualification employed under Government. The number of apprentices to be employed should be fixed the Chief Engineer in the manner so that the total expenditure does not exceed one percent of the tendered cost of the work.
- 55. List of the tools and plants in possession of the contractor is to be furnished(Not mandetary).
- 56. It is the responsibility-of the contractor to procure and store explosive required for blasting operation. Department may render-necessary possible help for procuring license.
- 57. The Orissa Construction Corporation Ltd. will be allowed a price preference to the extent of 3% overthe lowest quotation or tender as laid down in Works& Transport Department Resolution No. 285 dated 17.4.1974.

BLOCK DEVELOPMENT OFFICER,
BARIPADA

- R = The value of the work done in rupees during the quarter under consideration.
- i₀ = The Minimum wages for labour as prevailed during the quarter in which tender was opened.
- i = The Minimum wages for labour prevailed during the quarter under consideration.
- PL = Percentage of labour component (as per sub-clause)
- (c) Similarly, if during the progress of work, the prices of Petrol, Oil and Lubricants(Diesel oil being the representative item for price adjustment) increases or decreases as a result of the price fixed there for by the Government of India and the contractor thereupon necessarily and properly pays such increased or decreased price towards Petrol, Oil and Lubricants used on execution of the work, then he shall be entitled to reimbursementor liable to refund, quarterly as the case may be such an amount, as shall be equivalent to the plus or minusdifference in between price of P.O.L which is operating for the quarter under consideration and that operated for the quarter in which the tender was opened as per the formula indicated below:

Formula to calculate the increase or decrease in the price of P.O.L:

$$Kl = 0.75 \times K2 \times R(D_2 - D_1)$$

100

 D_1

- KI = Increase or decrease in the cost of work during the quarter under consideration due to changes in the price of POL.
- R = Value of work done in rupees during the quarter under consideration.
- D₁ = Average price per liter diesel oil which is fixed by the Governmentof India during the quarter in which the tender was opened.
- D₂ = Average priceper liter ofdiesel oil which is fixed during the quarterunder consideration.
- K_2 = Percentage of P.O.L. component as. per sub clause.
- (d) The following shall be the percentage of material, labour and P.O.L.component for reimbursement refund on variation in the price of material, labour and P.O.L as per Sub-Clauses (a), (b) and (c) of this Clause.

Category of Works Departmental	Contractor's Supply					
	% of	of % o	of	_ supply	of	
	Materials	Labour PO	L	materia	ıls	
1	2	3	4	Du	5	
CONTRACTOR				ELOPMENT O RIPADA	FFICER	

commodities) which is operating for the quarter under consideration and that operated for the quarter in which the tender was opened as per the formula indicated below:

Formula to calculate the increase or decrease in the price of materials:

$$Pm = (i-i_0)$$

$$V m = 0.75 x - x R x$$

Vm = Increase or decrease in the cost of work during the quarter under consideration due to changes in the price of materials.

- R = The value of work done in rupees during the quarter under consideration.
- = The Average wholesale Price Index (all commodities) for the quarter in which the tender was opened (as published in R.B.I, bulletin from time to time).
- i = The Average Wholesale Price Index (all commodities) for the quarter under consideration.

Pm = Percentage of material component as per sub clause of this Clause.

Increase / decrease of cost of Steel, Cement and Bitumen are to be reimbursed / liable to be refunded with prior approval of Government as follows:

- 1. Steel Rate as fixed by Steel Authority of India Limited (SAIL)
- 2. Cement Average factory price of this manufacture of cement inside the state.
- 3. Bitumen Rate as fixed by Indian Oil Corporation (I.O.C.)
- (b) Similarly, if during the progress of works the wages of labour increases or decreases as a result of increase or decrease in the Minimum Wages for labour prescribed by the Government and the contractor thereupon necessarily and properly pays in respect oflabour engaged on execution of thework such increased or decreased wages then he shall be entitled to reimbursement or liable to refund quarterly as the case may be such an amount, equivalent to the plus or minus difference of 75% in between the Minimum wages for which is operating for the quarter underconsideration and that operated for thequarter in which thetender was opened as per the formula indicated below:

Formula to calculate /e increase or decrease in the cost of labour:

$$VI = 0.75 \times \frac{\text{PL}}{\text{x Rx}} \times \frac{\text{(i-i_0)}}{\text{100 i_0}}$$

VI = Increase or decrease in the cost of work during the quarter under consideration due to change the rates of labour.

BLOCK DEVELOPMENT OFFICER, BARIPADA

The contractor shall within a reasonable time of his becoming aware of any alteration in the price of such material, wages of labour and or price of P.O.L give notice thereof to the Engineer-in-charge stating that the same is given pursuant to this conditions together with an information relating thereto which he may be in a position of supply.

- 64. Any defects, shrinkage or other faults which may be noticed within 6 (Six) months from the completion of the work arising out of defective or improper materials or workmanship are upon the direction of the Engineer-in-charge to be amended and made good by the contractor at his own cost unless the Engineer for reasons to be recorded in writing shall decide that they ought to be paid for and in case ofdefault the Department may recover from the contractor the cost of making good the works.
- 65. From the commencement of the works to the completion of the same, they are to be under the contractor's charge. The contractor is to be held responsibility to make good all injuries, damages and repair occasioned or rendered necessary to the same by fire or other causes and they are to hold the Govt. of Orissa harmless for any claims for injuries to person or structural damage to property happening from any neglect, default, want of proper care or misconduct on the part of the contractor or any one in his employment during the execution of the works. Also no claim shall be entertained for loss due to earthquake, flood, cyclone, epidemic, riot or any other calamity whether natural or incidental and damage so caused will have to be made good by contractor at his own cost.
- 66. Where it will be found necessary by the Department, the Officer-in-charge of the Work shall issue an order book to the contractor to be kept at the site of the work with pages serially numbered. Orders regarding the work whenever necessary are to be entered in this book by the P.W.D. Officer-in-charge with their dated signatures and duly noted by the contractor or his authorized agents with their dated signatures. Orders entered in this book and noted by the contractor's agents shall be considered to have been duly given to the contractor for following the instructions of the department. The order book shall be the property of the office and shall not be removed from the site of work without written permission of the Block Development Officer, BARIPADA and to be submitted to the Assistant Engineer every month.
- 67. In F-2, P-1 Lump Sum and P.H Engineering contract from the following shall be incorporated as new clause as 18 (c) or F-2 /P-1 contract, clause 3 (c) of the Lump Sum contract and clause 19 (c) of P.H. contract form.
 - Special class contractor shall employ under him one graduate Engineer and two Diploma Holders belonging to the state of Orissa. Like-wise 'A' Class contractor shall employ under him one Graduate Engineer, or two Diploma Holders belonging to state of Orissa. The contractor shall pay to the Engineering personnel monthly emoluments which shall not be less than the emoluments of the personnel of equivalent qualification employed under the State Govt. of Orissa. The Chief Engineer, Roads, Orissa may however assist the contractor with names of such un-employed Graduate Engineer and Diploma Holders if such help is sought for by the contractor.

BLOCK DEVELOPMENT OFFICER, BARIPADA

a. Structural works	20%	30%	5%	
45%				
b. Earth work, canal works,				•
Embankment works etc. 15%	20%	60%	5%	
(R & B) WORKS				
a. Bridge works 45%	20%	30%	5%	
b. Road works	45%	40%	5%	
c. Building works 35%	*30%	30%	5%	······································

(* Where brick is supplied by the Department, it should be 20% instead of 30%)

Vide works department letter No-21359, dated 22.9.91 the reimbursement / refund on aviation in price of materials, labour P.O.L. as per sub-clause (a), (b) and (c) of this clause shall be applicable in the following manner:

In terms of the aforesaid escalation clause, where the period for completion of the work as stipulated in the agreement is less than one year, no escalation is admissible at all, in case of work where the stipulated periodof completion is one year and more escalation on account of pricevariation is a admissible only for the remaining period after excluding the one year period thereof, provided the work has been carried out by the contractorin terms of the relevant provision of the agreement. In the situations, where the period of completion initially stipulated in the agreement was less than one year and subsequently the completion period has been validity extended on the ground that the delay in completion of the work is not attributable to the contractor and in the result of the total period including the extended period stands at one year or more, escalation is admissible only for the remaining period after excluding the first one year period there from".

(f) The contractor shall for the purpose of sub-clauses (a), (b) and (c) of this clause keep such books of account and other documents as are necessary to show that the amount of increase claimed or reduction available and shall allow inspection of the same by a duly authorized representative of Govt. and further, shall at the request of the Engineer-in-charge furnish, verified in such a manner as the Engineer-in-charge may require and document kept and such other information as the Engineer-in-charge may require.

CONTRACTOR

- 76. Through Department issue of cement and steel has been indicated with issue rate it may not taken binding. The contractor must have to arrangeby themselves cement and steel from approved manufacturer, get it tested in the Departmental Laboratory and approved by the Department before use. No extension of time, escalation of price on such account shall be entertained in future.
- The contractor shall make requisition of claim book from the date of commencement of work from the department and shall maintain in proper. P.W.D. form with pages serially numbered in order to record items of work which are not covered by his contract and are claimable as extra. Claims shall be entered regularly in thisbook under the dated signature of the contractor or hisduly authorized agentsat the end each month. A certificate should also be furnished along with the claims to the effect that he has no other claim beyond this claim up-to-date. It in any month there are no claims to recorda certificate to that effect should be furnished by the contractor in the claim book. Each claim must be definite and should be given for as possible the quantities as well as the total amount claimed. The claim book must be submitted by the contractor regularly by 10th to 16th days of each month for orders of the Engineer-in-charge or competent authority. Claims not made rn this manner or the claim books not maintained from commencement of the work are liable to besummarily rejected. The claim book is the property of the P.W.D and shallbe finally surrendered by the contractor to the Engineer-incharge after completion of the workor before rescission of the contact by the department whichever is earlier for record.
- 78. Items where the rates quoted by the tenderer are less than 25% below the C.S.R / estimated rates the differential cost between the estimated amount and tender amount shall be withheld till the satisfactory completion of such items having low rates.
- 79. Numbers of tests as specified I.R.C / M.O.S.T / I.S.T. Specification required for the construction of any structuralworks will be conducted any Govt. TestHouse / Department Laboratories / reputed materialtest laboratoryas to be decided by the Engineer-in-charge. Testingcharges including expenditure for collection / transportation of samples / specimen etc. will be borne by the contractor. The collection of samples and testing are to beconducted both prior to execution and during execution asmay bedirected by the Engineer in-charge and on both the accounts the cost shall be borne by the contract.
- 80. CONDITIONS FOR ISSUE OF PLANT AND MACHINERY TO CONTRACTORS ON HIRE

Tools and Plantswill be issued to contractor only if it is desired in the interest of Government works and if these can be spared without inconvenience to the Department. The sanction of the Block Development Officer, BARIPADA shall be necessary in each case. The contractor shall arrange his programme of work according to the availability of theplant and machinery and no claim what - so-ever will be entertained for any delay in supply by the department.

An agreementshall be entered into by the contractor to the effectthat these hire charges are recoverable from the bills of the contractor regularly and the final payment for the working including the refund of security deposit willnot be made until the total amount

BLOCK DEVELOPMENT OFFICER, BARIPADA

The names of such engineering personnel appointed by the contractor should be intimated to the tender receiving authority along with the tenderas to, who would be supervising the work.

Each bill of the special class or 'A' class contractor shall be accompanied by an employment role of the engineering personnel together with a certificate of the Graduate Engineering or Diploma Holder so employed by the Contractor to the effect that the work executed as per bill has been supervised by him.

(Vide works deptt.No.Codes - M 22/91 - 15384, dated 09-07-1991)

- 68. The intending bidders may remit the cost of tenderpapers throughpostal money order / Bank Draft. However the Department will not be held responsible ifthere isany delay in receipt of tender documents by the intending contractors sent by the Dep. throughregistered post and similarly if the tender documents sentby the intending contractor by the registered postdo notreach in the Division Office by the appointed date and time, the offer will not be considered on anyaccount even if the tender documents were dispatched by the tenderers before the due date. The cost of postal registration fees to and fro will be borne by the intending tenderer by advance payments.
- 69. The tender should be strictly in accordance with the provision as mentioned in the tender schedule. Any change in the wordings will not be accepted.
- 70. The drawings furnished with the tender are tentative and subject to revision or modification as tendered during execution as per actual necessity and test conducted. But the tendered rates noted by the tenderer will hold good in case of such modification ofdrawings during the time of execution and shall in no way invalidate the contract and no extra monetary compensation will be entertained. The work shall however be executed as per final approved drawing to be issued by the Engineer-in-charge as and when required.
- 71. Over and above these conditions the terms and conditions and rules regulations and specifications as laid down in Orissa Detailed Standards Specifications and Orissa P.W.D. Code are also binding on the part of the contractor.
- 72. No part of the contract shall be sublet without written permission of the concerned Block Development Officer or transfer be made by power of Attorney authorizing others to receive payment on the contractor's behalf.
- 73. The contractor should attach the certificate in token of payment of deposit with the registering authority as per recent circular of Government relating to this registration.
- 74. Any damage caused by natural calamities should be made good of by the contractor at his own cost. The Department will not be any way responsible for the same and will not pay any cost towards the repair done by the contractor.
- 75. In case of any complaint by the laborers working about the non-payment or less payment of his wages as per latest minimum wages act, the Executive Engineer will have the right to investigate and if the contractor is found to be in default, he may recover such amount due to the contractor and pay such amount to the laborers directly under information to the local labour officer of the Govt. The decision of the Block Development Officer is final and bidding on the contractor.

hire charges will be levied for the period that the machinery is not returned. Such period will be treated as working time and charged as working time.

In the event of the non-return of the machinerythe full value of the articles at the current market pricewill be recovered from the contractor's outstanding bills or arty bills that may become due in respect of his other works under the State Public Works Department. The decision of the Block Development Officer, BARIPADA shall be final in case of dispute.

Form of agreement – The contractor shall before taking the possession of the machinery, enter into an agreement with the Engineer-in-charge or his nominee in the form prescribed by Deptt.

Log Books for recording the hours of daily work for each of the plant and machinery supplied to the contractor will be maintained the Department and will be attested by the contractor or his authorized agent daily. In case the contractor contests the correctness of the entries and / or fails to sign the log book, the decision of the Engineer-in-charge shall be final and binding on him. Hire charge will be calculated according to the entries in the log book and will be binding on the contractor.

81. CERTIFICATE OF NO RELATIONSHIP (AS PER CLAUSE NO. 31 (a) OF D.T.C.N)

I / We hereby certify that I / We am / are not related to any officer of Office of the Block Development Officer, BARIPADA of the rank of Junior Engineer & above and any officer of the rank of Assistant Secretary and above. We am / are aware that if the facts subsequently proved to be false my / our contract will be rescinded with forfeiture of E.M.D security deposit and I / We shall be liable to make good the loss or damage resulting from such cancellation.

I / We also note that, non - submission of this certificate will render my tender liable for rejection.

82. CERTIFICATE OF LIST OF WORKS IN HAND (CLAUSE - 54)

I / We do hereby certify that at present the following works are in my / our hand.

Sl.	Particulars of	Amount	Period in which the	Approximate value of	Department
No	works now in	of each	work is stipulated to	work done against each	under which
!	hand	work	be completed (in	work on the date of	the work is
			months)	submission of Tender	being taken up
			4	5	6
1	2	3	4	j	

BLOCK DEVELOPMENT OFFICER, BARIPADA

due to Government on account of hire of machinery etc. is recoverable in full. Full amount of hire charges due from the contractor at any contractor at any time shall be recovered from his next subsequent bill.

All transit and incidental charges in connection with the dispatch of tools and plants and machinery from workshop shed / deposit return thereto will be borne by the contractor.

The hire charges shall be recovered at the prescribed rates from and inclusive of the date the plant and machinery is made over up to and inclusive of the date of its return even though the same day may not have been utilized for any reasons except for a major break down which may take more than 72 hours for repairs.

The contractor shall immediately intimate in writing to the Engineer-in-charge when any plant or machinery gets out of order requiring major repairs.

The hire charges are for clock hours. In case of tar boilers, hot mix plant and any other machinery requiring similar preparation, the working hours will include the time required to make up the boiler temperature and bringing plant to the operating conditions before the actual start of work.

The, machine will work in shifts of 8 hours each. Extra charges towards overtime wages of any of the, per acing and maintenance staff be let' able. These charges will be fixed by Engineer-in-charge from time totime. in no case the toolsand plants shall operated beyond 8 hours in shift without prior written permission of the Engineer-in-charge.

The contractorshall release the plant and machinery as and when required for periodical servicingandmaintenance. He shallalso provide for any labour and water source for washing the plants. In the case of concrete mixers, pavers and similar such equipment, the contractor shall ammine to get the hopper cleaned and the drums etc. washed at the close of work each day.

The plant & machinery once issued to a contractor shall not be returned by Lim on account of lack of arrangement of labour materials etc. on his part. The same will be returned only when they require major repair, or when in the opinion of the Engineer-in-charge the work or a portion of work for the same was issued is complete.

The tools and plant shall while in transit and in the custody of contractor be at his sole risk and responsibility for damages and / or loss except fair wear and tear. The damage or loss as assessed by Engineer-in-charge shall bra made good by the contractor. The gent of a disagreement as to the extent of damage or the value of 'articles lost, the decision of the Block Development Officer shall be final. The contractor shall on or before the supply of the plant and machinery sign an agreement in indemnifying the Government against loss or damage to the machine. The contractor shall also be responsible for any claims for compensation for loss oflife, injury or damage to property etc. arising from any cause what -so-ever. The contractor shall provide full time choukidar for guarding the plant and machinery at site.

If the articles are not returned within the date regionally specified or extended by the Engineer-in charge, in addition to the normal hire charge, surcharge equal to 10% of the

BLOCK DEVELOPMENT OFFICER,
BARIPADA

84. PERFORMANCE RECORD OF CONTRACTORS

(In Tender Call Notice (N.I.T) Contractors shall be asked to. furnish report in the following Performa duly certified by the Block Development Officer, BARIPADA, Mayurbahnj under whom he has executed works in order to Judge their past performance.)

- 1) Name of the Contractor with Regd. No. &Date:
- 2) Class of Contractor:
- 3) License Authority and License Valid up to:
- 4) Details of Works Executed:

4) Sl. No	Jobs under execution	Agreement amount	Date of commencement	Stipulated date of completion	Whether work is progressing as per programmer	Reasons for delay if any
1	2	3	4	5	6	7
					ersonnel denlove	d (details of

- 5) Whether the contractor has requisite machineries & personnel deployed (details of machineryandpersonnel deployed.
- 6) Whether the quality of construction is satisfactory:
- 7) Whether he has capability to make good the loss time:
- 8) Whether the contractor has abandoned any work in the past there years, if yes, the details thereof:
- 9) Whether the contractor has entered in to any litigation in the past if yes, the details thereof:
- 10) Name of the Certifying Officer with official seal
- 85. CERTIFICATE OF TOOLS AND PLANTS and clause no. 80, 81,82,83 & 84 are (Not required) I / We do hereby certify that the following tools and plants, machineries and are in my / our possession in working orders.
 - (i) I / We also note that, non submissions of this certificate will render my / our tender liable for rejection.

Signature of the tenderer Date:

BLOCK DEVELOPMENT OFFICER, BARIPADA

		····				
		"				
						T
					l e e e e e e e e e e e e e e e e e e e	Į į
- 1						
ſ						
- 1						1
- 1] ;
- 1					į	i i
J						ļ [
ŧ	f					
1	F	•				
						1
						1 1
J	Į					i i
- 1	į					i
- 1	[i				1
- 1	[:			
- 1						
- 1						1
- 1						
- 6	- 1					1
·						!
						ł
						ŀ
						1
- 1						1
į	!			i		l .
- 1	1					!
ı	;					
	1	1				
		i				
		. !				
		ľ				
4						
			ī	` i		
ŀ						
	[1	I			
		i				į
		Į.	1			ļ.
- 1		1	į]	:	
1			. [1		
1	- 1		1			
	1		ŀ	f		
1	1					
						1
	7 / 377					•

I / We, also note that, non-submission of this certificate will render my / our tender liable for rejection.

Signature of the Tenderer Date:

83. CERTIFICATE OF LIST OF WORKS EXECUTED

I / We do hereby certify that the following works have been executed by me / us in the past.

SI. No	Particulars of works already executed	Approximate amount of each work	Name of Deptt. under which the works executed	Period of commencement and period of completion	Whether the work were completed in stipulated period
1	2	3	4	5	6
			<u> </u>		

I / We also note that, non-submission of this certificate will render my / our tender liable for rejection.

Signature of the Tenderer

Date:

BLOCK DEVELOPMENT OFFICER, BARIPADA

Sold for the work:		
On payment ofRs. (Runees		
ofRs(Rupees		
(a) No of items put to tender	•	•
(b) Eastern money furnished in		
(1) N.S.C. for		pledged / not pledged
(2) Postal time Deposit account	Rs	pledged / not pledged
(3) K.V.P.	Rs.	pledged / not pledged
(4) Postal savings Pass Book A/C	Rs	pledged / not pledged
(5)Demand Draft in favour of BDO, pledged		
(6)Fixed Deposit in any Nationalize	ed Bank Rs	pledged / not pledged
	Rs	
(c) GST Certificate furnished / 1	not furnished	_
(d) PAN CARD furnished / not f	furnished	
(e) List of work in hand furnishe		
(f) Relationship certificate furnis	shed / not furnished.	
	No of corrections:	
	No of overwriting:	
	No of interpolation:	

86. Additional performance security

Additional performance security shall be deposited by the successful bidder when the bid amount is seriously unbalanced i.e. less than the estimated cost of more than 10%. In such an event the successful bidder will deposit the additional performance security to the extent of the differential cost of the bid amount in shape of PostOffice Savings Bank Account / National Savings Certificate / Post Office Time Deposit account / Kissan Vikash Patra / Deposit receipt of Schedule Bank in favour of the Block Development Officer, BARIPADA.

87. Addendum to Note -1 to Para 3.5.5 of O.PWD Code Volume -1

Incentiveshould be paid in respect of individual project fornew construction / substantial additional or improvement works, the minimum value of which is mentioned below:

	Name of the work	Minimum Value
	*	
1.	Building work / P.H. work	Rs. 40. 00 łakh
2.	Road work	Rs. 3.00 crores
3.	Irrigation work	Rs. 10,000 crores

Incentive will be paid with approval of next higher authority of tender accepting authority on completion of original work before original time schedule.

(Incentive need not be included in the estimate. Specific budget provision may be made under State- plan out of which the incentive shall be met.)

88. Affidavit to be furnished by the contractor at the time of submitting of Tender about the authentication of Tender Documents including bank Guarantee.

An affidavit shall be furnished by the contractor at the time of submission of Tender papers about the authentication of tender documents including Bank Guarantee (Vide Govt. of Orissa, Works Deptt. Code - 14/2004 = 9414, dt.08.06.2004, concurred by Law Deptt. and Finance Deptt., ride their UOR No. 1242, dt. 05.08.03 and No. 195 / WF - I, dt. 04.03.04 respectively.

89. Clauses for site engineer and road furniture etc in DTCN/Agreement

- In Works Deptt. Letter No: -10407, dt 25.06.2004, the agencies executing major worksshould possesses ful-fledged field laboratory for testing of the quality of the work. Under the same clause, the following provisions are to be made as per Works Dept. No. 12351 / W, dated 23.07.2004.
- (i) An engineering personnel of the executing agency should be present at work site at the time of visit of high level Inspecting Officers in the rank of Block Development Officer and above.
- (ii) After completion of the Road in all respect, road furniture should be affixed by the executing agency indicating locations like School, Hospital, No-home etc.
- 90. Cess@ 1% (One percent) will be deducted from the gross amount of each running bill of this work towards welfare of Labour as per prevailing guidelines of Govt.

TOTAL (Y) item only
	<u></u>	, item omy

BLOCK DEVELOPMENT OFFICER, BARIPADA

c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 22 providing fitting and fixing M.S. window grills and					T	
10 graded cb. Chips with cost carriage of all materials etc. complete.	9	Cement concrete 1:3:6using 4cm size bhg. Metal with cost carriage of all materials and labour etc.	16.35	Cum	4618.30	75494.02
10 graded cb. Chips with cost carriage of ali materials etc. complete.		R.C.C. work of M-20 using 20 mm and dowm			1]
etc. complete.	10	graded ch. Chins with cost carriage of all materials				
A Column Base 14.15 Cum 5023.75 32981.80	10					
B Grade Beam G.57 Cum 5023.75 32981.80 C Column 3.90 Cum 10907.25 42529.27 D Lintel 5.99 SQM 795.75 4768.17 F Roof beam 4.33 Cum 10907.25 47261.29 G Stair case 1.76 Cum 10414.45 18379.36 H Roof slab 3.41 Cum 9227.05 123708.80 Supplying fitting and placing uncoated HYSD bar reinforcement complete as per drawing and technical specification. Fly ash Brick massonary in c.m. 1:6 having 12(A) crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in 3 superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 Superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 15 12mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 International content of the	<u> </u>		14.15	Cum	5023.75	
C Column 3,90 Cum 10907.25 42529.27 D Lintel 3,28 Cum 8582.5 28171.99 E Chajja 5,99 SQM 795.75 4768.17 F Roof beam 4,33 Cum 10907.25 4768.17 F Roof beam 4,33 Cum 10907.25 47261.29 G Stair case 1,76 Cum 10414.45 18379.36 H Roof slab 3,41 Cum 9227.05 123708.80 Supplying fitting and placing uncoated HYSD bar reinforcement complete as per drawing and technical specification. Fly ash Brick massonary in c.m. 1:6 having 12(A) crushing strength 75kg/cm2 with cost carriage of all materials etc. 12(B) Superstructure 37.56 Cum 4299.10 37925.12 12(B) Superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 Cmm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 18 Fraction of thick of the providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 18 Providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 Providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 17 Providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 18 Providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 18 Providing fitting and fixing Vertified Industrial tiles in fl			6.57	Cum	5023.75	32981.80
D Lintel 3,28 Cum 8582.25 28171.99 E Chajja 5,99 SQM 795.75 4768.17 F Roof beam 4,33 Cum 10907.25 47261.29 G Stair case 1.76 Cum 10414.45 18379.36 H Roof slab 31,41 Cum 9227.05 123708.80 Supplying fitting and placing uncoated HYSD bar reinforcement complete as per drawing and technical specification. Fly ash Brick massonary in c.m. 1:6 having 12(A) crushing strength 75kg/cm2 with cost carriage of all materials etc. 12(B) Superstructure 37.56 Cum 4299.10 37925.12 13 superstructure having crushing strength 75kg/cm2 4.67 Cum 4512.95 21082.58 14 Tem thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 13 13 13 13 14 15 15 15 15 Tem thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 17 18 18 18 19 16 Tem thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 Tem thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 Tem thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 Tem thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 Tem thick c.p. 1:4 for RCC work with cost of all materials etc. 17 Tem thick c.p. 1:4 for RCC work with cost of all materials etc. 18 Tem thick c.p. 1:4 for RCC work with cost of all materials etc. 18 Tem thick c.p. 1:4 for RCC work with cost of all materials etc. 18 Tem thick c.p. 1:4 for RCC work with cost of all materials etc. 18 Tem thick c.p. 1:4 for RCC work with cost of all materials etc. 19 Tem thick c.p. 1:4 for RCC work with cost of all materials etc. 19 Tem thick c.p. 1:4 for RCC work with cost of all materials etc. 19 Tem thick c.p. 1:4 for RCC work with cost of all materials etc. 19 Tem thick c.p. 1:4 for RCC work with cost of all materials etc.			3.90	Cum	10907.25	42529.27
E Chajja 5.99 SQM 795.75 4768.17 F Roof beam 4.33 Cum 10907.25 47261.29 G Stair case 1.76 Cum 10414.45 18379.36 H Roof slab 13.41 Cum 9227.05 123708.80 Supplying fitting and placing uncoated HYSD bar reinforcement complete as per drawing and technical specification. Fly ash Brick massonary in c.m. 1:6 having 12(A) crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in superstructure Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 In m thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 In m thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 In m thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 In m thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 In m thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 In with cost of all materials etc. 18 In m thick c.p. 1:4 for RCC work with cost of all materials etc. 19 In m thick c.p. 1:4 for RCC work with cost of all materials etc. 20 In materials and labour etc. 21 In with cost of all materials etc. 22 In providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 23 In providing fitting and fixing vitrified tiles in floor with c.m. 1:3 with cost of all materials etc. 24 In providing fitting and fixing vitrified tiles in floor with c.m. 1:3 with cost of all materials etc. 25 In providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 26 In providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 27 In providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 28 In providing fitting and fixing vertified Industrial tiles in floor with c.m. 1:1 with cost of all mat			3.28	Cum	8582.25	28171.99
F Roof beam 4.33 Cum 10907.25 4/261.29 G Stair case 1.76 Cum 10414.45 18379.36 H Roof slab 13.41 Cum 9227.05 123708.80 Supplying fitting and placing uncoated HYSD bar reinforcement complete as per drawing and technical specification. Fly ash Brick massonary in c.m. 1:6 having 12(A) crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:6 having strength 75kg/cm2 with cost of all materials etc. Fly ash Brick massonary in c.m. 1:6 having strength 75kg/cm2 with cost of all materials etc. Fly ash Brick massonary in c.m. 1:6 having strength 75kg/cm2 with cost of all materials etc. Fly ash Brick massonary in c.m. 1:6 having strength 75kg/cm2 with cost of all materials etc. Fly ash Brick massonary in c.m. 1:6 having strength 75kg/cm2 with cost of all materials etc. Fly ash Brick massonary in c.m. 1:6 having strength 75kg/cm2 with cost of all materials etc. Fly ash Brick massonary in c.m. 1:6 having strength 75kg/cm2 with cost of all materials etc. Fly ash Brick massonary in c.m. 1:6 having strength 75kg/cm2 with cost of all materials etc. Fly ash Brick massonary in c.m. 1:6 having stren			5.99	SQM	795.75	
Stair case			4.33	Cum	10907.25	47261.29
H Roof slab Supplying fitting and placing uncoated HYSD bar reinforcement complete as per drawing and technical specification. Fly ash Brick massonary in c.m. 1:6 having 12(A) crushing strength 75kg/cm2 with cost carriage of all materials etc. Fly ash Brick massonary in c.m. 1:4 in superstructure Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 Imm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 Imm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 Imm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 Imm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 18 Imm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 19 Imm thick c.p. 1:6 over brick work in finished smooth with cost of all materials etc. 19 Imm thick c.p. 1:4 for RCC work with cost of all materials etc. 19 Imm thick c.p. 1:4 for RCC work with cost of all materials etc. 19 Imm thick c.p. 1:4 for RCC work with cost of all materials etc. 19 Imm thick c.p. 1:6 over brick work in finished smooth with cost of all materials etc. 19 Imm thick c.p. 1:6 over brick work in finished smooth with cost of all materials etc. 19 Imm thick c.p. 1:4 for RCC work with cost of all materials etc. 20 Imm thick c.p. 1:4 for RCC work with cost of all materials etc. 21 Imm thick c.p. 1:4 for RCC work with cost of all materials etc. 22 Imm thick c.p. 1:4 for RCC work with cost of all materials etc. 23 Imm thick c.p. 1:4 for RCC work with cost of all materials etc. 24 Imm thick c.p. 1:5 over brick work in finished smooth with c.m. 1:1 with cost of all materials etc. 25 Imm thick c.p. 1:4 for RCC work with cost of all materials etc. 26 Imm thick c.p. 1:6 over brick wor				Cum	10414.45	18379.36
Supplying fitting and placing uncoated HYSD bar reinforcement complete as per drawing and technical specification. Fly ash Brick massonary in c.m. 1:6 having and externition of technical specification. Fly ash Brick massonary in c.m. 1:6 having and externition of technical strength 75kg/cm2 with cost carriage of all materials etc. 12(B) Superstructure Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 In mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 In mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 In mt thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 In mithick c.p. 1:4 for RCC work with cost of all materials etc. 18 In materials and labour etc. 19 providing fitting and fixing Vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramite tiles in Slab with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 24 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 25 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 26 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc.				Cum	9227.05	123708.80
reinforcement complete as per drawing and technical specification. Fly ash Brick massonary in c.m. 1:6 having and enterials etc. 12(B) Superstructure Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 13 superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 flow multick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 smooth with cost carriage of all materials etc. 16 flow multick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 cmm thick c.p. 1:4 for RCC work with cost of all materials etc. 18 providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing Vertified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 24 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 25 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 26 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 27 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 28 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 29 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials						
technical specification. Fly ash Brick massonary in c.m. 1:6 having 12(A) crushing strength 75kg/cm2 with cost carriage of all materials etc. 12(B) Superstructure Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 In thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 In thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 In thick c.p. 1:4 for RCC work with cost of all materials and labour etc. 18 In thick c.p. 1:4 for RCC work with cost of all materials etc. 19 In thick c.p. 1:4 for RCC work with cost of all materials etc. 19 In thick c.p. 1:4 for RCC work with cost of all materials etc. 19 In thick c.p. 1:4 for RCC work with cost of all materials etc. 19 In thick c.p. 1:4 for RCC work with cost of all materials etc. 19 In thick c.p. 1:4 for RCC work with cost of all materials etc. 19 In thick c.p. 1:4 for RCC work with cost of all materials etc. 19 In thick c.p. 1:4 for RCC work with cost of all materials etc. 10 In thick c.p. 1:4 for RCC work with cost of all materials etc. 10 In thick c.p. 1:4 for RCC work with cost of all materials etc. 10 In thick c.p. 1:4 for RCC work with cost of all materials etc. 11 In thick c.p. 1:4 for RCC work with cost of all materials etc. 12 In providing fitting and fixing of RCC work with cost of all materials etc. 13 In thick c.p. 1:4 for RCC work with cost of all materials etc. 14 In thick c.p. 1:4 for RCC work with cost of all materials etc. 15 In thick c.p. 1:4 for RCC work with cost of all materials etc. 16 In thick c.p. 1:4 for RCC work with cost of all materials etc. 17 In thick c.p. 1:4 for RCC work with cost of all materials etc. 18 In thick c.p. 1:4 for RCC work with cost of all materials etc. 19 In thick c.p. 1:4 for RCC work with cost of all work with cost of all work with cost		reinforcement complete as per drawing and	47.71	ONTL	9092.25	433823.27
Fly ash Brick massonary in c.m. 1:6 having crushing strength 75kg/cm2 with cost carriage of all materials etc. 12(B) Superstructure Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 In mthick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 In mthick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 In materials and labour etc. 18 In materials and labour etc. 19 In providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 19 In providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 In providing fitting and fixing Ceramic tiles in floor with c.m. 1:3 with cost of all materials etc. 21 In providing fitting and fixing Ceramic tiles in floor with c.m. 1:3 with cost of all materials etc. 22 In providing fitting and fixing Vertified tiles in Wall with c.m. 1:3 with cost of all materials etc. 23 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 24 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 25 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 26 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 27 In floor with c.m. 1:1 with cost of all materials etc. 28 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 29 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc.	' ']		
12(A) crushing strength 75kg/cm2 with cost carriage of all materials etc. 12(B) Superstructure Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 If materials and labour etc. 18 If materials and labour etc. 19 If materials and labour etc. 19 If materials and labour etc. 10 If materials etc. 11 If with cost of all materials etc. 12 If with cost of all materials etc. 13 If materials etc. 14 If materials etc. 15 If materials etc. 16 If mm thick c.p. 1:4 for RCC work with cost of all materials etc. 17 If materials and labour etc. 18 If materials etc. 19 If materials etc. 10 If materials etc. 10 If materials etc. 11 If with cost of all materials etc. 12 If with cost of all materials etc. 13 If materials etc. 14 If materials etc. 15 If mm thick c.p. 1:4 for RCC work with finished smooth with c.m. 1:1 with cost of all materials etc. 16 If mm thick c.p. 1:4 for RCC work with cost of all materials etc. 17 If materials etc. 18 If materials etc. 18 If materials etc. 19 If materials etc. 10 If materials etc. 10 If materials etc. 11 If materials etc. 12 If materials etc. 13 If materials etc. 14 If materials etc. 15 If materials etc. 16 If mm thick c.p. 1:4 for RCC work with finished smooth with cost of all materials etc. 18 If materials etc. 19 If materials etc. 10 If materials etc. 10 If materials etc. 10 If materials etc. 11 If materials etc. 12 If materials etc. 13 If materials etc. 14 If materials etc. 15 If materials etc. 16 If mm thick c.p. 1:4 for RCC work with finished smooth with etc. 16 If mm thick c.p. 1:4 for RCC work with finished smooth with etc. 17 If materials etc. 18 If materials e	<u> </u>					
materials etc. 12(B) Superstructure Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 If materials and labour etc. 18 If providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 19 If with cost of all materials etc. 19 If with cost of all materials etc. 10 If with cost of all materials etc. 11 If with cost of all materials etc. 12 If with cost of all materials etc. 13 If with cost of all materials etc. 14 If with cost of all materials etc. 15 If with cost of all materials etc. 16 If mm thick c.p. 1:4 for RCC work with cost of all materials etc. 17 If with cost of all materials etc. 18 If with cost of all materials etc. 19 If with cost of all materials etc. 10 If with cost of all materials etc. 11 If with cost of all materials etc. 12 If with cost of all materials etc. 13 If with cost of all materials etc. 14 If with cost of all materials etc. 15 If with cost of all materials etc. 16 If with cost of all materials etc. 17 If with cost of all materials etc. 18 If with cost of all materials etc. 19 If with cost of all materials etc. 20 If with cost of all materials etc. 21 If with cost of all materials etc. 22 If with cost of all materials etc. 23 If with cost of all materials etc. 24 If with cost of all materials etc. 25 If with cost of all materials etc. 26 If with cost of all materials etc. 27 If with cost of all materials etc. 28 If with cost of all materials etc. 29 If with cost of all materials etc. 20 If with cost of all materials etc. 20 If with cost of all materials etc. 21 If with cost of all materials etc. 22 If with cost of all materials etc.	40/4	Fly ash blick massonary in c.m. 1.0 having	8 82	Cum	4299.10	37925.12
12(B) Superstructure 37.56 Cum 4332.45 162710.40 13 Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 4.67 Cum 4512.95 21082.58 14 16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 360.53 SQM 206.75 74538.82 15 12mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 131.87 SQM 144.60 19068.63 16 6 6 6 6 6 6 6 6 6	12(A		0.02	00,	1200	
Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 If mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 In multiple cost carriage of all materials etc. 16 In mthick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 In multiple cost carriage of all materials etc. 18 In multiple cost carriage of all materials etc. 19 In multiple cost of all materials etc. 19 In materials etc. 10 In multiple cost of all materials etc. 10 In materials etc. 11 In with cost of all materials etc. 12 In with cost of all materials etc. 13 In materials etc. 14 In multiple cost of all materials etc. 15 In multiple cost of all materials etc. 16 In multiple cost of all materials etc. 17 In multiple cost of all materials etc. 18 In multiple cost of all materials etc. 19 In multiple cost of all materials etc. 10 In multiple cost of all materials etc. 10 In multiple cost of all materials etc. 11 In multiple cost of all materials etc. 12 In multiple cost of all materials etc. 23 In multiple cost of all materials etc. 24 In multiple cost of all materials etc. 25 In multiple cost of all materials etc. 26 In multiple cost of all materials etc. 27 In multiple cost of all materials etc. 28 In multiple cost of all materials etc. 29 In multiple cost of all materials etc. 20 In multiple cost of all materials etc. 21 In multiple cost of all materials etc. 22 In multiple cost of all materials etc. 23 In multiple cost of all materials etc. 24 In multiple cost of all materials etc. 25 In multiple cost of all materials etc. 16 In multiple cost of all materials etc. 17 In multiple cost of all materials etc. 18 In multiple cost of all materials etc. 19 In multiple cost of all materials etc. 10 In multiple cost of all etc. 10 In multiple cost of all etc. 11 In multiple cost of all etc. 12 In multiple cost of all materials etc. 13 In multiple cost of all	40/D		37 56	Cum	4332 45	162710 40
superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc. 14 In mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 In mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 In mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 In mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 17 In materials and labour etc. 18 In materials and labour etc. 19 In providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 In providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 In providing fitting and fixing Ceramic tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 22 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 23 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 24 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 25 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 26 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 27 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 28 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 29 In providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials	12(B	Superstructure	37.00	- Cuiii-	1002.10	1027,101.10
with cost carriage of all materials etc. 14	4.0	Fly ash Brick massonary in c.m. 1.4 iii	A 67	Cum	4512 95	21082 58
14 16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 15 12mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 16 mm thick c.p. 1:4 for RCC work with cost of all materials and labour etc. 17 17 providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 18 18 providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 24 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 25 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 26 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 27 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 28 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials	13		4.07		1012.00	1
smooth with cost carriage of all materials etc. 15 12mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 6mm thick c.p. 1:4 for RCC work with cost of all materials and labour etc. 17 providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 18 providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 24 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 25 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 26 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials	ļ	with cost carriage of all materials etc.		 	-	 -
15 12mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc. 16 6mm thick c.p. 1:4 for RCC work with cost of all materials and labour etc. 17 providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 18 providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing M.S. window grills and 131.87 SQM 144.60 13972.59 1397	14		360.53	SQM	206.75	74538.82
smooth with cost carriage of all materials etc. 16 Gmm thick c.p. 1:4 for RCC work with cost of all materials and labour etc. 17 providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 18 providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing M.S. window grills and 15.90 SQM 1177.40 18719.37				 		
16 6mm thick c.p. 1:4 for RCC work with cost of all materials and labour etc. 17 providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 18 providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 24 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 25 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 26 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials	15	•	131.87	SQM	144.60	19068.63
materials and labour etc. 17 providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 18 providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials etc. 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 24 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 25 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials	<u> </u>	smooth with cost carriage of all materials etc.				
providing fitting and fixing vitrified tiles in floor with c.m. 1:1 with cost of all materials etc. 18 providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 24 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials	16		86.36	SQM	161.80	13972.59
c.m. 1:1 with cost of all materials etc. 18 providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 24 providing fitting and fixing M.S. window grills and		materials and labour etc.		-		<u> </u>
providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 24 providing fitting and fixing M.S. window grills and	17		51.82	SQM	1241.45	64333.36
c.m. 1:1 with cost of all materials etc. 19 providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials	\vdash			┼-	 -	
providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc. 20 providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 22 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 23 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 24 providing fitting and fixing M.S. window grills and	18		13.26	SQM	2452.65	32528.04
c.m. 1:1 with cost of all materials etc. providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing M.S. window grills and				 	 	
providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing M.S. window grills and	19	li a	10.08	SQM	1010.95	10189.08
c.m. 1:3 with cost of all materials etc. 21 providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials 22 providing fitting and fixing M.S. window grills and				 -	 	
providing fitting and fixing Vertified Industrial tiles in floor with c.m. 1:1 with cost of all materials providing fitting and fixing M.S. window grills and	20		127.10	SQM	1347.70	171290.44
in floor with c.m. 1:1 with cost of all materials providing fitting and fixing M.S. window grills and	<u> </u>	c.m. 1:3 with cost of all materials etc.	<u> </u>	 	 	_
in floor with c.m. 1:1 with cost of all materials providing fitting and fixing M.S. window grills and	١.,	providing fitting and fixing Vertified Industrial tiles	45.00	COM	1177 40	19710 27
providing fitting and fixing M.S. window grills and	21		15.90	SQM	1177.40	10719.37
				├ ──		<u> </u>
	1		00400	1,0	14044	47044.40
22 grill gate made out of M.S. angle with flat with cost 324.00 KG 146.11 47341.10	22		324.00	KG	146.11	4/341.10
of all materials etc.(Window [art)				<u> </u>		
providing fitting and fixing M.S. Door grills and grill			l		1	0.005.00
23 gate made out of M.S. angle with flat with cost of all 624.75 KG 146.11 91285.03	23	1 -	624.75	KG	146.11	91285.03
materials etc.(Door part)						 -
providing fitting and fixing M.S. window grills and						
24 grill gate made out of M.S. angle with flat with cost 63.00 KG 146.11 9205.21	24	-	63.00	KG	146.11	9205.21
of all materials etc.(Ventilator)		· · · · · · · · · · · · · · · · · · ·	<u> </u>			
Providing fitting fixing stainless steel hand railing 13.11 RMT 3042.00 39869.67	25		13 11	RMT	3042.00	39869.67
l with cost of all mateerials etc.	1 23	with cost of all mateerials etc.				<u> </u>





Name of Work CONSTRUCTION OF DAY CARE SUB CENTRE CUM HEALTH & WELLNESS CENTRE AT BASANTPUR UNDER BARIPADA BLOCK FOR THE YEAR OF 2022-23. Rs. 3405749.00 St. 3405749.00 Cost of Tender Paper Dt. of Sale & Receipt of Tender Paper Dt. of Sale & Receipt of Tender Paper Dt. of Completion Class of contractor St. No. Description of Item No. Dismantling and removing R.C.C. Column , Bearn, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling Brick or stone masony in lime or cement mortar under 3m height iniluding stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling Brick or stone masony in lime or careful removal of nails, boths etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling Word or AC sheet roofing after careful removal of nails, boths etc. stacking the useful materials for reuse and removing the debris within 50m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and boths including stacking the useful materials for reuse and removing the debris within 50m lead Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse and removing the debris within 50m lead Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse and removing the debris within 50m lead Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with in tital lead and lift etc. complete. Filling foundation and plinth with sand well watered and rammed with cost carriage of all materials etc.	•	BILL OF QUANTI	TY-1			
Estimated cost Rs. 3405749.00 E.M.D to be deposited 34100.00 Cost of Tender Paper 6000.00 Dt.of Sale & Receipt of Tender Paper Dt.of opening of Tender Paper Time of completion Eight (8) Month Class of contractor B' Class & 'C' Class SI. Description of Item B' Class & 'C' Class SI. Sola, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead blismantling Brick or stone masonry in lime or cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead elso complete Dismantling wrought and framed timber in roof after careful removal of nalls, bofts etc. stacking the useful materials for reuse and removing the debris within 50 m lead blismantling wrought and framed timber in roof after careful removal of nalls, bofts etc. stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old title flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete.	Nan	ne of Work	CENTRE CUM HEALTH & WELLNESS CENTRE AT BASANTPUR UNDER BARIPADA BLOCK FOR THE YEAR			
E.M.D to be deposited Cost of Tender Paper Dt.of Sale & Receipt of Tender Paper Dt.of opening of Tender Paper Time of completion Class of contractor SI. Description of Item No. Dismantling and removing R.C.C. Column , Beam, Staking the useful materials for reuse and removing the debris within 50 m lead etc complete (A/R Page-223 , item No. Dismantling wording the useful materials for reuse and removing the debris within 50 m lead. Dismantling GCI or AC sheet roofing after careful removal of nuls and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc.complete (A/R Page-223 , item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete.	Esti	mated cost Rs				<u> </u>
Dt. of Sale & Receipt of Tender Paper Dt. of opening of Tender Paper Time of completion Class of contractor B' Class & 'C' Class SI. Description of Item Dismantling and removing R.C.C. Column, Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling Brick or store masonry in lime or cement mortar under 3m height inituding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR 7 Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. 8 Filling foundation and plinth with sand well watered	E.M		 			
Dt. of Sale & Receipt of Tender Paper Dt. of opening of Tender Paper Time of completion Class of contractor B' Class & 'C' Class SI. Description of Item Dismantling and removing R.C.C. Column , Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing line of comment mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling Brick or stone masonry in lime or ceremount mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.complete (A/R Page-223 item No 28) Dismantling and removing doors, windows & ventiliators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered				•		
Time of completion Class of contractor B' Class & 'C' Class SI. Description of Item Dismantling and removing R.C.C. Column , Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling Brick or stone masonry in lime or cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling wrought and framed timber in roof after careful removal of nails, botts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and botts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removal of nuts and botts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc. coomplete (A/R Page-223 item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Tame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	Cos	t of Tender Paper	6000.00			
Time of completion Class of contractor B' Class & 'C' Class SI. Description of Item Dismantling and removing R.C.C. Column , Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling Brick or stone masonry in lime or cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling wrought and framed timber in roof after careful removal of nails, botts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and botts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removal of nuts and botts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc. coomplete (A/R Page-223 item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Tame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	Dt.o	f Sale & Receipt of Tender Paper			<u> </u>	
Time of completion Eight (8) Month Class of contractor B' Class & 'C' Class SI. No. Description of Item Obstanting and removing R.C.C. Column, Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling Brick or stone masonry in lime or cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling wrought and framed timber in roof after careful removal of nails, botts etc. stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, tem No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered		<u> </u>	<u> </u>			
Class of contractor B' Class & 'C' Class SI. No. Description of Item Dismantling and removing R.C.C. Column , Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and temoving the debris within 50 m lead etc. complete Usimantling Word of nails, botts etc. stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling GCI or AC sheet roofing after careful removal of nails, botts etc. stacking the useful materials for reuse and removing the debris within 50 m lead bismantling GCI or AC sheet roofing after careful removal of nails polts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No.28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered	Dt.o	f opening of Tender Paper				· <u>- · · · · · · · · · · · · · · · · · ·</u>
Class of contractor B' Class & 'C' Class SI. No. Description of Item Dismantling and removing R.C.C. Column , Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and temoving the debris within 50 m lead etc. complete Usimantling Word of nails, botts etc. stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling GCI or AC sheet roofing after careful removal of nails, botts etc. stacking the useful materials for reuse and removing the debris within 50 m lead bismantling GCI or AC sheet roofing after careful removal of nails polts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No.28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered	Time	e of completion	Fight (9)	Manih		
SI. No. Description of Item Dismantling and removing R.C.C. Column , Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling Brick or stone masonry in lime or cernent mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc.complete (A/R Page-223, item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Farth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered Plantal Page In Initial Page			Ligit (6)	MOHUH		
Dismantling and removing R.C.C. Column, Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling Brick or stone masonry in lime or cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling Wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removal of nuts and bolts including stacking the useful materials for reuse and stacking the useful materials for reuse etc.coomplete (A/R Page-223, item No.28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered	Clas	s of contractor	B' Class	& 'C' CI	ass	
Dismantling and removing R.C.C. Column, Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling Brick or stone masonry in lime or cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling Wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removal of nuts and bolts including stacking the useful materials for reuse and stacking the useful materials for reuse etc.coomplete (A/R Page-223, item No.28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered	<u> </u>	T		,,		
Dismantling and removing R.C.C. Column , Beam, Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead ebris within 50 m lead etc. stacking the useful materials for reuse and removing the debris within 50 m lead etc complete useful materials for reuse and removing the debris within 50 m lead etc complete useful materials for reuse and removing the debris within 50 m lead etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50 m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc.coomplete (A/R Page-223, item No 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered		Description of Item		Unit		1
Slab, Stair case, Landing, lintel including etc. stacking the useful materials for reuse and removing the debris within 50 m lead chebris within 50 m lead euseful materials for reuse and removing the debris within 50 m lead etc. complete Dismantling Briok or stone masonry in lime or cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc. complete Dismantling wrought and framed timber in roof after careful removal of nails, botts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Faith work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered	1101	Dismantling and removing R.C.C. Column , Beam,	y	<u> </u>	Figure	Rupees
permoving the debris within 50 m lead Dismantling Brick or stone masonry in lime or cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete useful materials for reuse and removing the useful materials for reuse and removing the useful materials for reuse and removing the debris within 50 m lead Dismantling wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc.coomplete (A/R Page-223, item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered	1	Slab, Stair case, Landing, lintel including etc.	0.05		1220.05	14424.05
cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc.coomplete (A/R Page-223 item No 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	•	stacking the useful materials for reuse and	9.05	Cum	1230.05	11131.95
cement mortar under 3m height inluding stacking the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc.coomplete (A/R Page-223 item No 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered		removing the debris within 50 m lead Dismantling Brick or stone masonry in lime or	<u> </u>			<u> </u>
the useful materials for reuse and removing the debris within 50 m lead etc complete Dismantling wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc.coomplete (A/R Page-223 item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	2	cement mortar under 3m height inluding stacking	40.50		4404	
Dismantling wrought and framed timber in roof after careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the useful materials for reuse etc.coomplete (A/R Page-223, item No 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Faith work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered	-	the useful materials for reuse and removing the	13.50	Cum	1161.70	15682.95
careful removal of nails, bolts etc. stacking the useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	_	debris within 50 m lead etc complete	<u> </u>		<u> </u>	
useful materials for reuse and removing the debris within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No.28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	_		0.07	7 Cum	1067.45	74.72
within 50 m lead Dismantling GCI or AC sheet roofing after careful removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No 28) Dismantling and removing doors, windows & ventilators including removal of frame,hinges,fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	3					
removal of nuts and bolts including stacking the useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223 item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	_	within 50 m lead				
useful materials for reuse and removing the debris within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered						
within 50m lead. Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	4		14.87	SQM	75.60	1124.17
Dismantling and removing old tile flooring including removing the base coarse and stacking the usful materials for reuse etc.coomplete (A/R Page-223, item No. 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered						
materials for reuse etc.coomplete (A/R Page-223, item No 28) Dismantling and removing doors, windows & ventilators including removal of frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered		Dismantling and removing old tile flooring including				
item No 28) Dismantling and removing doors, windows & ventilators including removal of frame,hinges,fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered	5		63.73	SOM	103 95	6624.73
Dismantling and removing doors, windows & ventilators including removal of frame,hinges,fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered Filling foundation and plinth with sand well watered		· · · · •	30.70	JOGIN	100.00	0024.73
frame,hinges,fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered		Dismantling and removing doors, windows &				
frame, hinges, fastenings and stacking the useful materials for reuse and removing the debris within GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered	6		11 24	SOM	222 50	2727 20
GROUND FLOOR Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. Filling foundation and plinth with sand well watered	-	frame,hinges,fastenings and stacking the useful	11.24	SCIVI	332.30	3/3/.30
Earth work in excavation of foundation in hard soil with initial lead and lift etc. complete. 58.81 Cum 219.80 12925.87 Filling foundation and plinth with sand well watered						
with initial lead and lift etc. complete. 58.81 Cum 219.80 12925.87 Filling foundation and plinth with sand well watered						
Filling foundation and plinth with sand well watered and rammed with cost carriage of all materials etc. 96.05 Cum 446.30 42868.79			58.81	Cum	219.80	12925.87
and rammed with cost carriage of all materials etc. 96.05 Cum 446.30 42868.79	ا ۾	Filling foundation and plinth with sand well watered	00.55			
, , , , , , , , , , , , , , , , , , , ,	١	and rammed with cost carriage of all materials etc.	96.05	Cum	446.30	42868.79

野

Ou

42	providing fitting and fixing M.S. window grills and grill gate made out of M.S. angle with flat with cost of all materials etc.	247.50	кG	146.11	36163.34
	providing fitting and fixing M.S. window grills and grill gate made out of M.S. angle with flat with cost of all materials etc.	399.00	KG	146.11	58299.69
44	providing fitting and fixing M.S. window grills and gril	57.00	KG	146.11	8328.53
45	Providing fitting fixing stainless steel hand railing with cost of all mateerials etc.	19.28	RMT	3042.00	58636.23
46	providing fitting and fixing Aluminium Door With OEL anodized section with cost of all materials etc.	3.25	SQM	7064.65	22970.71
47	Finishing walls with water based acrylic wall putty with any approved shade with cost of all materials etc.	362.48	SQM	85.10	30846.90
48	Priming one coat with any approved shade with cost of all materials etc.	477.61	SQM	59.20	28274.31
49	Finishing walls with plastic emulsion paint two coats any approved shade with cost of all materials etc.	362.48	SQM	81.35	29487.61
50	Finishing walls with weather seal coat paints two coats any approved shade with cost of all materials etc.	115.13	SQM	75.20	8657.64
51	Painting two coats over a coat of primer with any approved shade with cost of all materials etc.	53.09	SQM	143.75	7632.03
	2ND FLOOR				
52	R.C.C. work of M-20 using 20 mm and dowm graded cb. Chips with cost carriage of all materials etc. complete				<u>.</u>
Α	Column	0.73	Cum	13753.00	10103.01
В	Lintel	0.46	Cum	10405.05	4806.21
С	Roof beam	0.77	Cum	13753.00	10545.42
D	Roof slab	1.57	Cum	11333.50	17807. <u>16</u>
53	Supplying fitting and placing uncoated HYSD bar reinforcement complete as per drawing and technical specification.	3.53	QNTL	9143.20	32316.51
54	Fly ash Brick massonary in c.m. 1:6 having				
	Superstructure	15.68	Cum	4931.35	77318.40
55	16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc.	62.23	SQM	217.20	13516.81
56	12mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc.	68.65	SQM	151.60	10407.85





·	Finishing walls with water based acrylic wall putty	,		-	
26	with any approved shade with cost of all materials etc.	446.88	SQM	83.70	37404.15
27	Priming one coat with any approved shade with cost of all materials etc.	578.76	SQM	57.65	33365.23
28	Finishing walls with plastic emulsion paint two coats any approved shade with cost of all materials etc.	446.88	SQM	78.60	35125.04
29	Finishing walls with weather seal coat paints two coats any approved shade with cost of all materials etc.	131.87	SQM	72.45	9554.09
30	Painting two coats over a coat of primer with any approved shade with cost of all materials etc.	64.90	SQM	140.15	9096.05
İ	FIRST FLOOR				
31	R.C.C. work of M-20 using 20 mm and dowm graded cb. Chips with cost carriage of all materials				
Α	Column	3.31	Cum	12202.80	40443.71
В	Lintel	2.70	Cum	9412.80	25453.82
С	Chajja	4.74	SQM	897.30	42 51.32
D	Roof beam	3.57	Cum	12202.80	43557.97
E	Stair case	1.76	Cum	11611.45	20491.81
F	Roof slab	12.64	Cum	10186.50	128713.22
32	Supplying fitting and placing uncoated HYSD bar reinforcement complete as per drawing and technical specification.	24.23	QNTL	9117.10	220951.15
33	Fly ash Brick massonary in c.m. 1:6 having crushing strength 75kg/cm2 with cost carriage of all materials etc.				
	Superstructure	29.31	Cum	4611.00	135128.24
34	Fly ash Brick massonary in c.m. 1:4 in superstructure having crushing strength 75kg/cm2 with cost carriage of all materials etc.	6.37	Cum	4824.85	30721.14
35	16 mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc.	290.66	SQM	211.90	61591.54
36	12mm thick c.p. 1:6 over brick work in finished smooth with cost carriage of all materials etc.	115.13	SQM	148.05	17044.73
37	6mm thick c.p. 1:4 for RCC work with cost of all materials and labour etc.	71.82	SQM	165.85	11910.53
38	providing fitting and fixing vitrified tiles in floor with c.m. 1:4 with cost of all materials etc.	66.58	SQM	1263.60	84130.11
39	providing fitting and fixing Granite tiles in Slab with c.m. 1:1 with cost of all materials etc.	13.45	SQM	2474.80	33281.62
40	providing fitting and fixing Ceramic tiles in floor with c.m. 1:1 with cost of all materials etc.	4.83	SQM	1033.10	4990.70
41	providing fitting and fixing vitrified tiles in Wall with c.m. 1:3 with cost of all materials etc.	62.87	SQM	1379.60	86734.27

B.



				Say	3406000.00
	Total 69(SIXTYNINE) items only				3405748.25
69	Providing and laying 80mm thick factory made cement concrete inter locking paver block of M-30 grade made by block machine of approved size, design & shape and in required pattern on road surface including filling the interstices with sand etc.complete	16.72	SQM	931.19	15569.56
68	Earthwork in hard soil with initial lead and lift including rough dressing and breaking clods upto 5cm to 7cm size and laying in layers each layer not exceeding 0.3m in depth etc. complete.	0.42	Cum	162.50	68.25

BOQ Prepaired & Submitted by

Assistant Engineer,NHM,Mayurbhanj

I am willing to execute the work at

i)% Excess (in words	,,,,,,,
ii)% Less (in words	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
,	APPROVED
	Sd/-
Signature of the Contracto	BLOCK DEVELOPMENT OFFICER BARIPADA
Sold for the work:	CONSTRUCTION OF DAY CARE SUB CENTRE CUM HEALTH & WELLNESS CENTRE AT BASANTPUR UNDER BARIPADA BLOCK FOR THE YEAR OF 2022-23.
on realisation of Rs6000 /- towards of Draft.	ost of tender paper in the shape of Demand
dt	

57	6mm thick c.p. 1:4 for RCC work with cost of all materials and labour etc.	6.83	SQM	170.00	1160.79
58	providing fitting and fixing M.S. Door Shutter made out of M.S. angle with flat with cost of all materials etc.	73.50	KG	146.11	10739.42
59	Finishing walls with water based acrylic wall putty with any approved shade with cost of all materials etc.	69.06	SQM	86.55	5977.16
60	Priming one coat with any approved shade with cost of all materials etc.	137.71	SQM	60.75	8366.10
61	Finishing walls with plastic emulsion paint two coats any approved shade with cost of all materials etc.	69.06	SQM	84.25	5818.32
62	Finishing walls with weather seal coat paints two coats any approved shade with cost of all materials etc.	68.65	SQM	78.10	5361.83
63	Painting two coats over a coat of primer with any approved shade with cost of all materials etc.	5.12	SQM	147.50	755.36
	APPROACH ROAD				
64	Earth work in excavation of foundation in hard soil or gravelly soil including dressing and levelling the bed and disposal of the excavated materials within initial leads and lifts as per direction of E.I.C.	3.40	Cum	219.80	747.32
65	Supplying & filling foundation and plinth with sand well watered and rammed including cost, carriage, royalty & taxes of all materials, cost of all labour, T&P etc complete.	1.70	Cum	446.30	758.71
66	Cement Concrete (1:3:6) using 40mm size hard granite C.B. metal of approved quality from approved quarry including hoisting, laying, using concrete mixture and vibrators including watering, curing, cost, carriage, royalty & taxses of all materials etc. complete.	2.97	Cum	4618.30	13716.35
67	Cement concrete (1:2:4) with 12mm size chips of approved quality etc.comp.	1.68	Cum	6081.15	10216.33



