ZILLA SWASTHYA SAMITI, MAYURBHANJ

Sealed tenders are invited from interested / bonafied / registered printing agency for supply of various printing materials on annual rate contract basis to C.D.M & P.H.O, Mayurbhanj. The details regarding specifications, terms and conditions may be downloaded from district website www.mayurbhanj.nic.in. The bids in sealed envelope should reach the office of the undersigned by 13.02.2020 till 5.00 P.M along with all relevant documents. The tender will be opened at 12.00 P.M on 14.02.2020 in presence of bidders or their authorized representatives. The undersigned reserves the right to reject any or all the tenders without assigning any reason thereof.

Sd/C.D.M & P.H.O-cum-District Mission Director
District Health Mission, Mayurbhanj

2442020



OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER MAYURBHANJ, ODISHA



Tender No. 266

Date: 21/01/2020

Notice for Invitation of Tender for Printing Material

Date for Availability of Tender

: 22.01.2020 to 13.02.2020

In the website www.mayurbhanj.nic.in

Pre Bid Conference

: 28.01.2020, 12 P.M

(Office chamber of CDM&PHO,

Mayurbhanj) Baripada.

Last Date for Submission of Tender

: 13.02.2020, 5 P.M

Place, time & venue of Opening Tender

: 14.02.2020, 12 P.M

Office chamber of CDM&PHO,

Mayurbhanj) Baripada.

Address for submission

: Office of the Chief District Medical

and Public Health Officer,

Mayurbhanj, Baripada - 757001.

Earnest Money

: Rs. 50,000/-

(Rupees FiftyThousand) only

1 km 21/12020

TENDER DOCUMENT FOR PRINTING OF MATERIALS

- 1. Sealed tenders are invited from interested agencies having adequate experience in printing & supply of different type of printing assignments.
- 2. Interested bidders may obtain details terms and conditions from "tenders" link of Mayurbhanj website www.mayurbhanj.nic.in for taking up this assignment. The Prebid meeting to be held on <a href="detata:detat
- 3. The bidders shall ensure that each page of the tender document is to be signed with authorized signatory and organisation seal.
- 4. The tender will be in two parts i.e. technical bid. (Cover-A) and price bid (Cover-B). The bidders should give their technical and financial proposal separately in two envelopes and should be put into another cover super scribed as "Tender for supply of different printing materials in reference to advt. no-______".
- 5. The technical bid and price bid should be sealed in separate envelope otherwise bid will be rejected. The bid will be rejected for any shortfall of required documents as per terms and conditions. There is no further add-on of documents are allowed in the future. The tenders should be addressed to:

CHIEF DISTRICT MEDICAL AND PUBLIC HEALTH OFFICER

Mayurbhanj

At/Po-Baripada-757001

Dist- Mayurbhanj

- 6. It is suggested that the prospective bidders may submit their tender after clarifying doubts at the above mentioned address between 11.00 AM to 4.00 PM on all official working days from the date of issue of notification till the receipt of tender.
- 7. Bidders who qualify in the technical bid will only be eligible for financial evaluation.
- 8. Quantities may be increased / decreased by the tender inviting authority as per the requirement.
- 9. The quoted price shall remain valid for a period of 1 year from the date of approval which may be extended with mutual consent in between the tender inquiry authority and approved supplier.
- 10. The items should be supplied and installed maximum within 15 days from the date of purchase order / award of work. The CDM&PHO, Mayurbhanj reserves the right to cancel the order in the case of delay in delivery of all the items.
- 11. It would be the responsibility of the Bidder's representative (only one person per bidder) to be present at the venue of opening of Bids. In case absence of any bidder then bid document could be opened by the committee members.
- 12. The items delivered should be as per the specification mentioned with clear visibility of contents. If found defective, the same has to be replaced immediately within seven days & total cost will be borne by the concerned awarded party.
- 13. Successful L1 bidder could also be provided with other printing items not mentioned in the below mentioned table with similar specifications and approved rate within contract period.

TERMS AND CONDITIONS

	Terms & Conditions	Documents to be Submitted
1	The organization should be a bonafide registered body.	Photocopy of registration certificate
2	The organization should be registered with GST.	Photo copy of GSTIN with copy of updated return.
3	The organization should have valid PAN	Photo copy of PAN
4	Average annual turnover should not be less than ₹.1 crore for last 3 consecutive financial years. [i.e – 2016-17, 2017-18, 2018-19]	Copy of turnover statement duly certified by C.A (Annexure – III)
5	The bidder should have last three years [i.e – 2016-17, 2017-18, 2018-19] working experience in printing & advertising of similar nature for Govt. Institution.	(End user performance certificate on successful completion in support of work to be attached).
6	Tender paper cost of Rs.2,360/- by way of Demand Draft/Banker's Cheque, drawn on any Nationalized Bank in favour of "ZSS Non-NRHM, Funds A/c. Mayurbhanj" payable at Baripada.	Demand Draft / Banker's Cheque on any nationalized bank.
7	Tender must be accompanied by E.M.D of Rs.50,000/ - by way of Demand Draft/Banker's Cheque, drawn on any Nationalized Bank in favour of "ZSS Non-NRHM Funds A/c., Mayurbhanj" payable at Baripada. However, the firms having DIC/MSME/NSIC registration are exempted to deposit E.M.D. Tenders if not accompanied by E.M.D will not be considered. E.M.D of unsuccessful bidder will be returned without interest on finalization of bid. E.M.D of successful bidder will be refunded on successful completion of the job without interest.	Demand Draft / Banker's Cheque on any nationalized bank. (The DIC/MSME/NSIC certificate to be enclosed for availing exemption)
8	The organization will have to submit an Affidavit (On original Stamp Paper of relevant value) with the following clauses:- 1. It has not been blacklisted by any Government Organization 2. The organization does not have any legal suit / criminal case pending against it for violation of PF /ESI/MW Act or any other law. 3. The supplier will have liability regarding transportation, loading and unloading of material and all the material ordered shall be delivered at the designated place in good condition. The defective or damaged printed material if any will be replaced by the Supplier. 4. That the organization agrees to abide by all terms & conditions of tender	Original Affidavit in Non- Judicial stamp paper (Annexure-II)

9	Sample of printing materials to be submitted along with bid	Sample of paper/flex/board (Within A4 Size)		
	The organization will quote prices exclusive of GST.			
10				
	All the supporting documents must be self-attested by	by the authorized signatory.		
11	Conditional Tenders are liable to be rejected. In the event of acceptance,			
	specifications, will not be considered.			
12	If the successful bidder/ bidders fail to supply within the stipulated period i.e. 10 days from date of receipt of final proof from CDM & PHO, Mayurbhanj, liquidated damage @ 0.5% of the order value, per week of delay shall be deducted from the final payment. Maximum delay time acceptable is 8 weeks. Hence, the maximum liquidated damage shall be up to 4% of purchase order. If the bidder fails to supply within the maximum delay time his order stands cancelled automatically.			
13	The CDM & PHO will not pay any advance payment to the organization. The organization will have to carry out the entire job on its own and the amount will be paid only after satisfactory completion of the job and submission of bill in that regard.			
14	or agents etc. to make an unauthorized copy, use, access or other utilization of this material commercially or otherwise, directly or indirectly except as agreed to by the Office. The organization shall also ensure complete confidentiality of the			
	information and data provided to it in the course of c			
15	Bidder must have sound knowledge of latest intelled authority who assigns the work is no way responsible supplier in this regard.	for any deviation made by the		
16	The cost towards the testing of paper/printing m successful bidder.	aterial will be borne by the		
17	The suppliers shall also ensure that the quality and quantity has to be as per the supply order and approved rate contract in the tender. The supply of items shall be made immediately according to volume after placing the supply order by the Office of CDM & PHO, Mayurbhanj and supplier shall submit the bill for payment at the approved rate in respect to the quantity of items supplied. The transportation of items is sole responsibility of the supplier and must deliver the item on door delivery basis.			
	Under no circumstances the organization shall ap	anoint any sub-contractor or		
18	sublease the contract. If it is found that the org conditions the contract will be terminated forthw	anization has violated these with without any notice and		
	security deposited by the organization shall be forfeit	ed.		
19	Rates quoted against this tender notice shall remain	valid up to 12 months after		
	award of first contract and may be extendable up to	next tender with due consent		
	from both parties. No request for increase in rate	s, if any, will be allowed or		
	entertained during this period.			
20	The head of the organization (bidder) should submit a	n authorization and specimen		
	signature of their authorized signatory.			
21	Rates should be quoted inclusive of cost of paper,	design, proof reading, DTP,		

	charges of GST & other taxes as applicable.			
22	The tender should reach in prescribed format to the "Chief District Medical & Public Health Officer, Mayurbhanj, AT/Po Baripada PIN-757001" only through Speed Post/Regd. Post on or before 13.02.2020 till (05.00 P.M). The tender shall be opened on 14.02.2020 at 12.00 P.M. in the office chamber of C.D.M &P.H.O, Mayurbhanj in the presence of bidders or their authorized representative who may wish to be present. The envelope must superscibed with "TENDER FOR SUPPLY OF DIFFERENT PRINTING MATERIALS IN REFERENCE TO ADVT. NO"			
23	All legal disputes are subject to the jurisdiction of Court of District Judge Mayurbhanj only.			
24	The CDM & PHO reserves the right to accept or reject any or all the tenders without assigning any reasons thereof.			

1. TECHNICAL BID:

Documents with support to point no. 1 to 9 of tender terms and conditions must be attached with technical bid otherwise bid will be rejected. The bid will be liable for rejection for any deviation in format and bid procedure as mentioned in tender document.

2. PRICE BID

- i. Hard Copy signed & sealed both in words and figures as per Annexure IV.
- ii. The Price bid of the technical qualified bidders will only be opened.
- iii. The quoted price (Cost of Printing excluding GST with transportation) should both in figures and words. In case of difference in words and figures, words will be taken into consideration for evaluation.

3. EVALUATION:

The rates of the item quoted by the technically qualified bidders will be evaluated after taking the following points into consideration: - *

- 3.1 Rate of items of each bidder will be taken as price excluding GST.
- 3.2 After item wise evaluation the lowest Eligible Bidder for each item will be selected.

24/12020

SPECIFICATIONS

SI. No	Name of the Item	Specification		
01		1) Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art paper.		
02	Poster	 Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 130 G. Art Paper fixing with adhesive double side Gum tape in the back side poster. 		
03	Poster	3) Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 90 GSN Art Paper.		
04		4) Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 90 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.		
05		1) Size – 28 CM x 22 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art Paper; Print - Single side		
06	Leaflet	2) Size – 28 CM X 22 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper; Print- Single Side		
07	Leanet	3) Size – 28 CM X 22 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper; Print- Both side.		
08		4) Size – 26 CM X 21 CM, Process – Multi Colour (four colour) & Paper – 70 GSM Art Paper; Print- Single Side		
09	Change of Flex banner for Hoarding	Size- 16'x 8' (with fitting in 30 nos. block institute inside Mayurbhanj district)		
10	Wall Painting	Size – 8' x 4', Process – Multi colour, plastic emulation paint.		
11	Painting of natural art	Size — per sq. ft., Process — Multi colour (four colour), Real Art Painting with enamel color.		
12	Health Institute Branding	Size — 5'-0" X 3'-6", Sun board Vinyl Pasting, Thickness — 3 mm Eco Solvent Printing.		
13	Signage Board	Size- 0'- 5"X 1'- 6", Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.		
14	Screening register	Unit: Register; Size: (Closing Size: 36 cmx20 cm) Inner Pages: 200sheet; Inner paper: 70 GSM Map litho White Paper; Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.		
15	Office register	Unit: Register; Size: (Closing Size: 29 cmx17 cm) Inner Pages: 100sheet; Inner paper: 70 GSM conquest Paper; Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label. (one format for single unit)		
16	PIP book Unit: Book; Paper Size: A4; No. of sheets: 100; Printing Type: Double side, Pa Quality: 70 GSM (White paper), Binding Type: Book binding; One Multic drawing sheet cove with front & Back side, paper for front cover page: 170 G paper glossy. (Single matter for each 100 page x 3 copy x 30 nos. Institu			

17	Institution Branding	Size- 3'-0"X 2'-0", Board: Sun board, Thickness – 3 mm; Print: Eco Solvent print with Pasting.		
18	Display Board	Size – 3'X 2', Iron gauze bar 20 Gauze 1", Printing of message on flex & pasting print quality front lit them.		
19	ASHA Folder	Size- 14 CM X 22 CM (A4 ½), Process- Multi Colour, Paper – 220 GSM Art Paper, Page- 4 side printing.		
20	Handout for AWW /ASHA (6 Page Folder)	Unit: Booklet; Paper Size: A4; No. of sheets: 1; Printing Type: Both side Multi color; Paper Quality: 170 GSM White glossy paper		
		Unit: Booklet; Paper Size: A5; No. of sheets: 100 (single side printing); Printing Type: Single side, Black, Paper Quality: 70 GSM White Map lithopaper;		
22	Reporting Format A4 size 2 side	Unit: single sheet; Paper Size: A4; No. of sheets: 1; Printing Type: Both side Black color Paper Quality: 70 GSM White paper		
23	Reporting Format A4 size 2 side pad	Unit: Booklet; Paper Size: A4; No. of sheets: 100; Printing Type: Both side Black color Paper Quality: 70 GSM White paper, Binding: Top side		
24	Reporting Format A4 size 1 side	Unit: single sheet; Paper Size: A4; No. of sheets: 1; Printing Type : single side Black color; Paper Quality : 70 GSM White paper.		
25	Reporting Format A4 size 1 side pad binding	Unit: Booklet; Paper Size: A4; No. of sheets: 100; Printing Type: single side Black color Paper Quality: 70 GSM White paper, Binding: top binding		
26	Reporting Format legal size	Unit: Booklet; Paper Size: Legal; No. of sheets: 1; Printing Type: Both side Black color Paper Quality: 70 GSM White paper		
27	Reporting Format A3 size both side	Unit: Booklet; Paper Size: A3; No. of sheets: 1; Printing Type: Both side Black color Paper Quality: 70 GSM White paper		
28	HMIS reporting format-SC	Unit: Booklet; Paper Size: A4; No. of sheets: 170 pages(single side printing); Printing Type: Single side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type: Top Pad binding, printed cover page mentioning month, year, name of the Sub centre with hard straw board on back side; Cover Page: 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tearable.		
29	HMIS reporting format-PHC(N)	Unit: Booklet; Paper Size: A4; No. of sheets: 150 (single side printing); Printing Type: Single side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type: Top Pad binding printed cover page mentioning month, year, name of the PHC(N) with hard straw board on back side; Cover Page: 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy		

30	HMIS reporting format- CHC/SDH/DHH	Unit: Booklet; Paper Size: A4; No. of sheets: 150 (single side printing); Printing Type: Single side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type: Top Pad binding printed cover page mentioning month, year, name of the CHC/SDH/DHH with hard straw board on back side; Cover Page: 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tearable.
31	RKS Slip	Unit: Booklet; Paper Size: 1/10; No. of sheets: 100 (single side printing); Printing Type: Single side, Black Paper Quality: 70 GSM White Maplitho paper; Top pad binding
32	User fee collection Receipt book	Unit: Booklet; Paper Size: 1/12; No. of sheets: 100 (single copy); Printing Type: Single side, Receipt binding with par-potting; Black Paper Quality: 60 GSM color Maplitho paper; with unique numbering
33	ASHA Voucher	Unit: Booklet; Paper Size: 1/8; No. of sheets: 100 (single copy); Printing Type: Single side black, Receipt binding with par-potting & unique numbering; Paper Quality: 60 GSM color Map litho paper; cover print paper: 130 GSM art paper; Print: Both side; colour: Multi colour.
33	Flex Banner Printing	240 GSM Flex Banner with 3 Pass Printing Quality
34		Solvent Vinyl Printing (per sq. ft. wise)
35	Vinyl Printing	Eco Solvent Vinyl Printing (per sq. ft. wise)
36	Branding Material Acrylic Signage Display (Sandwich Model)	Base Sheet: Imported Acrylic Sheet Size (3x2)Ft & 4mm thickness Topping Sheet: Imported Acrylic Sheet Size (3x2)Ft & 3mm thickness Fitting Type: Wall Mount by stainless steel stud (all 4 corners) Printing: Multi colour Eco-solvent Vinyl Printing Lamination: Gloss type Lamination Pasting: Flash cut and should be orderly pressing without air bubble inside.
37	Standee	Width: 3 feet with aluminum base. Height: flexible aluminum rod extendable minimum of 6 feet height. Flex: 3 feet x 6 feet (two set)
38	Hand out brochure of 3 fold	Size- 15 inch X 10 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Both sides.
39	Invitation card	Size-6 inch x 4 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Single sides.
40	Due list cum Tally sheet	Unit: single; Paper Size: A3; No. of sheets: 1; Printing Type: single side, Paper Quality: 70 GSM White paper.
41.	Mini Hoarding (6 x3) ft	Hoarding category-1 Display area : 6 ft x3 ft Display material : Preferably 18 gauge printed or printed tin plate Total height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used) Base (Inside ground) 2 ft in side cement concrete Above Ground: Ground to Top 8 ft. Length 6 ft L iron angle (2" L iron angle should be used) Mid joist bar to support display material : 3 ft L iron angle (2" L iron abgle should be used)

20/1/2020

		Hoarding category-2
42.	Mini Hoarding	Display area : 4 ft x3 ft Display material: Preferably 18 gauge printed or printed tin plate Total height from inside the ground: 10 ft L iron angle (2" L iron Angle should be
	(4 x 3) ft	used) Base (Inside ground) 2 ft in side cement concrete Above Ground: Ground to Top 8 ft.
		Length: 4 ft L iron angle (2" L iron angle should be used)
		Hoarding category-3
	Hoording	Display area: 8 ft x16 ft Display material: Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires.
43.	Hoarding (8' x 16') ft	Base (Inside ground) 3 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft height from ground level. Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2" The hording should be tagged as RMNCH+A hording no with date of installation
		in a suitable area of the hording. The hoarding should cover the cost of materials
		tax transportation, mounting and one year AMC. Etc. Hoarding category-3
	Hoarding	Display area: 6 ft x10 ft Display material: Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires.
44.	(6' x 10') ft	Base (Inside ground) 2.5 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft. height from ground level. Joist = 4" x 2" / Angle= 3" x 3" / Angle= 2" x 2"
		The hording should be tagged as RMNCH+A hording no with date of installation in a suitable area of the hording.
45	Tuberculosis Laboratory Register	Size – A4, size.Cover;300 GSM Hard binding with red cloth / rexin corners with end leaves. Inside; 95GSM map litho paper. Printing; Black and white; both side landscape. Binding: Good quality hard board register binding; binding gutter on top; perfect sewn. No. of Pages;151 sheets (with number)
46	Culture and DST Register	Size – A3, size.Cover;300 GSM Hard binding with red cloth / rexin corners with end leaves. Inside; 95GSM map litho paper .Printing; Black and white; both side, Landscape Binding: Good quality hard board register binding; binding gutter on left side; perfect sewn. Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side. No. of Pages;101 sheets (with number)
47	TB Treatment Card	Size- A4, Landscape printing, Paper - 300GSM, Printing – Black & White both side.
48	Patient's TB Identity Card	Size- A5, Portrait printing, Paper- 300GSM, Printing – Black & White both side.
49	Publicity Van	Well decorated with Fixing of flex hording in front, back and both side along with mike set. with hiring charges of TATA ACE four wheeler minimum for 7 days
50	Patient treatment card	Size-A5; Paper 95 GSM (non glossy Paper) single fold, printing: Blank & white with both side Four inner page in a single card; along with front cover page: 170 GSM paper non glossy. (both side matter multi colour print) Landscape with middle stapling.
51	Reporting Format A4 size 1 side pad binding	Unit: Booklet; Paper Size: A4; No. of sheets: 50; Printing Type: single side Black color Paper Quality: 80 GSM White paper, Binding: side pad binding. Middle perforation for easy tearing
52	M1 Form/ M4 Form/SSLR register	Size – ½ Demei, size.Cover;170 GSM; Binding corners with end leaves. Inside; 70GSM map litho paper .Printing; Black and white; both side, Landscape Binding: Good quality register binding; binding gutter on left side; perfect sewn. Fabrication. No. of Pages contains; 100 sheets one register.
53	M3 Form	Size-1/4 Demei Paper, Process-One Side, Black & White, Paper-70 GSM, Cover with 170 GSM Paper back (1 Register=100 Pages)
54	DAMaN Register (Reporting Format	Size-Cartridge Paper, Process-Both side, Black & White, Landscape Paper –

	Camp)			
55	Format for Line Listing of Beneficiaries under DAMan Register	Unit: Register; Size: (Closing Size: 32 cmx20 cm) Inner Pages: 100sheet; Inner paper: 70 GSM conquest Paper White Paper; Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.		
56	LQAS (Module- II/III/IV/V)	Size-27cm X 21cm, Map litho colour paper(Pink/ Light Green/Yellow/ light blue); Process-Both Side, Mono Printing, Paper-70 GSM, With Stapling		
57	Flip chart	Job type: Flipchart, colour, front + back, CMYK (4 colour) Orientation: Portrait; Wall calendar style. Refer to image Print process: Offset Paper type: 170gsm - 220 GSM, uncoated Final print size: 16.54" x 23.39" inches (A2) Post processes: Spiral binding Cardboard on the back Metal eye (rivet) for hanging it from a nail Front & Back mirror printing; 1-3, 2-5, 4-7, 6-9, 8-11, 10-13 20-blank		
58	Handouts - Teacher/ Anganwadi (3 Fold)	Job type: Folder design, colour, front + back, CMYK (4 colour) Orientation: landscape Print process: Offset Printing Paper type: 100 GSM Final print size: 16.54" x 23.39" inches (Custom size) Post processes: ② Creasing ② Double Perforation		
59	Fabric banner printing	Multi color Printing; Gaze:160 GSM Fabric banner material is a recyclable, environmentally friendly alternative to PVC vinyl for signage and provides a silky, more elegant look and feel than paper prints		

N.B: The rate should be inclusive DTP, Designing, individual block wise packing & transportation cost to district office.

Delivery Schedule: Within 15 days from the date of purchase order received by the successful bidder, it may change as per qty. Consignee: Chief District medical & Public Health Officer, Mayurbhanj

20/1/2020

ANNEXURE - I

TECHNICAL BID FOR PRINTING MATERIALS

SI.	DESCRIPTION	Mention the page no.
1	Name of the Organization	
2	Address of the organization	
3	Name of authorized signatory	
4	Organisation registration Certificate (Non Submission will liable for Rejection)	
5	DIC / MSME / NSIC certificate, if any	
6	Detail of tender paper fee non refundable ₹.2,360/- (Rupees two thousand three hundred sixty only) (Non Submission will liable for Rejection)	
7	Detail of EMD ₹.50,000/- (Rupees twenty thousand) For DIC/MSME /NSIC (Exempted) (Non Submission will liable for Rejection)	
8	GST regd. Certificate (Non Submission will liable for Rejection)	
9	PAN (Non Submission will liable for Rejection)	
10	Sample of paper / flex /board (Within A4 size) should be submitted with the Technical Bid & all the documents signed by authority otherwise Rejected	
11	Self declaration that the organization agrees to abide by all terms & conditions of tender in Non Judicial Stamp paper (Annexure-II) otherwise Rejected	
12	Copy of last three years order of similar printing / job work from Govt. institution otherwise Rejected	
13	Average annual turnover ₹ 1,00,00,000 (one crore) for last three F.Y 2016-17, 2017-18 & 2018-19 in certificate format attached annexure—III attached otherwise Rejected.	

DECLARATION

I / we hereby certify that the terms and conditions, specification etc. given with the tender notice have been read carefully and acceptable to me/us and that the information furnished above is full and correct to the best of by /our knowledge. I / we understand that in case of any deviation in the above statement at any stage, the Firm/Agency will be blacklisted and will not have any dealing with in future.

Place

(Signature with name and seal of the authorized signatory)

ANNEXURE - II

SELF DECLARATION FORM

(To be submitted on Bidder's in non-judicial paper)

[To be submitted in Technical Bid]

To CHIEF DISTRICT MEDICAL AND PUBLIC HEALTH OFFICER
Mayurbhanj
At/Po- Baripada-757001
Dist- Mayurbhanj
Dear Madam/Sir,
Sub: Your Tender Ref. No, Dated
I / We hereby declare that our organisation is having unblemished past record and was not under a declaration of ineligibility for corrupt and fraudulent practices issued by Government of India or any State Government/PSU in the country of India.
That the organization does not have any legal suit / criminal case pending against it for violation of PF /ESI/MW Act or any other law.
That the tendering authority will have no liability regarding transportation, loading and unloading of material and all the material ordered shall be delivered at the designated place in good condition. The defective or damaged printed material if any will be replaced by the Organization.
Further, we agree to abide by all the terms and conditions as mentioned in the tender document.
We have also noted that CDM&PHO Mayurbhanj reserves the right to consider/reject any or all bids without assigning any reason thereof.
Date:/2020
Authorised Signatory:
Name:
Designation:
Place:

Phone:

ANNEXURE - III

(To be submitted in *Cover A -Technical Bid*)
(To be furnished in the *letter head* of the Auditor/ Chartered Accountant)

ANNUAL	THIDN	OVED	CTATE	MENIT
ANNUAL	IUKIV	UVER	SIAIE	IVICIVI

	ent is true and corre				
Sl.No.	Year			Turnover in (Rs.)	
1.	2016 - 2017	(FY)	T		-
2.	2017 - 2018	(FY)			
3.	2018 – 2019	(FY)			
Average A	nnual Turnover (for	the abov	e three	years) in (Rs.)	
Date: Place:				Signature of Auditor/	
r lace,				Chartered Accountant (Name in Capital)	
Seal				Membership No Registration No. of Firm	
Note:					

a) To be issued in the **letter head** of the Auditor/Chartered Accountant mentioning the Membership no.

21/0/2000

<u>ANNEXURE – IV</u>

PRICE BID PRINTING MATERIALS

SI. No	Name of the Item	Specification		Rate of GST	
01		Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art paper.			
02	Poster	Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 130 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.			
03	T OSCET	Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper.			
04		Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 90 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.			
05	Leaflet	Size – 28 CM x 22 CM, Process – Multi Colour (four colour) & Paper – 130 GSM Art Paper; Print - Single side			
06		Size – 28 CM X 22 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper; Print- Single Side			
07		Size – 28 CM X 22 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper; Print- Both side.			
08		Size – 26 CM X 21 CM, Process – Multi Colour (four colour) & Paper – 70 GSM Art Paper; Print- Single Side			
09	Change of Flex banner for Hoarding	Size- 16'x 8' (with fitting in 30 nos. block institute inside Mayurbhahj district)			
10	Wall Painting	Size – 8' x 4', Process – Multi colour, plastic emulation paint.			
11	Painting of natural art	Size – per sq. ft., Process – Multi colour (four colour), Real Art Painting with enamel color.			
12	Health Institute Branding	Size – 5'-0" X 3'-6", Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.			
13	Signage Board	Size- 0'- 5"X 1'- 6", Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.			
14	Screening register	Unit: Register; Size: (Closing Size: 36 cmx20 cm) Inner Pages: 200sheet; Inner paper: 70 GSM Map litho White Paper; Both side black offset printing; Board Binding: 28 no. gray board, side cloth			

			Unit : Register; Size : (Closing Size : 29 cmx17 cm)
L5 ·	Off	ice register	Inner Pages: 100sheet; Inner paper. 70 dawn conquest Paper; Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label. (
16		PIP book	Unit: Book; Paper Size: A4; No. of Sheets. Printing Type: Double side, Paper Quality: 70 Printing Type: Double side, Paper Quality: 70 GSM (White paper), Binding Type: Book binding; One Multicolor drawing sheet cove with front & Back side, paper for front cover page: 170 GSM paper glossy. (Single matter for each 100 page x 3 copy x 30 nos. Institute)
17		Institution Branding	Size- 3'-0"X 2'-0", Board: Sun board, Thickness – 3 mm; Print: Eco Solvent print with Pasting.
18	1	Display Board	Size – 3'X 2', Iron gauze bar 20 Gauze 1", Printing of message on flex & pasting print quality front lit them.
19		ASHA Folder	Size- 14 CM X 22 CM (A4 ½), Process- Multi Colour, Paper – 220 GSM Art Paper, Page- 4 side printing.
20	0	Handout for AWW /ASHA (6 Page Folder)	Paper Quality: 170 GSM White glossy paper
2		ASHA Standar Reporting Format in Duplicate	100 (single side printing), Triband, Single side, Black, Paper Quality: 70 GSM White Map litho paper;
2	22	Reporting Format A4 siz side	e 2 sheets: 1; Printing Type: South
	23	Reporting Format A4 sizeside pad	Paper Quality : 70 GSM White paper, Binding
	24	Reporting Format A4 si side	Unit: single sheet; Paper Size: A4; No. of sheets: 1; Printing Type : single side Black color; Paper Quality : 70 GSM White paper.
	25	Reportin Format A4 s side pad bir	100; Printing Type: single side Black color paper Quality: 70 GSM White paper, Binding:
	26	Reportir Format le	Unit: Booklet; Paper Size : Legal; No. of

the

	Reporting Format A3 siz both side	Unit: Booklet; Paper Size: A3; No. of sheets: e 1; Printing Type: Both side Black color Paper Quality: 70 GSM White paper	
2	HMIS reportin format-SC	Unit: Booklet; Paper Size: A4; No. of sheets: 170 pages(single side printing); Printing Type: Single side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type: Top Pad binding, printed cover page mentioning.	
29	HMIS reporting format-PHC(N)	Unit: Booklet; Paper Size: A4; No. of sheets: 150 (single side printing); Printing Type: Single side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type: Top Pad binding printed cover page mentioning month, year, name of the PHC(N) with hard	
30	HMIS reporting format- CHC/SDH/DHH	Unit: Booklet; Paper Size: A4; No. of sheets: 150 (single side printing); Printing Type: Single side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type: Top Pad binding printed cover page mentioning month, year, name of the CHC/SDH/DHH with hard straw board on back side; Cover Page: 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tearable.	
31	RKS Slip	Unit: Booklet; Paper Size: 1/10; No. of sheets: 100 (single side printing); Printing Type: Single side, Black Paper Quality: 70 GSM White Maplitho paper; Top pad binding	
32	User fee collection Receipt book	Unit: Booklet; Paper Size: 1/12; No. of sheets: 100 (single copy); Printing Type: Single side, Receipt binding with parpotting; Black Paper Quality: 60 GSM color Maplitho paper; with unique numbering	
33	ASHA Voucher	Unit: Booklet; Paper Size: 1/8; No. of sheets: 100 (single copy); Printing Type: Single side black, Receipt binding with parpotting & unique numbering; Paper Quality: 60 GSM color Maplitho paper: cover print	

		colour: Multi colour.		
33	Flex Banner Printing	240 GSM Flex Banner with 3 Pass Printing Quality		
34	Vinyl Printing	Solvent Vinyl Printing (per sq. ft. wise) Eco Solvent Vinyl Printing (per sq. ft. wise)		
36	Branding Material Acrylic Signage Display (Sandwich Model)	Base Sheet: Imported Acrylic Sheet Size (3x2)Ft & 4mm thickness Topping Sheet: Imported Acrylic Sheet Size (3x2)Ft & 3mm thickness Fitting Type: Wall Mount by stainless steel stud (all 4 corners) Printing: Multicolour Eco-solvent Vinyl Printing Lamination: Gloss type Lamination Pasting: Flash cut and should be orderly pressing without air bubble inside.		
37	Standee	Width: 3 feet with aluminum base. Height: flexible aluminum rod extendable minimum of 6 feet height. Flex: 3 feet x 6 feet (two set)		
38	Hand out brochure of 3 fold	Size- 15 inch X 10 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Both sides.		
39	Invitation card	Size-6 inch x 4 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Single sides.		
40	Due list cum Tally sheet	Unit: single; Paper Size: A3; No. of sheets: 1; Printing Type: single side, Paper Quality: 70 GSM White paper.		
41.	Mini Hoarding (6 x3) ft	Hoarding category-1 Display area : 6 ft x3 ft Display material : Preferably 18 gauge printed or printed tin plate Total height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used) Base (Inside ground) 2 ft in side cement concrete Above Ground: Ground to Top 8 ft. Length 6 ft L iron angle (2" L iron angle should be used) Mid joist bar to support display material : 3 ft L iron angle (2" L iron abgle should be used)		

291/2020

		Leading entogery 2		
		Hoarding category-2		
		Display area : 4 ft x3 ft Display material : Preferably 18 gauge printed or		
		printed tin plate		
	Mini Hoarding	Total height from inside the ground : 10 ft L iron		
42.	(4 x 3) ft	angle (2" L iron Angle should be used)		
		Base (Inside ground) 2 ft in side cement concrete		
		Above Ground: Ground to Top 8 ft.		
		Length: 4 ft L iron angle (2" L iron angle should		
		be used)		
		Hoarding category-3		
		Display area: 8 ft x16 ft		
		Display material: Flex should be best quality with		
		digital multicolored printing.		
		Flex should be fixed by iron pipes and Gl wires.		
		Base (Inside ground) 3 ft in side cement concrete		
	Hoarding	Above Ground: structure of the hoarding will be		
43.		5 ft height from ground level.		
	(8' x 16') ft	Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2"		
		The hording should be tagged as RMNCH+A		
		hording no with date of installation in a suitable		
		area of the hording. The hoarding should cover		
		the cost of materials tax transportation,		
		mounting and one year AMC. Etc.		45-14
		Hoarding category-3		
		Display area : 6 ft x10 ft		
		Display material: Flex should be best quality with		
		digital multicolored printing.		
		Flex should be fixed by iron pipes and Gl wires.		
	Hoarding	Base (Inside ground) 2.5 ft in side cement		
44.		concrete		
	(6' x 10') ft	Above Ground: structure of the hoarding will be		
		5 ft. height from ground level.		
		Joist = 4" x 2" / Angle= 3" x 3" / Angle= 2" x 2"		
		The hording should be tagged as RMNCH+A		
		hording no with date of installation in a suitable		
		area of the hording.		
-	Territoria in the	Size - A4 size.Cover:300 GSM Hard binding with		
		red cloth / rexin corners with end leaves. Inside;		
		95GSM map litho paper. Printing; Black and		
AF	Tuberculosis	white both side landscape. Binding: Good quality		V
45	Laboratory Register	hard board register binding; binding gutter on		
		top; perfect sewn. No. of Pages;151 sheets (with		
		number)		
-	Culture and DST	Size – A3, size.Cover;300 GSM Hard binding with		
		red cloth / rexin corners with end leaves. Inside;		
	Register	95GSM map litho paper .Printing; Black and		
		white; both side, Landscape Binding: Good		
		quality hard board register binding; binding		
46	5	gutter on left side; perfect sewn. Fabrication:		
		gutter on left side, perfect sewil. Fabrications		
		Rows of the table on the left side of the page	Table Harry	
		should be aligned with the rows of the table on		
		the right hand side. No. of Pages;101 sheets		
		(with number)		
		Size- A4, Landscape printing, Paper - 300GSM,		
4	7 TB Treatment Card	Printing – Black & White both side.		
	Patient's TB	Size- A5, Portrait printing, Paper- 300GSM,		
4	8 Identity Card	Printing – Black & White both side.		
	1000000	Well decorated with Fixing of flex hording in		

									Laglor				
					hor	7005	of TATA A	CE four W	heelei				
			_	with hiri	ng chan	lavs		D-10	orl				
													1
		ient trea	atment	Size-A5	; Paper	nting	iSM (non { g: Blank & ge in a sin{	white wit	long				
	Pat	card	1	cingle t	ola, Pin	11.01.00	· -in(ale card, d	110116			V V	1
		Caro	•	· Ja En	HILL IIIIC	i bac		a -anor Ni	וונ				
50				with fr	ont cove	el bas	matter mu	ilti colour	princi				
30	1			1 1 2 2 2 2 2 2	indilia	3100		11				1	1
				1 -1 -	COMP WI	Tru in		. 110 O	t sliects	r			1
	1			Unit:	Booklet	t; ra	niddle star oper Size: oe: single o GSM Wh	side Bla	ICK COIO				1
	1	Dono	rting		Printille	1 4 1	CANADA TORREST TORREST	- andr	Dilluing	3.			
1		Kepc	A4 size	1 Pape	r Qualit	ty. or	pe: single 0 GSM Wh Middle p	perforation	n tor ea.	71			
51	F	ormat	d hindir		and nin	1011115	A STATE OF THE PARTY OF THE PAR						
		side pa	d bindir										
	_	M1 Form	o/ M4	Size	- ½ U	h end	i, size.Cove Heaves. Ins Black ar	side; 70GSN	both si	de,			
	1	M1 Form	SLR regist	er corr	ners with	nting:	l leaves. Ins ; Black ar ing: Good o	id white;	cter bindi	ing;			
- 1		FOLIMA	• = 100000000000000000000000000000000000	pap	decane l	Bindi	; Black ar ing: Good o on left	luality ice.	rfect se	wn.			
				Lar	ding gl	utter	on left on Pages	side, po	100 sh	eets			
	52			DII Ea	hrication	n. No	o. of Pages	S COITCON-					
1				1100000	- FOOISI	100	The second secon	One	SILLE, DIG	ck &			
				Si	ze-1/4 D	Deme	ei Paper, Pr	over with 1	.70 GSM				1
			0.0025	\ W	vhite, Pa	aper	1-tor-	100 Pages)					\
	53	M3 Fo	orm	1 P	aper bac	ICK 1-	11100		side Bla	ck&			
			aN Regis	ter (size-Cart	tridge	Paper, Procape Paper	_70GSM,	Cover bir	ding			1
		DAM	orting Fo	rmat	White, L	Lanus	cap			1			
	54	t ct D	AMaN He	ealth	with 170	0 GSN	M		170 . 32	cmx20			
		Cam			Unit · B	Regis	M ster; Size :	(Closing 3	1126 . 5-				
	-		3107		omi		: 100sheet		ner: 70 C	SM			
		1	. Carl	ine	inner P	Pages	: 100sheet	; Inner pa	per				
	1	For	mat for l	, it is	1 condition	IPST	aper	tating	3. Bodiu				
		55 no	ting of neficiarie	es under	1 - 1.6 6	CIMP	Diach		de cloth				
		DA	AMaN Re	gister	1	warst 1	X NO. BILL	New York Control of the Control of t	-actin	o label.	+		
		0			4.	ing S	THE Drive.	The state of the s	1 020	GIT LILIA	1		1
					Cino i	27cm	1 X ZICIII	\	. Drncess	-000			1
	t		. (2.4.0	dule-	Light	t Gree	en/Yellow/ ono Printing	Paper-70	GSM, W	ith			_
	1	56 L	QAS (Ma	lauic									1
		30	1/111/11/1	,	Stap	pling	e: Flipcha	art, colour	r, front	+ Dacis	1		
		-			Job	o typ	(4 colour)	20 6	u lon	dar styl	e. \		1
					CW	AYKI	(4 colour)	rtrait; W	all calen	idai 5-7			1
													1
		1 1					process.	Offset	an CSM	uncoate	ed \		
					P	anel	r type: 17 print siz	Ogsm - 2	v 23 39	" inches			
					F	inal	print siz	e: 16.54	X 25.5				_
		3/6			10	177							
		57	Flip ch	iart	Y	post	processe	es:					
					1117	Election to	-1 hinding				-1		
					V 3	0	thoard Oll	Lite	anging it	from a	naii		
					1	Met	al eye (riv	(et) for	nrintin	g; 1-3, 2	-5,		
						2 F	al eye (riv ront & Ba , 6-9, 8-1	1 10-13	20-bla	ink		= 0 ===	
		1			1	4 7	6-4 8-1	1, 10					
							b type: Fo	older desi	gn, colo	ur, tront			
				ndouts		Joh	ck, CMYK	(4 colour	r)				
			На	acher/		ba	ick, CMIN	n. landsca	ape				
		\	58 Te	iganwaa	di (3	O	rientatio rint proc	ess: Offse	et			1.0	
		A	Al	old)		P	rint proc					211	12020
			1 70) [U]								5010	

		Printing Paper type: 100 GSM Final print size: 16.54" x 23.39" inches (Custom size) Post processes: © Creasing © Double Perforation	
59	Fabric banner printing	Multi color Printing; Gaze:160 GSM Fabric banner material is a recyclable, environmentally friendly alternative to PVC vinyl for signage and provides a silky, more elegant look and feel than paper prints. per Sq. Ft.	

Rates should be quoted inclusive of cost of Sheet, Printing, block wise quantity packing, Transportation, DTP as per specifications but excluding GST. The order may be placed for other items not in the list having similar specifications as above.

Place

(Signature with name and seal of the authorized signatory)

Date

24/0/2020