

**OFFICE OF PANCHAYAT SAMITI; BISOI**

BID IDENTIFICATION No:RTCN No - 01/BISOI/ 2025-26

No. 1955 /DEV / Dtd. 17/01/2025

The Block Development Officer, BISOI invites sealed tenders (Percentage Rate) in conformity with the DTCN are invited from the D /C /B class contractors registered with the State Govt. for execution of works under Panchayat Samiti, BISOI as detailed in the table below . The following works eventually to be drawn up in the P.W.D P-1 Agreement form in conformity with the Detailed Tender Call Notice.

Sl. No	Name of the GP	Name of the Project	Scheme	Est. Cost put to Tender in lakhs	Cost of Tender Document (Non-refundable) (Rs)	Class of Contractor	Time of completion
1	BISOI	Bisoi Upgraded High School, Bisoi	S&ME	1717806	6000.00	C&D	Six calendar Month
2	N.B.Pokharia	Kulgidihi Govt. Upgraded High School	S&ME	1717806	6000.00	C&D	Six calendar Month
3	BANEIKALA	Baneikala Govt. High School	S&ME	1717806	6000.00	C&D	Six calendar Month
4	Bautibeda	Govt. Panchayat High School, Chatani	S&ME	1717806	6000.00	C&D	Six calendar Month
5	Nuagaon	Mayurbeka Primary School	S&ME	1553398	6000.00	C&D	Six calendar Month
6	Bhatachhatra	Patharpadia Primary School	S&ME	1553398	6000.00	C&D	Six calendar Month
7	Bhatachhatra	Talakbadi Primary School	S&ME	1553398	6000.00	C&D	Six calendar Month
8	Bhatachhatra	Rugudidihi Primary School	S&ME	1553398	6000.00	C&D	Six calendar Month
9	Asana	Khadiasole Primary School	S&ME	1553398	6000.00	C&D	Six calendar Month
10	Asana	Badajambilla UPS	S&ME	1553398	6000.00	C&D	Six calendar Month
11	Khadambeda	Construction of HO Community center at khadambeda GP	CMSA	2118644	6000.00	C&B	Six calendar Month
12	Bisoi	Construction of office Building of Bisoi LAMPCS Under Bisoi GP	LAMPCS	1189286.64	6000.00	C&D	Six calendar Month
13	Bisoi	Construction of One 50 MT Godown of LAMPCS at Bisoi Under Bisoi GP	LAMPCS	1426319	6000.00	C&D	Six calendar Month

1. The tender papers (including Tender call Notice, Approved Tender Schedule & DTCN) will be available in the official web site <http://www.mayurbhanj.odisha.gov.in> from Dt 21-04-2025 to 03-05-2025 up to 5.00PM and can be downloaded from the website.

The Tender specification can be obtained from the office of the Block Development Officer, BISOI on payment towards the cost of Tender papers as mentioned above (Non-Refundable) in shape of Bank Draft drawn in favour of Block Development Officer, BISOI in any Nationalized Bank having its branch at MAYURBHANJ on any working day from Dt 21-04-2025 to 03-05-2025 up to 1.00PM for the above work.

Bids shall be received by this Agency up to 5.00 PM on date 05-05-2025 through Registered Post/ Speed Post only. The authority will not be held responsible for any Postal delay in delivering of the Bid documents or non-receipt of the same. **The Bidders must super scribe the SI No of the project and Name of the work on the sealed envelope.**

2. The Bid will be opened on Dt 06-05-2025 at 9.00 A.M. in the office of the undersigned in the presence of the members of the District Level Tender/ Purchase Committee and the bidders or their authorized representative. If the office happens to be closed on the date of receipt / opening of the bids as specified, above will be received / opened on the next working day at the same time and venue.

3. **Documents to be attached:-** The following document should be furnished with the tender papers failing which the tender will be liable to rejection.

- An Affidavit regarding "Bid Security Declaration" should be furnished clearly as per latest circular No-5984 / W / Dt-27-04-2021 of Works Deptt. Govt of Odisha so as to avail exemption of EMD.
- Self attested copy of Contractor registration certificate
- Self attested copy of valid GSTIN clearance certificate and PAN card
- Self attested copy of Caste Certificate issued by competent authorities in case of SC/ST contractors desirous of availing preference.
- Bidders shall submit original affidavit regarding authenticity of their documents attached with the tender papers.

4. Checklist is to be duly filled in.

5. Engineer Contractors desirous to avail the facility of exemption of E.M.D. is required to submit an affidavit to the effect that he has not yet availed the facility for more than two works during the current financial year. The name of work for which and the authority to which the tender is being submitted must be mentioned in the affidavit failing, which the tender will be rejected.

6. The name of work for which and the authority to which the tender is being submitted must be mentioned in the affidavit failing, which the tender will be rejected.

7. **Additional performance Security Deposite:**

The affidavit in lieu of APS will be submitted by the Successful bidder for the cost of less quoted in percentage of the amount put to tender before the signing of the agreement of the contract (Vide Works Department Letter No-14459/Dated 20-09-2018, Govt of Odisha, Works Department). As per office memorandum No 5992/Dt 27-04-2021 of Works Deptt. Govt of Odisha modification to APS will be followed as detailed below:-

SI no	Range of Difference between the Estimated cost put to tender and Bid Amount	Additional Performance Security to be deposited by the Successful Bidder
	Upto 4.99%	No Additional Performance Security
	From 5.00% to 9.99%	50 % of (Difference between the Estimated cost put to tender and Bid Amount)
	From 10.00% and above	150 % of (Difference between the Estimated cost put to tender and Bid Amount)


8. Conditional tender will summarily be rejected.

9. Submission of more than one tender paper by a bidder for a single work will be liable for rejection of all such tender papers.

10. If the rate quoted by the bidder is more than (14.99% less) of the tendered amount then such a bid shall be rejected and the tender shall be finalized basing on merits of rest bids. But if more than one bid is quoted at 14.99% less than the estimated cost the tender accepting authority will finalize the tender


through a transparent lottery system where all bidders/authorized representatives, the concern Block Development Officer and the tender committee will remain present.

11. The authority reserves the rights to reject any or all the bids without assigning any reason thereof.

  
Block Development Officer, BISOI

Memo No. 1256 / Dev/ Dt. 17.04.2025

Copy submitted to PA to Collector MAYURBHANJ/ C.D.O-cum-E.O. Zilla parisad, MAYURBHANJ for favour of kind information and necessary action

  
Block Development Officer, BISOI

Memo No. 1257 / Dev/ Dt. 17.04.2025

Copy forwarded to Joint Director (Advertisement) I & PR Deartment Govt of Odisha, Bhubaneswar for information and requested to kindly publish the above tender call notice in two daily widely circulated odia daily news paper all odisha edition in minimum space on 21.04.2025 issues.

  
Block Development Officer, BISOI

Memo No. 1258 / Dev/ Dt. 17.04.2025

Copy along with soft copy of the notice submitted to DIO, N.I.C, MAYURBHANJ with a request to display the Tender call Notice and Tender document in the Web-site of MAYURBHANJ i.e <http://www.mayurbhanj.odisha.gov.in> till 5.00 PM hours of 03-05-2025.

  
Block Development Officer, BISOI

Memo No. 1259 / Dev/ Dt. 17.04.2025

Copy to Addl, E.O. Tech, Zilla parisad MAYURBHANJ, with a request to remain present on date of opening of tender.

  
Block Development Officer, BISOI

Memo No. 1260 / Dev/ Dt. 17.04.2025

Copy to Executive Engineer R&B Division, MAYURBHANJ/ R.W.S.S. Division, MAYURBHANJ/ N.H. Division, MAYURBHANJ/ R.W. Division, MAYURBHANJ/ P.H. Division, MAYURBHANJ/ MAYURBHANJ Irrigation Division, / Minor Irrigation Division, MAYURBHANJ/ L.I. Division, MAYURBHANJ/ All BDOs of MAYURBHANJ District for information and wide circulation.

  
Block Development Officer, BISOI

Memo No. 1261 / Dev/ Dt. 17.04.2025

Copy to office Notice Board and tender file and CP BISOI Block to assist for uploading the DTCN and bid document at NIC, MAYURBHANJ.

  
Block Development Officer, BISOI

## Bill of Quantity

### Construction of Additional Class Room(ACR) At Bisoi Upgraded High school

SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	43.10	269.70	11624.07
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.34	1500.48	93539.92
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	12.79	6533.55	83564.10
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in F & P of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm 8\%$ including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	9.42	5800.53	54640.99
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm 8\%$ including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six	One Cubic Meter	20.22	5833.53	117953.98

*[Handwritten Signature]*

6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78
b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09
c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14
d	Lintal Band	One Cubic Meter	1.24	15198.24	18845.82
e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe- 415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M <sub>s</sub> rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	32.31	8002.50	258560.78
8	Fixing vetrified tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing including cost of tiles	One Square Meter	80.19	1157.79	92843.18
9	Providing and fixing tiles in Dadoos, skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing including cost of tiles	Sqm	15.06	1284.14	19339.15
10	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	214.27	282.39	60507.71

24/3


11	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	125.98	197.74	24911.29
12	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	110.47	213.98	23638.37
13	Cost of MS Door and window and grills	Kg	392.00	118.70	46530.40
14	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58
15	Providing and applying paint over external plasterd surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties, scaffolding, watering, curing, sundries, tools, and plants complete as per direction of EIC	Sqm	125.98	174.70	22008.71
16	Distemperring tWo coats to Walls With distemper of approved shade on neW Work to give an even shade inculding cost of distemper.Per 1 Sqm.	Sqm	324.74	165.42	53718.49
17	Supplying, fitting, and fixing up WindoW(sliding type) made up Aluminium Section 9778 as windows frame section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting, cost of glasse etc. complete as per direction of Engineer in charge	Sqm	6.69	5925.84	39643.87
18	Provision For Furniture for classroom etc. complete as per the direction of engineer in charge		LS		200000.00
19	Provision of stainless steel hand railing for Ramp etc. complete as per the direction of enginner in charge		LS		20000.00
20	Provision for Black Board (8'-0"*4'-0")		LS		5000.00
21	Provision of Bala Activity		LS		7620.00
22	Provision of sky Lighting fitting and Fixing		LS		3000.00
23	Provision for internal electrification and fitting ,fixing of light and fans etc complete as per direction of Engineer-in-charge		LS		37000.00
24	Provision of Display Board		LS		5000.00
				<b>TOTAL</b>	1717805.73
				<b>LIMITED TO</b>	1717806.00

WA

**Approved 23 items only**

GST cost in 18% will be add at the time of agreement.

  
**Asst Executive Engineer**  
**BISOI**

  
**Block Development Officer**  
**BISOI**

My / our quoted rate is .

\_\_\_\_\_ % (both in figure and

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

## Bill of Quantity

### Construction of Additional Class Room(ACR) At Kulgidihi Govt. Upgraded High school

SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	43.10	269.70	11624.07
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.34	1500.48	93539.92
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost.	One Cubic Meter	12.79	6533.55	83564.10
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>F &amp; P</b> of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splay cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	9.42	5800.53	54640.99
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splay cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance &	One Cubic Meter	20.22	5833.53	117953.98

*Handwritten signature*

6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78
b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09
c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14
d	Lintal Band	One Cubic Meter	1.24	15198.24	18845.82
e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe- 415), cutting, bending, cranking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	32.31	8002.50	258560.78
8	Fixing vetrified tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing including cost of tiles	One Square Meter	80.19	1157.79	92843.18
9	Providing and fixing tiles in Dadoos ,skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing including cost of tiles	Sqm	15.06	1284.14	19339.15
11	16mm (3/4") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	214.27	282.39	60507.71

10/11

12	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	125.98	197.74	24911.29
13	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slurry treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	110.47	213.98	23638.37
14	Cost of MS Door and window and grills	Kg	392.00	118.70	46530.40
15	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58
16	Providing and applying paint over external plasterd surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties.	Sqm	125.98	174.70	22008.71
17	Distemping tWo coats to Walls With distemper of approved shade on neW Work to give an even shade inculding cost of distemper.Per 1 Sqm.	Sqm	324.74	165.42	53718.49
18	Supplying, fitting, and fixing up WindoW(sliding type) made up Aluminium Section 9778 as windows frame section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including	Sqm	6.69	5925.84	39643.87
	Provision For Furniture for classroom etc. complete as per the direction of engineer in		LS		200000.00
19	etc. complete as per the direction of engineer in charge		LS		20000.00
20	Provision for Black Board (8'-0"×4'-0")		LS		5000.00
21	Provision of Bala Activity		LS		7620.00
22	Provision of sky Lighting fitting and Fixing		LS		3000.00
23	Provision for internal electrification and fitting ,fixing of light and fans etc complete as per direction of Engineer-in-charge		LS		37000.00
24	Provision of Display Board		LS		5000.00
				<b>TOTAL</b>	1717805.73
				<b>LIMITED TO</b>	1717806.00

**Approved 23 items only**

GST cost in 18% will be add at the time of agreement.

  
Asst Executive Engineer  
BISOI

  
Block Development Officer  
BISOI

My / our quoted rate is

\_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

*Handwritten mark*

## Bill of Quantity

### Construction of Additional Class Room(ACR) At Baneikala Govt.

SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	43.10	269.70	11624.07
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.34	1500.48	93539.92
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of	One Cubic Meter	12.79	6533.55	83564.10
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in F & P of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of	One Cubic Meter	9.42	5800.53	54640.99
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance &	One Cubic Meter	20.22	5833.53	117953.98
6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost,				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78
b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09
c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14
d	Lintal Band	One Cubic Meter	1.24	15198.24	18845.82

e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe- 415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges	One Quintal	32.31	8002.50	258560.78
8	Fixing vetrified tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing	One Square Meter	80.19	1157.79	92843.18
9	Providing and fixing tiles in Dadoos ,skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing	Sqm	15.06	1284.14	19339.15
11	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc	One Square Meter	214.27	282.39	60507.71
12	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc	One Square Meter	125.98	197.74	24911.29
13	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	110.47	213.98	23638.37
14	Cost of MS Door and window and grills	Kg	392.00	118.70	46530.40
15	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58
16	Providing and applying paint over external plasterd surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade.including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties, scaffolding, watering, curing, sundries,	Sqm	125.98	174.70	22008.71
17	Distempering tWo coats to Walls With distemper of approved shade on neW Work to give an even shade including cost of distemper.Per 1 Sqm.	Sqm	324.74	165.42	53718.49
18	Supplying, fitting, and fixing up WindoW(sliding type) made up Aluminium Section 9778 as windows frame , section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting, cost of glasse etc. complete as per direction of Engineer in charge	Sqm	6.69	5925.84	39643.87
	Provision For Furniture for classroom etc. complete as per the direction of engineer in charge		LS		200000.00

19	Provision of stainless steel hand railing for Ramp etc. complete as per the direction of enginner in charge	LS	20000.00
20	Provision for Black Board (8'-0"*4'-0")	LS	5000.00
21	Provision of Bala Activity	LS	7620.00
22	Provision of sky Lighting fitting and Fixing	LS	3000.00
23	Provision for internal electrification and fitting ,fixing of light and fans etc complete as per direction of Engineer in-charge	LS	37000.00
24	Provision of Display Board	LS	5000.00
			<b>TOTAL</b> 1717805.73
			<b>LIMITED TO</b> 1717806.00

**Approved 23 items only**

GST cost in 18% will be add at the time of agreement.

  
**Asst Executive Engineer**  
**BISOI**

  
**Block Development Officer**  
**BISOI**

My / our quoted rate is \_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction:

No. of over writing: .....

No. of interpolation: .....

### Bill of Quantity

#### Construction of Additional Class Room(ACR) At Govt. Panchayat High school , Chatani

SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	43.10	269.70	11624.07
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.34	1500.48	93539.92
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	12.79	6533.55	83564.10
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>F &amp; P</b> of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	9.42	5800.53	54640.99
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	20.22	5833.53	117953.98

*Handwritten mark*

6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78
b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09
c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14
d	Lintal Band	One Cubic Meter	1.24	15198.24	18845.82
e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe- 415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	32.31	8002.50	258560.78
8	Fixing vetrified tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing including cost of tiles	One Square Meter	80.19	1157.79	92843.18
9	Providing and fixing tiles in Dadoos, skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing including cost of tiles	Sqm	15.06	1284.14	19339.15
11	16mm (3/4") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	214.27	282.39	60507.71
12	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	125.98	197.74	24911.29
13	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	110.47	213.98	23638.37


Handwritten signature or initials.

14	Cost of MS Door and window and grills	Kg	392.00	118.70	46530.40
15	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58
16	Providing and applying paint over external plastered surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties, scaffolding, watering, curing, sundries, tools, and plants complete as per direction of EIC	Sqm	125.98	174.70	22008.71
17	Distemping tWo coats to Walls With distemper of approved shade on neW Work to give an even shade inculding cost of distemper.Per 1 Sqm.	Sqm	324.74	165.42	53718.49
18	Supplying, fitting, and fixing up WindoW(sliding type) made up Aluminium Section 9778 as windows frame , section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting, cost of glasse etc. complete as per direction of Engineer in charge	Sqm	6.69	5925.84	39643.87
	Provision For Furniture for classroom etc. complete as per the direction of engineer in charge		LS		200000.00
19	Provision of stainless steel hand railing for Ramp etc. complete as per the direction of engineer in charge		LS		20000.00
20	Provision for Black Board (8'-0"×4'-0")		LS		5000.00
21	Provision of Bala Activity		LS		7620.00
22	Provision of sky Lighting fitting and Fixing		LS		3000.00
23	Provision for internal electrification and fitting ,fixing of light and fans etc complete as per direction of Engineer-in-charge		LS		37000.00
24	Provision of Display Board		LS		5000.00
				<b>TOTAL</b>	<b>1717805.73</b>
				<b>LIMITED T</b>	<b>1717806.00</b>

Approved 23 items only

GST cost in 18% will be add at the time of agreement.

  
Asst Executive Engineer  
BISOI

  
Block Development Officer  
BISOI

My / our quoted rate is

\_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

### Bill of Quantity

#### Construction of Additional Class Room(ACR) At Mayurbeka primary school


SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	44.38	269.70	11969.29
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.91	1500.48	94395.20
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	13.07	6533.55	85393.50
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>F &amp; P</b> of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm 8\%$ including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	10.27	5800.53	59571.44
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm 8\%$ including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	20.22	5833.53	117953.98
6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78
b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09


c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14
d	Lintal Band	One Cubic Meter	1.24	15198.24	18845.82
e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe-415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	32.31	8002.50	258560.78
8	Fixing vetrified tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing including cost of tiles	One Square Meter	76.79	1157.79	88906.69
9	Providing and fixing tiles in Dadoos ,skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing including cost of tiles	Sqm	16.92	1284.14	21727.65
10	20mm thick cement plaster in cm(1:4) as grading plaster with all cost conveyancy royalty etc complete	Sqm	108.08	307.72	33258.38
11	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	214.27	282.39	60507.71
12	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	125.98	197.74	24911.29
13	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	110.47	213.98	23638.37
14	Cost of MS Door and window and grills	Kg	392.00	118.70	46530.40
15	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58

16	Providing and applying paint over external plasterd surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties, scaffolding, watering, curing, sundries, tools, and plants complete as per direction of EIC	Sqm	125.98	174.70	22008.71
17	Distempering tWo coats to Walls With distemper of approved shade on neW Work to give an even shade including cost of distemper.Per 1 Sqm.	Sqm	324.74	165.42	53718.49
18	Supplying, fitting, and fixing up WindoW(sliding type) made up Aluminium Section 9778 as windows frame , section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting, cost of glasse etc. complete as per direction of Engineer in charge	Sqm	6.69	5925.84	39643.87
19	Provision of stainless steel hand railing for Ramp etc. complete as per the direction of enginner in charge			LS	19000.00
20	Provision for Black Board (8'-0"*4'-0")			LS	5000.00
21	Provision of Bala Activity			LS	7542.00
22	Provision of sky Lighting fitting and Fixing			LS	3000.00
23	Provision for internal electrification and fitting ,fixing of light and fans etc complete as per direction of Engineer-in-charge			LS	34000.00
24	Provision of Display Board			LS	5000.00
				<b>TOTAL</b>	1553398.46
				<b>LIMITED TO</b>	1553398.00

Approved 24 items only

GST cost in 18% will be add at the time of agreement.

  
Asst Executive Engineer  
BISOI

  
Block Development Officer  
BISOI

My / our quoted rate is \_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

### Bill of Quantity

#### Construction of Additional Class Room(ACR) At Patharpadia primary school

SL	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	44.38	269.70	11969.29
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.91	1500.48	94395.20
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	13.07	6533.55	85393.50
4	Brick work with-Fly Ash Bricks in cement mortar (1:6) in F & P of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	10.27	5800.53	59571.44
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	20.22	5833.53	117953.98
6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78

b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09
c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14
d	Lintal Band	One Cubic Meter	1.24	15198.24	18845.82
e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe-415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	32.31	8002.50	258560.78
8	Fixing vetrified tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing including cost of tiles	One Square Meter	76.79	1157.79	88906.69
9	Providing and fixing tiles in Dadoos ,skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing including cost of tiles	Sqm	16.92	1284.14	21727.65
10	20mm thick cement plaster in cm(1:4) as grading plaster with all cost conveyancy royalty etc complete	Sqm	108.08	307.72	33258.38
11	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	214.27	282.39	60507.71
12	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	125.98	197.74	24911.29
13	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	110.47	213.98	23638.37
14	Cost of MS Door and window and grills	Kg	392.00	118.70	46530.40
15	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58


WA  
H

16	Providing and applying paint over external plasterd surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties, scaffolding, watering, curing, sundries, tools, and plants complete as per direction of EIC	Sqm	125.98	174.70	22008.71
17	Distemping tWo coats to Walls With distemper of approved shade on neW Work to give an even shade inculding cost of distemper.Per 1 Sqm.	Sqm	324.74	165.42	53718.49
18	Supplying, fitting, and fixing up WindoW(sliding type) made up Aluminium Section 9778 as windows frame , section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting, cost of glasse etc. complete as per direction of Engineer in charge	Sqm	6.69	5925.84	39643.87
19	Provision of stainless steel hand railing for Ramp etc. complete as per the direction of enginner in charge		LS		19000.00
20	Provision for Black Board (8'-0"×4'-0")		LS		5000.00
21	Provision of Bala Activity		LS		7542.00
22	Provision of sky Lighting fitting and Fixing		LS		3000.00
23	Provision for internal electrification and fitting ,fixing of light and fans etc complete as per direction of Engineer-in-charge		LS		34000.00
24	Provision of Display Board		LS		5000.00
				<b>TOTAL</b>	1553398.46
				<b>LIMITED TO</b>	1553398.00

Approved 24 items only

GST cost in 18% will be add at the time of agreement.

  
Asst Executive Engineer  
BISOI

  
Block Development Officer  
BISOI

My / our quoted rate is \_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

### Bill of Quantity

#### Construction of Additional Class Room(ACR) At Talakbadi primary school

SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	44.38	269.70	11969.29
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.91	1500.48	94395.20
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	13.07	6533.55	85393.50
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in F & P of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	10.27	5800.53	59571.44
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	20.22	5833.53	117953.98
6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers .not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78
b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09

c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14
d	Lintal Band	One Cubic Meter	1.24	15198.24	18845.82
e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe-415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	32.31	8002.50	258560.78
8	Fixing vetrified tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing including cost of tiles	One Square Meter	76.79	1157.79	88906.69
9	Providing and fixing tiles in Dadoos ,skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing including cost of tiles	Sqm	16.92	1284.14	21727.65
10	20mm thick cement plaster in cm(1:4) as grading plaster with all cost conveyancy royalty etc complete	Sqm	108.08	307.72	33258.38
11	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	214.27	282.39	60507.71
12	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	125.98	197.74	24911.29
13	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	110.47	213.98	23638.37
14	Cost of MS Door and window and grills	Kg	392.00	118.70	46530.40
15	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58


HA

16	Providing and applying paint over external plasterd surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties, scaffolding, watering, curing, sundries, tools, and plants complete as per direction of EIC	Sqm	125.98	174.70	22008.71
17	Distemping tWo coats to Walls With distemper of approved shade on neW Work to give an even shade inculding cost of distemper.Per 1 Sqm.	Sqm	324.74	165.42	53718.49
18	Supplying, fitting, and fixing up WindoW(sliding type) made up Aluminium Section 9778 as windows frame , section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting, cost of glasse etc. complete as per direction of Engineer in charge	Sqm	6.69	5925.84	39643.87
19	Provision of stainless steel hand railing for Ramp etc. complete as per the direction of enginner in charge		LS		19000.00
20	Provision for Black Board (8'-0"×4'-0")		LS		5000.00
21	Provision of Bala Activity		LS		7542.00
22	Provision of sky Lighting fitting and Fixing		LS		3000.00
23	Provision for internal electrification and fitting ,fixing of light and fans etc complete as per direction of Engineer-in-charge		LS		34000.00
24	Provisiornbf Display Board		LS		5000.00
				<b>TOTAL</b>	1553398.46
				<b>LIMITED TO</b>	1553398.00

GST cost in 18% will be add at the time of agreement.

Approved 24 items only

  
Asst Executive Engineer  
BISOI

  
Block Development Officer  
BISOI

My / our quoted rate is \_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

### Bill of Quantity

#### Construction of Additional Class Room(ACR) At Rugudidihi primary school

SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	44.38	269.70	11969.29
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.91	1500.48	94395.20
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	13.07	6533.55	85393.50
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in F & P of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	10.27	5800.53	59571.44
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	20.22	5833.53	117953.98
6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78
b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09
c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14

44

d	Lintel Band	One Cubic Meter	1.24	15198.24	18845.82
e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe-415), cutting, bending, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the gills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	32.31	8002.50	258560.78
8	Fixing vetried tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing including cost of tiles	One Square Meter	76.79	1157.79	88906.69
9	Providing and fixing tiles in Dadoos, skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing including cost of tiles	Sqm	16.92	1284.14	21727.65
10	20mm thick cement plaster in cm(1:4) as grading plaster with all cost conveyancy royalty etc complete	Sqm	708.08	307.72	33258.38
11	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	214.27	282.39	60507.71
12	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	125.98	197.74	24911.29
13	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slurry treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	110.47	213.98	23638.37
14	Cost of MS Door and window and gills	Kg	392.00	118.70	46530.40
15	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58
16	Providing and applying paint over external plastered surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties, scaffolding, watering, curing, sundries, tools, and plants complete as per direction of EIC	Sqm	125.98	174.70	22008.71
17	Distemping lwo coats to Walls With distemper of approved shade on new Work to give an even shade including cost of distemper. Per 1 Sqm.	Sqm	324.74	165.42	53718.49

18	Supplying, fitting, and fixing up Window(sliding type) made up Aluminium Section 9778 as windows frame , section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting, cost of glasse etc. complete as per direction of Engineer in charge	Sqm	6.69	5925.84	39643.87
19	Provision of stainless steel hand railing for Ramp etc. complete as per the direction of enginner in charge		LS		19000.00
20	Provision for Black Board (8'-0"*4'-0")		LS		5000.00
21	Provision of Bala Activity		LS		7542.00
22	Provision of sky Lighting fitting and Fixing		LS		3000.00
23	Provision for internal electrification and fitting ,fixing of light and fans etc complete as per direction of Engineer-in-charge		LS		34000.00
24	Provision of Display Board		LS		5000.00
				<b>TOTAL</b>	1553398.46
				<b>LIMITED TO</b>	1553398.00

Approved 24 items only

GST cost in 18% will be add at the time of agreement.

  
Asst Executive Engineer  
BISOI

  
Block Development Officer  
BISOI

My / our quoted rate is \_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

### Bill of Quantity

#### Construction of Additional Class Room(ACR) At Khadiasole primary school

SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	44.38	269.70	11969.29
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.91	1500.48	94395.20
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	13.07	6533.55	85393.50
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>F &amp; P</b> of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	10.27	5800.53	59571.44
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	20.22	5833.53	117953.98
6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78
b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09

JAM

c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14
d	Lintal Band	One Cubic Meter	1.24	15198.24	18845.82
e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe-415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	32.31	8002.50	258560.78
8	Fixing vetrified tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing including cost of tiles	One Square Meter	76.79	1157.79	88906.69
9	Providing and fixing tiles in Dadoos ,skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including Tubbing and polishing including cost of tiles	Sqm	16.92	1284.14	21727.65
10	20mm thick cement plaster in cm(1:4) as grading plaster with all cost conveyancy royalty etc cofnplete	Sqm	108.08	307.72	33258.38
11	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	214.27	282.39	60507.71
12	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	125.98	197.74	24911.29
13	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	110.47	213.98	23638.37
14	Cost of MS Door and window and grills	Kg	392.00	118.70	46530.40
15	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58
16	Providing and applying paint over external plasterd surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties, scaffolding, watering, curing, sundries, tools, and plants complete as per direction of EIC	Sqm	125.98	174.70	22008.71

17	Distemping tWo coats to Walls With distemper of approved shade on neW Work to give an even shade including cost of distemper.Per 1 Sqm.	Sqm	324.74	165.42	53718.49
18	Supplying, fitting, and fixing up WindoW(sliding type) made up Aluminium Section 9778 as windows frame , section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting, cost of glasse etc. complete as per direction of Engineer in charge	Sqm	6.69	5925.84	39643.87
19	Provision of stainless steel hand railing for Ramp etc. complete as per the direction of enginner in charge		LS		19000.00
20	Provision for Black Board (8'-0"×4'-0")		LS		5000.00
21	Provision of Bala Activity		LS		7542.00
22	Provision of sky Lighting fitting and Fixing		LS		3000.00
23	Provision for internal electrification and fitting ,fixing of light and fans etc complete as per direction of Engineer-in-charge		LS		34000.00
24	Provision of Display Board		LS		5000.00
				<b>TOTAL</b>	1553398.46
				<b>LIMITED TO</b>	1553398.00

Approved 24 items only

GST cost in 18% will be add at the time of agreement.

  
Asst Executive Engineer  
BISOI

  
Block Development Officer  
BISOI

My / our quoted rate is \_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

**Bill of Quantity****Construction of Additional Class Room(ACR) At Badajambilla U.P. school**

SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	44.38	269.70	11969.29
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	62.91	1500.48	94395.20
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	13.07	6533.55	85393.50
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in F & P of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	10.27	5800.53	59571.44

CA

5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	20.22	5833.53	117953.98
6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	8.74	7947.00	69456.78
b	Column & Beam	One Cubic Meter	7.49	18923.91	141740.09
c	Plinth Beam	One Cubic Meter	3.62	7947.00	28768.14
d	Lintal Band	One Cubic Meter	1.24	15198.24	18845.82
e	Chhaja	One Square Meter	0.76	7478.11	5683.36
f	Slab	One Cubic Meter	11.31	14588.68	164997.97
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe- 415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18	One Quintal	32.31	8002.50	258560.78

8	Fixing vetrified tiles in floor, traeds, and landings on 25mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shade of the tiles including rubbing and polishing including cost of	One Square Meter	76.79	1157.79	88906.69
9	Providing and fixing tiles in Dadoos ,skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing including cost of	Sqm	16.92	1284.14	21727.65
10	20mm thick cement plaster in cm(1:4) as grading plaster with all cost conveyancy royalty	Sqm	108.08	307.72	33258.38
11	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc	One Square Meter	214.27	282.39	60507.71
12	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc	One Square Meter	125.98	197.74	24911.29
13	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of	One Square Meter.	110.47	213.98	23638.37
14	Cost of MS Door and window and grills	Kg	392.00	118.70	46530.40
15	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	30.10	254.77	7668.58
16	Providing and applying paint over external plasterd surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveynace taxes, royalties,	Sqm	125.98	174.70	22008.71
17	Distempering tWo coats to Walls With distemper of approved shade on neW Work to give an even shade inculding cost of	Sqm	324.74	165.42	53718.49
18	Supplying, fitting, and fixing up WindoW(sliding type) made up Aluminium Section 9778 as windows frame section No.4095,4096,9778,3994 as shutter frame with 5mm thick black glass as panel fitted with rubber beading including locking arrangement including all fitting, cost of glasse etc. complete	Sqm	6.69	5925.84	39643.87
19	Ramp etc. complete as per the direction of enginner in charge		LS		19000.00


64/1

20	Provision for Black Board (8'-0"×4'-0")	LS	5000.00
21	Provision of Bala Activity	LS	7542.00
22	Provision of sky Lighting fitting and Fixing	LS	3000.00
23	Provision for internal electrification and fitting, fixing of light and fans etc complete as per direction of Engineer-in-charge	LS	34000.00
24	Provision of Display Board	LS	5000.00
			<b>TOTAL</b>
			1553398.46
			<b>LIMITED TO</b>
			1553398.00

**Approved 24 items only**

GST cost in 18% will be add at the time of agreement.

  
**Asst Executive Engineer**  
**BISOI**

  
**Block Development Officer**  
**BISOI**

My / our quoted rate is \_\_\_\_\_ %  
 (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

### Bill of Quantity

#### Construction of HO Community Center at Khadambeda G.P.

Sl No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	64.67	270.90	17519.10
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	61.89	1362.80	84343.69
3	Cement concrete of proportion (1:4:8) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	26.23	6014.70	157765.58
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in F & P of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	13.62	5948.70	81021.29
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	33.20	6041.50	200577.80
6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Column Base	One Cubic Meter	10.49	7186.65	75387.96
b	Column & Beam	One Cubic Meter	8.89	18586.90	165237.54

c	Plinth Beam	One Cubic Meter	4.70	8049.40	37832.18
d	Lintal Band	One Cubic Meter	2.09	14805.30	30943.08
e	Chhaja	One Square Meter	14.61	1264.70	18477.27
f	Slab	One Cubic Meter	17.75	14285.90	253574.73
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe-415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	45.15	8733.90	394335.59
8	Supplying ,fitting and fixing vertrified tiles in floors,treads or steps of size 600mm x 600mm of approved make conforming to IS: 13755 laid on 20mm thick cement mortar (1:4) (1 cement : 4 course sand) and filling joints with white cement of approved qual	One Square Meter	107.30	1065.73	114352.83
9	Supplying ,fitting and fixing vertrified tiles in Dados of size 600mm x 600mm of approved make conforming to IS: 13755 laid on 20mm thick cement mortar (1:3) (1 cement : 4 course sand) and filling joints with white cement of approved quality including cost of materials, labour T&P etc required for the work all complete as per direction of Engineer-in-Charge (For New work Only)	Sqm	12.46	1528.20	19041.37
10	Supplying ,fitting and fixing Anti skid ceramic tile in floors,treads or steps of size 600mm x 600mm of approved make conforming to IS: 13755 laid on 20mm thick cement mortar (1:4) (1 cement : 4 course sand) and filling joints with white cement of approved quality including cost of all material labour T&P etc required for the work all complete as per direction of EIC	Sqm	7.52	907.70	6825.90
11	Providing and fixing glazed Ceremaic tiles in Dadoos ,skirting and in rises of steps on 12mm thick bed of cement plaster (1:3) koined with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and polishing including cost of tiles	Sqm	25.2	1429.60	36025.92
12	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	287.30	282.03	81027.22
13	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	188.71	197.30	37232.48
14	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	125.82	215.20	27076.46


14/11

15	Cost of MS Door and window and grills	Kg	768.25	160.00	122920.00
16	Painting 2 coats with any approved paint with a coat of primer including cost of primer and paint	Sqm	65.18	182.00	11862.76
17	Provision for Fitting and fixing and cost of Ventilator etc Complete	Nos	14.00	300.00	4200.00
18	Distemping tWo coats to Walls With distemper of approved shade on neW Work to give an even shade including cost of distemper.Per 1 Sqm.	Sqm	432.41	86.60	37446.71
19	Providing and applying paint over external plasterd surface with two coats of weather seal of approved quality and shade using the required quantity and shade using the required quantity of paint as specified by the manufacturer to give an even shade including providing 1 coat of primer and watering the surface before applying and curing for the required period including cost of all materials labour conveyance taxes, royalties, scaffolding, watering, curing, sundries, tools, and plants complete as per direction of EIC	Sqm	188.71	197.90	37345.71
20	Cement concrete in Cm (1:2:4) using 12mm size hgcb chips with all cost conveyancy Royalty etc complete	cum	0.25	8278.8	2069.70
21	Cement Punning	sqm	18.57	41.3	766.94
22	Provision for internal electrification sanitary work and water supply			LS	58434.00
23	Provision of Display Board			LS	5000.00
				<b>TOTAL</b>	2118643.81
				<b>LIMITED TO</b>	2118644.00

GST cost in 18% will be add at the time of agreement.

  
Asst Executive Engineer  
BISOI

Approved 24 items only

  
Block Development Officer  
BISOI

My / our quoted rate is \_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

## Bill of Quantity

### Construction of Office building of BISOI LAMPS Under Bisoi GP

SL No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	31.27	270.90	8471.58
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	39.73	1091.39	43360.92
3	Cement concrete of proportion (1:3:6) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	11.99	6434.89	77154.33
4	PCC(1:2:4) Nominal mix in foundation as per drawing and technical Specification	One Cubic Meter	2.29	7893.30	18075.66
5	Brick work with Fly Ash Bricks in cement mortar (1:6) in F & P of size 10"X5"X3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance ± 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	14.45	5696.05	82330.71
6	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials	One Cubic Meter	20.31	6418.52	130360.14
7	Straightening bent up or coiled M.S. rod or HYSD steel (Fe-415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	19.61	8389.20	164512.21
8	FA Brick works with CM(1:6) IN S/S With all cost conveyance royalty etc complete	One Cubic Meter	20.85	5734.38	119544.62
9	Rigid smooth centering and shuttering for RCC work and dismantling them after casting etc. complete				

44/1

	Beam /Coulmn	Sqm	11.10	1189.28	13201.01
	Slab/chajja	Sqm	56.50	755.00	42657.50
	R.C.C. Lintel	Sqm	11.10	570.31	6330.44
	R.C.C. FdN, Plinth bend, coulmn Base mass concrete, precasted slab etc	Sqm	46.22	247.51	11438.67
10	16mm (3/4") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	Sqm	149.77	275.94	41327.81
11	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	Sqm	98.735	192.20	18976.87
12	6 mm thick cement plaster in cement mortar (1:4) to RCC surface finished smooth including deep chipping and slury treatment including punning including cost, conveyance & royalty of materials.	One Square Meter	65.49	211.63	13859.65
13	20mm thick C.M.(1:4) for grading plaster with all cost conveyance royalty etc complete	One Square Meter	54.75	300.05	16428.64
14	12 mm thick cement plaster (1:4) finished smooth with cement punning in ground floor	One Square Meter	9.00	212.50	1912.50
15	2.5 cm thick AS flooring (1:2:4) with 12 mm and down grades size hard granite crusher broken chips on new work in ground floor	One Square Meter	2.00	411.44	822.88
16	priming one coat with wall based primer including cost of primer etc complete	One Square Meter	314.00	79.32	24906.16
17	wall painting 2 coats with plastic emulsion paint of approved shade on old work 2 coats to give an even shade including cost of paint	One Square Meter	164.23	102.84	16888.90
18	wall painting 2 coats with weather coat paint of approved shade on old work 2 coats to give an even shade including cost of paint	One Square Meter	98.74	95.95	9473.62
19	supplying fitting and fixing vetrified tiles in floor traeds or steps of size 600mm*600mm of approved make conforming to I.S. 13775 Laid on 20mm thick cement mortar (1:4)	One Square Meter	38.09	1150.20	43808.82
20	Fixing vetrified tiles in dados skirting and riser of steps on 12mm thick cement plaster 1:3 jointed with neat cement slurry mixed with pigment to matches shade of the tiles	One Square Meter	5.295	1279.52	6775.06
21	Supplying fitting and fixing ceramic tiles of minimum 16 mm thick and above 0.1 sqm of approved make in floor over 25mm thick bed of cement mortar 1:1 jointed with cement slurry	One Square Meter	5.91	1224.46	7236.56
22	Fixing colour glazed tile in wall on 12mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to match shade of the tiles including polishing complete	One Square Meter	37.833	1445.65	54693.28
23	Manufacturing supplying fittinmg and fixing MS door and window frame made out of 35mm*35mm*6mm size MS angle iron of approved design including cost conveyance taxes with all labour charges required	kg	418.95	152.5	63889.88


24

24	Painting two coats with enamel paint over priming one coats with ready mixed zinc chromate yellow primer of approved brand on iron work including labour and material charges	sqm	32.434	255.61	8290.45
25	Supplying fitting fixing fully glazed aluminium framed window sliding type made up aluminium section 9778 ass window frame section 4095 4096 and 9777 3994 as shutter	sqm	8.1	5932.07	48049.77
26	Cost supplying fitting fixing of bathroom fiber door of approved make including fibre chouxhatha all GI fitting all cost conveyance etc complete	sqm	1	3500	3500.00
27	Provision of Display Board			LS	3001.00
28	Water supply and sanitary arrangement			LS	40000.00
29	Provision of concealed wiring electrification with fitting & fixing of good quality products			LS	48007
				<b>TOTAL</b>	1189286.64
				<b>LIMITED TO</b>	1189286.64

Approved 24 items only

GST cost in 18% will be add at the time of agreement.

  
Asst Executive Engineer  
BISOI

  
Block Development Officer  
BISOI

My / our quoted rate is \_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

### Bill of Quantity

Construction of one 50MT Godown of Lamps at Bisoi under Bisoi GP					
Sl No.	Description of Items	Unit	Quantity	Rate	Amount
1	2	3	4	5	6
1	Earthwork in excavation of foundation in hard soil or gravelly soil except sheet rock requiring blasting to proper profile with all leads, lifts and delifts to proper section and profile including dressing and levelling the bed upto required depth and making it fit for laying concrete and depositing the excavated materials away from the work site with all leads and lifts including dewatering if necessary from foundation complete as directed by Engineer-in-Charge.	One Cubic Meter	32.11	270.90	8699.14
2	Filling in foundation and plinth with sand, watered and rammed including cost, conveyance & royalty of materials with labour and T&P required for the work.	One Cubic Meter	56.96	1091.39	62165.57
3	Cement concrete of proportion (1:3:6) with 40mm & down graded size hand broken H.G. metal for foundation concrete approved quality from approved quarry including hoisting, lowering and laying concrete to the required level ramming, watering, curing etc. complete including cost, conveyance & royalty of materials with all labour charges.	One Cubic Meter	15.28	6434.89	98325.12
4	Brick work with Fly Ash Bricks in cement mortar (1:6) in F & P of size 10"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	17.66	5696.05	100586.55
5	RCC M-20 work with cement concrete with crushed granite 20mm down grade course aggregate of approved quality mixing by concrete mixer including hoisting, lowering and laying the concrete in position to proper slope and level and compacting by Vibrators in layers not exceeding 0.15m depth including watering, curing for required period 28 days, centering & shuttering and finishing exposed surface smooth providing grooves wherever necessary including cost, conveyance, royalty and other taxes of all materials				
a	Grade Beam	One Cubic Meter	4.23	7656.10	32385.30
b	Column Base	One Cubic Meter	4.27	6789.79	28992.40
c	Coulmn	One Cubic Meter	3.76	18311.27	68850.38
d	above 3mt Ht.	One Cubic Meter	2.35	20792.87	48863.24
e	lintel	One Square Meter	2.20	14402.81	31686.18

*[Handwritten Signature]*

f	Wall Beam above 3mt ht.	One Cubic Meter	1.30	17938.60	23320.18
g	Chajja	One Cubic Meter	0.09	7249.01	652.4109
6	Straightening bent up or coiled M.S. rod or HYSD steel (Fe-415), cutting, bending, cracking, hooking, welding or jointing (if required), the M.S rod or HYSD steel and binding, tying the grills, hoisting, lowering and placing in proper position as required for RCC works including cost, conveyance and taxes of M.S. rod or HYSD steel and binding wires of 18 to 20 gauge and labour charges required for the work etc complete.	One Quintal	16.42	8389.20	137750.66
7	Brick work with Fly Ash Bricks in cement mortar (1:6) in <b>Superstructure</b> of size 9"x5"x3" having crushing strength not less than 75 kg/cm <sup>2</sup> with dimensional tolerance $\pm$ 8% including splays cutting circular moulding chamfering and corbelling and similar such type of works with all necessary projections watering and curing after immersing the bricks in water at least for six hours before use including cost, conveyance & royalty of materials with labour charges etc complete in all respect.	One Cubic Meter	23.21	5734.38	133094.96
	above 3mt Ht.	One Cubic Meter	14.63	6105.16	89336.81
8	Cement Concrete 1:2:4 using 12mm size HGB crusher broken chips including cost, conveyance, and Royalty of material curing etc complete	One Cubic Meter	8.25	7893.30	65096.05
9	12mm thick cement plaster (1:6) finishing smooth to Outside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	93.60	192.20	17989.92
	above 3mt Ht.	One Square Meter	84.08	199.84	16802.55
10	16mm (5/8") thick cement plaster (1:6) finishing smooth to inside rough surface of 9"/10" thick brick walls after racking out the joint including watering and curing with cost, conveyance, royalties and taxes of all materials and cost of all labour charges required for the work etc complete.	One Square Meter	133.09	275.94	36724.85
	above 3mt Ht.	One Square Meter	73.41	282.8	20760.348
11	Supplying, fitting and Fixing of MS shutter Door & window	Kg	372.84	152.50	56857.80
12	Supplying, fitting and fixing of steel ventilator glazed composite with MS grill outside iron frame with glass pairs including supplying and fixing of putty & wires clips, screw, nails & cost of materials	sqm	3.60	3380.20	12168.72
13	Supplying, fabrication fitting, fixing and erection of MS Tubular truss and purlin including all cost, conveyance etc complete	Qntl.	7.25	13634.50	98850.13
14	Manufacturing supplying (500mm*100*50mm) 5mm C channel purlin, runner and fender to purlin band angular including fabrication & fixing in position including all cost etc.	Qntl.	7.25	7935.30	57530.93

44

15	cost, supplying and labour for fixing of anticorrosive zinc aluminium alloy painted coloured steel roofing profile sheet of 0.45mm thick in roof of godown including fixing of ridges caps with fastners of approved specification etc complete but excluding cost of fastners including drilling holes etc complete	sqm	64.50	1007.40	64977.30
16	Supplying ,fitting and Fixing of holding down bolts (600mm*20mm)& base plate of 8mm thick including all cost of labour etc complete	kg	13.20	97.80	1290.96
17	Painting two coats with enamel paint over priming one coats with ready mixed zinc chromate yellow primer of approved brand on iron work including labour & material charges work all complete in all respect	sqm	224.49	255.61	57381.38
18	Painting two coats with any approved colour of weather seal coat over coat of water bound wall cement primer to outside surface of wall in 3mt ht	sqm	93.60	175.27	16405.27
	above 3mt Ht.	sqm	84.08	182.12	15312.65
19	Finishing wall surface with water proofing cement paint of approved shade on new work two coats to give an even shade in 3.00 mt ht	sqm	133.09	44.26	5890.56
	above 3mt Ht.	sqm	73.41	45.22	3319.60
20	Antitermite treatment in foundation trenches ,flooring with approved chemicals including the cost of materials & labour	sqm	60.4	112.7	6807.08
21	Labour charges for fixing glass strip of depth 0.05 mt in joints in floor including cost of glass per 1 mt	sqm	6	696.4	4178.40
22	Provision of Display Board			LS	3266.00
				<b>TOTAL</b>	1426319.39
				<b>LIMITED TO</b>	1426319.00

Approved 24 items only

GST cost in 18% will be add at the time of agreement.

Asst Executive Engineer  
BISOI

Block Development Officer  
BISOI

My / our quoted rate is \_\_\_\_\_ % (both in figure and words) excess over / less than / equal to the above estimated cost.

**NOTES:**

1. The contractor should not write any thing excepting quoting of percentage and in case anything else regarding tender rate is mentioned, the tender is liable for rejection.
2. Strike out which is not applicable.
3. Percentage should be quoted up to 2 (two) digits after the decimal point.
4. Rate of all items are inclusive of cost, carriage, royalty and other taxes of material.

Tenderer

No. of Correction: .....

No. of over writing: .....

No. of interpolation: .....

**GOVT. OF ODISHA  
PANCHYATI RAJ & DRINKING WATER DEPARTMENT**

**OFFICE OF THE PANCHAYAT SAMITI : BISOI**

**DETAILED TENDER CALL NOTICE  
(For different work vide TCN No- 01/2025-26, Dated- 19-04-2025)**

**ZILLA PARISHAD,  
MAYURBHANJ**

**PANCHAYAT SAMITI : BISOI**

DETAILED TENDER CALL NOTICE-01/BISOI/2025-26)

**Terms and Conditions**

1. Sealed tenders are invited from the registered Contractors of State Govt. "C & D" and "B & C" class contractors in prescribed form to be eventually drawn in P.W.D. form No. P1 and will be received at O/o Block Development Officer, BISOI, up to 5.00 PM Dated. **03-05-2025** through registered post/speed post only. The Tender will be opened before the tender committee in the presence of the tenderers or their authorized representatives at 11.00 AM on Dated. **06-05-2025**

2. The tenderers should please note that the work will have to be completed within **06 (Four) or (Six) months** commencing from the date of issue of work order. Tenderers are required to submit detail programme of works along with the tender which they consider necessary keeping in view of the clause 2 of the P.W.D. Form No.-P1. Without these programmes of works, the tender will be considered defective. Authority for acceptance of tenders would rest with Block Development Officer, BISOI.

3. Tenderers are required to submit a "Bid Security Declaration" in lieu of Bid Security with stipulation that if they withdraw or modify their bids during period of validity etc. they will be suspended for the time specified in the tender documents as per office memorandum No-5984 / W / Dt-27-04-2021 of Works Deptt. Govt of Odisha so as to avail exemption of EMD.

4. (a) The plan & specification for the work can be seen at the office of the Block Development Officer, BISOI during working hours and days. Complaints at a future date that the plan and specifications have not been seen can not be entertained. The contractor may obtain a set of tender documents (DTCN, BOQ & Tender Call Notice) for the work from district **NIC Website (www.Mayurbhanj.odisha.gov.in)**. The tender paper cost as mentioned in column no-5 of tender call notice should be accompanied along with the tender paper in shape of Demand draft drawn in favour of Block Development Officer, BISOI. The amount is not refundable. The name of the tenderer and the name of the work are to be super scribed on the cover.

The authority will not be responsible if any portion of the tender document is modified and in all cases this conditions stipulated in the original document kept in the office of the undersigned shall prevail.

(b) The intending tenders may remit the cost of the tender papers through Bank Draft. However, the organization will not be held responsible, if there is any delay in receipt of tender documents by the intending contractors sent by department through registered post and similarly the tender documents sent through registered / Speed post do not reach in the Block Development Officer, BISOI by the scheduled date and time, their offers will not be considered on any account even if the tender documents were dispatched by the tenderers before the due date. The cost of registration will be borne by the intending tenderers.

5. The Block Development Officer, BISOI reserves the right to reject any or all the tenders received without assigning any reasons there of.

6. The tenderer whose tender is selected for acceptance shall within a period of seven days upon written information being given to him of acceptance of his tender make an Additional Performance Security deposit @ less percentage of the tendered amount.

**CONTRACTOR**

  
**Block Development Officer, BISOI**

No tender shall be finally accepted until the required amount of APS is deposited. The written agreement to be entered into between the contractor and the Block Development Officer, BISOI shall be foundation of rights of the parties and the contract shall be deemed to be incomplete until the agreement has first been signed by the contractor and then by the proper officer authorized to enter into the contract of behalf of the Government. The department will accept the APS in the form of N.S.C., N.D.C., Postal Time Deposit Pass Book duly pledged to Block Development Officer, BISOI and in no other form. In case of tenderers who have made fixed deposits, action will be taken to degrade them if they decline to sign the agreement within the period as in above case.

7. The percentage rates should be quoted in words and figures and in the BOQ of the work otherwise the tender will be liable for rejection. In case of discrepancy between words and figures, the words shall prevail. The tender shall be written legibly and free from erasures, overwriting's or conversation of figures. Corrections where unavoidable should be made by scoring out initialing dating and rewriting.

8. The contractors shall be responsible for payment of all royalties or other charges for quarrying materials. All local taxes inclusive of G.S.T & Income Tax, Ferry & Tollage charges and Octroy Taxes are to be paid by Contractor.

9. The tender may not, at the discretion of the competent authority, be considered unless accompanied by attested copies of G.S.T clearance certificate, non-assessment certificate as the case may be and the original certificate produced before the Block Development Officer, BISOI at the time of opening of the tender.


10. If the contractor removes any materials or stock so supplied to him from the site of work with a view of disposing of the same dishonestly, he should in addition to any other liabilities Civil or Criminal arising out of the contract be liable to pay a penalty equivalent to five times the price of the materials or stock according to the stipulated rates and the penalty to impose shall be recovered from any sum that may then or at any time there after become due to the contractor or from his security or from the proceeds of sales thereof.

11. The contractor should be fully liable to indemnify the department for payment of any compensation under "Workman" compensation Act. VII of 1023 on account of the workmen being employed by him and the full amount of compensation paid will be recovered from the contractor.

12. Every tenderer must examine the detailed specification of Orissa before submitting his tender. The rights is reserved without impairing the contract to make such increase in the quantities or items of work mentioned in the scheduled attached to the tender notice as may be considered necessary to complete the work fully and satisfactory. Such increase or decrease shall in no case invalidate the contract or rates. It shall be definitely understood that the Govt. do not accept any responsibility for the correctness or completeness of the quantities shown in the schedule. The schedule is liable to alteration by omission or additions or deduction and such omission deduction shall in no case invalidate the contract and no extra monetary compensation will be entertained.

Department will not supply any materials what so ever for the work. The tenderer shall be financially solvent and stable for advance procurement of all materials required for the work vide Government of Odisha Finance Department Memo No.-48443 / F Code- 46 / 95 dated 11.12.1995.

CONTRACTOR

  
Block Development Officer, BISOI


13. All reinforced cement concrete work should conform to Orissa Detail standard specification & should be of grade M 150 and M 200 equivalent to nominal proportion 1:2:4 / 1:1.5:3 having minimum compressive strength in work test of 150 Kg/ Cm<sup>2</sup> / 200 Kg / Cm<sup>2</sup> in 15 Cm. cubes at 28 days after mixing and test conducted in accordance with IS-456 & 516 using 12mm. to 20mm. size hard black crusher broken granite chips. (20mm size not to exceed 25%)
14. Shuttering and centering shall be with seasoned sal wood planks and the inside of which shall be lined suitable sheeting and made leak proof and water tight or alternatively steel shuttering and centering may be used.
15. For the purpose of jurisdiction in the event of dispute if any the contract should be deemed to have been entered into within the State of Odisha and it is agreed that neither party to the contract at any place outside the State of Odisha
16. After the work is finished all surplus materials and debris are to be removed by the contractor and preliminary work such as vats, mixing platform etc. are to be dismantled and all the materials are to be removed from the site. The ground upto 15m wide from the building should be cleared and rough dressed. No extra payment will be made to the contractor on this account. The rate quoted should be inclusive of all these items.
17. The contractor shall not interface with the execution of water supply or electrical fittings arrangement and any other works entrusted to any other agency by the department at any time during the progress of the work.
18. The department will have the right to inspect the scaffolding and centering made for the work and can reject partly or fully such structures if found defective in their opinion.
19. The contractor will have to arrange for water supply for all works and make sanitary arrangements at his own cost for his labour camps. Contractor has to arrange adequate lighting arrangements for night work whenever necessary at his own cost.
20. Baling out water from the foundation either rainwater or sub-soil water if necessary should be borne by the contractor. No payment will be made for bench marks, level pillars profiles and inching and leveling ground where required. The rates quoted should be for finished items of work inclusive of these incidental items of work.
21. All the quantities mentioned in the schedule are combined for ground floor and multi floors incase multistoried building the rates should be through for the same unless otherwise mentioned in the schedule of quantities for individuals' items.
22. Cement concrete in roof slab beams etc. wherever prescribed by the Engineer in charge shall be machine mixed and vibrated and the contractor should arrange his own concrete mixers, vibrators and pumps etc. for the purpose.
23. It should be understood clearly that no claim what so ever will be entertained.
24. The tenderer shall have to abide by the CPWD safety code rule introduced by the Government of India Ministry of Works, housing and supply in their standing orders No. 44 to 50 dated 25.11.1957 .

CONTRACTOR

  
Block Development Officer, BISOI

25. Tenders are required to abide by the fair wage clauses as introduced by the Government.
26. The society will have the right to supply at any time in the interest of work any departmental materials to be used in the work, in addition to those mentioned in the clauses No.13 and the contractors shall use such materials without any controversy or dispute on that account. The rate of such materials will be at stock issue rates fixed by the departmental plus storage charges or market rates whichever is higher.
27. The contractor should arrange at his own cost necessary tools and plants machines concrete mixer & vibrators and other machineries such as pumps etc. required for the efficient execution of the work and rates quoted should be inclusive of the running charges of such plant and cost of consumable.
28. The contractor will have to submit to the Block Development Officer, BISOI monthly return of labour both skilled and unskilled employed by him on the work.
29. The tenderers are required to go through each clause of P.W.D. Form No.-P1 carefully in addition to clauses mentioned herewith before tendering.
30. No part of the contract shall be sublet without written permission of Block Development Officer, BISOI or transfer be made by power of attorney authorizing others to receive payment on the contractor's behalf.
31. No tender documents will be sold to the intending contractor after the last date stipulated for sale of tender paper.
32. If further necessary information is required Assistant Executive Engineer, BISOI Block, MAYURBHANJ will furnish such, but it must be clearly understood that the tenders must be received in order and according to the institutions.
33. Cement shall be used by bags and weight of cubic meter of cement being taken as 14.42qtl.
34. In the event of any delay due to Department in the supply of departmental materials or supply of detailed structural designs for unavoidable reasons, reasonable extension of time will be entertained under any such circumstances, for which no claim undertaking has to be furnished by the contractor in the prescribe Performa along with the application for extension of time submitted by him.
35. No contractors will be permitted to furnish their tenders in their own manuscript papers.
36. Every tenderer is expected before quoting his rates to inspect the site of proposed works. He should also inspect the quarries and satisfy himself about the quality, availability of materials medical aids labor food stuffs etc. and the rates should be inclusive of all items of works. In every case the materials must comply with the relevant specifications and samples of stone metals chips etc. and other materials to be used are to be deposited in sealed bags duly labeled nothing the name of quarry under dated initials by the tenderer for approval of the Block Development Officer, BISOI.

**CONTRACTOR**

  
**Block Development Officer, BISOI**

37. Government will not however after acceptance of contract rate pay any extra charges for lead or any other reason in case the contractor is found later on to have misjudged the materials available.

38. All fittings for doors and windows if supplied by the contractor should be of best quality and should be got approved by Assistant Executive Engineer, BISOI Block, before they are used on the work.

39. The tender containing extraneous conditions not covered by the tender call notice are liable for rejection.

40.(a) The contractor shall have to furnish a certificate in the prescribed proforma enclosed herewith along the tender to effect that he is not related to any officers of Block Development Officer, BISOI,

(b) **CERTIFICATE OF NO RELATIONSHIP**

I / We hereby certify that I / We am / are not related to any officers of Block Development Officer, BISOI, I / We am / are also aware that if the facts subsequently proved to be false my / our contract will be rescinded with the forfeiture of E.M.D. and total security deposit and I / We shall be liable to make good of the loss or damage resulting from such cancellation.

I / We also note that in case of non-submission of this certificate with tender my / our tender is liable for rejection.

Date.....


Signature of Tenderer

41. All the tenders received will remain valid for a period ninety days from the date of receipt tenders. The period of validity can also be extended if agreed to by the Department and the contractor.

42. After completion of the work, the contractor shall arrange at his own cost all requisite equipments for testing building if found necessary and bear the entire cost of such test.

43. Tenderers required to submit a list of works in their hand in the prescribed Performa herewith, (a) List of works executed in their prescribed proforma enclosed herewith along with the tender. (b) list T&P

**CONTRACTOR**

  
**Block Development Officer, BISOI**

(a) Certificate of list of works in hand.

I / We do hereby certify that at present the following works are in my / our hand.

Sl. No.	Particulars of works now in hand.	Amount of each work.	Period in which the work is stipulated to be completed (in months)	Approximate value of work done against each work on the date of submission of Tender.	Department under which the work is being taken up.
1	2	3	4	5	6

I / We also note that, non submission of this certificate will render my / our tender liable for rejection.

(b) **CERTIFICATE OF THE LIST OF T & P**

I / We do hereby certify that the following tools and plants, machineries and vehicles are in my / our possession in working orders.


- (i)
- (ii)
- (iii)
- (iv)
- (v)

I / We also note that, non submission of this certificate will render my / our tender liable for rejection.

Date.....

Signature of Tenderer

**CONTRACTOR**

  
**Block Development Officer, BISOI**

(c) **CERTIFICATE OF THE LIST OF WORK EXECUTED**

I / We do hereby certify that the following works have been executed by me / us in the past.

Sl. No.	Particulars of works already executed.	Approximate amount of each work.	Name of Department under which the works executed.	Period of commencement and period of completion.	Whether the works were completed in stipulated period.
1	2	3	4	5	6

I / We also note that, non submission of this certificate will render my / our tender liable for rejection.

44. Income Tax @ 1% for person and 2% for Firm and GST (TDS @ 2%) will be deducted from the bill amount as per Govt. prescribed from time to time accordingly a bill voucher will be submitted to the Block Development Officer, BISOI by the contractor.


45. 3% (C & D class) and 5% (B & A class) will be deducted from each payment of bill on gross value towards Security deposit money. This Security money will be paid to contractor without any interest on application after Six months of completion of work provided the final bill is paid and the defects if any pointed out within Six months of completion for work have been rectified by the contractor S.D shall be refunded after Audit compliance.

46. Under section 12 of the Contract labour regulation & abolition Act 1970, the contractor who undertakes execution of work through labour should produce valid license from licensing authority of labour department.

47. The Fly Ash brick should be of good qualities. The brick should be approved by the Engineer-in-Charge before use in the work and should confirm the minimum strengthen as per national building code.

48. If the contractor quotes abnormally low rates for some items and the department decides to accept the tenders then the department would have the discretion of with holding the differential cost between the amount of low rated items and corresponding estimated amount from their payment due against other item till such low rated items are completed in full an as approved specification.

CONTRACTOR

  
Block Development Officer, BISOI

49. Additional performance Security shall be obtained from the Bidder when the bid amount is less than estimated cost put to tender .In such an event only the Successful bidder who has quoted less bid price than the estimated cost put to tender shall have to furnish the exact amount of differential cost i.e. Estimated cost put to tender minus the quoted amount as Additional Performance Security (APS) in shape of Demand Draft / Term Deposit Receipt **pledged in favour of Block Development Officer, BISOI within Seven Days** ,otherwise the Bid shall be cancelled and proceeding for Blacklisting shall be intimated against Bidder.

As per office memorandum No 5992/Dt 27-04-2021 of Works Deptt. Govt of Odisha modification to APS will be followed as detailed below:-

Sl no	Range of Difference between the Estimated cost put to tender and Bid Amount	Additional Performance Security to be deposited by the Successful Bidder
	Upto 4.99%	No Additional Performance Security
	From 5.00% to 9.99%	50 % of (Difference between the Estimated cost put to tender and Bid Amount)
	From 10.00% and above	150 % of (Difference between the Estimated cost put to tender and Bid Amount)

50. Clauses for site engineer and road furniture etc. in DTCN / Agreement.

In Works department Letter No.-10407, dt.-25.06.2004, the agencies executing major works should possess full-fledged field laboratory for testing of the quality of the work. Under the same clause, the following provision is to be made as per Works Department No.-12351/W, dated 23.07.2004.


- 1) An engineering personnel of the executing agency should be present at work site at the time of visit of Inspecting Officers in the rank of Executive Engineer, Zilla Prishad / Asst. Executive Engineer, BISOI block.
- 2) Brick Masonry Display Board should be constructed by the executive agency indicating Name of the department, Name of the work, estimated cost, financial year etc as per the direction of Engg- in- Charge.

Total

Clauses Only,

Issued to Shri.....Contractor.....  
Class.....

CONTRACTOR

  
Block Development Officer, BISOI