



**Selection of NABL Accredited Lab for Quality  
Testing of Linen & Water (Used especially in Dialysis  
Centers) Samples at Public Health Institutions**



**Bid Reference No. CDM & PHO, Mayurbhanj/ 18 /2025-26**

**Name of the District / Health Institution: CDM & PHO, Mayurbhanj  
(Health & FW Deptt., Govt. of Odisha)**

|                                              |             |                 |
|----------------------------------------------|-------------|-----------------|
| DATE OF COMMENCEMENT OF TENDER               | :25.02.2026 |                 |
| LAST DATE & TIME OF RECEIPT OF BID DOCUMENTS | :16.03.2026 | Up to 04.00 P.M |
| DATE & TIME OF OPENING OF TENDER             | :17.03.2026 | at 11.00 A.M    |

## Selection of NABL Accredited Lab for Quality testing of Linen & Water (Used especially in Dialysis Centers) Samples at Public Health Facilities

### Background:

NABL accreditation ensures that the testing laboratory adheres to international standards and is competent to perform quality tests. As a move to ensure quality in service delivery at public health facilities, quality testing of linen & water (Used especially in Dialysis Centers) is proposed.

As Linen are being supplied by Private Agencies as part of "Nirmal Scheme", it is essential to check its quality as these are being used for patients in the public health facilities.

Similarly, management of Dialysis Centers is being outsourced. So, the NABL accredited labs can test the water quality used in dialysis centers which is crucial for ensuring patient safety during hemodialysis, as dialysis patients are exposed to large volumes of water.

**Tasks:** The selected lab will perform following tests & in given frequency as detailed below:

- Linen
  - Recommended Tests- Tensile Strength, Steam Durability, Microbial Cleanliness and Biocompatibility as detailed out in **Annexure-1**.
  - Frequency of Tests
    - The above tests shall be conducted for each batch of new linen supplied for use in public health facilities
    - Routine testing for microbial contamination at intervals of half-yearly after use
  - Sample size:
    - **For New Supplies** – The Hospital Authority (or the authorized official) shall use random Sampling method to select linens from the stack. If the supply size is more than 3200 pcs, the sample size will be 100 pcs & if the supply size is less than 3200 pcs, then the sample size will be 63 pcs for new Linens. In case the supply size is 1000 pcs or less, in that case sample size shall be taken as 3% of the supply size. Further, out of the selected samples, the empaneled lab (authorized personnel) shall take 6 pcs linen (non-returnable) randomly for test. These procedures shall be repeated in each batch of supplies.
    - **For Used Linen after wash** -30 Pcs of Linen shall be picked from the laundry site (due care should be taken to select samples used at DHH, SDH, CHC/UCHC & Critical Care Units) irrespective of number of Linens used in that district during that period. Further, out of the samples picked, the empaneled lab (authorized personnel) shall take 6 pcs of linen (non-returnable) randomly for tests, maintaining cold chain. The tests shall be conducted on quarterly basis.

- **Water in use at Dialysis Centre** – As per Gol guidelines (Page-37), the water treatment system components are arranged and maintained so that bacterial & chemical contaminant level in the product water does not exceed the standards for homo-dialysis water quality. Hence, Quarterly Sample shall be sent to the selected lab for testing (Parameters of tests proposed is at **Annexure- 2**).

#### Eligibility:

- It must be a Testing Laboratory.
- It must be NABL-accredited and have complied with ISO/IEC 17025 standards.
- It must have a valid NABL certificate for at least 12 months prior to the date of bid opening.
- It must have branch in Odisha & having valid OGST registration with local contact person's address and telephone no.
- This Lab also shall have experience in performing aforesaid tests (Water, Linen) in the past.
- The laboratory must have done business of minimum average of Rs. 20 Lakhs in last 3 Financial year (2022-23, 2023-24 & 2024-25).
- The said laboratory must have given certificates i.e. 1. ISO 9001-2015 2. ISO15189-2022 3. OHSAS 45001:2015 4. Good Hygiene Practice System 5.GLP (GOODS LABORATORY PRACTICE SYSTEM 6. ISO 14001: 2015 7. ISO 1001: 2018
- It must not be blacklisted either by the tender inviting authority or by any State Govt. or Central Govt. organization, and if so, the lab shall not **eligible** to participate in the tender for that item during the period of blacklisting.
- In case the Testing Laboratory is registered under MSME Department, Govt., of Odisha, eligibility benefits/ exemptions as deemed fit shall be given following due guidelines.

#### Other Essential Documents required:

- The bidder shall have to submit EMD Cost of Rs 1.00 Lakh in the shape of Demand Draft in favor of **ZSS NON NRHM Funds A/C Mayurbhanj** Payable at Baripada along with the Tender Documents. The EMD will be refunded to unsuccessful bidders after the tender process is complete and the contract is awarded. If the winning bidder fails to fulfill the contract, the EMD shall be forfeited.
- The rate quoted by the bidder should be inclusive of all taxes (GST/ET/Freight/insurance etc.).

### Documents for Submission

The sealed cover should contain the following documents:

- Copy of the PAN Card.
- Copies of the audited financial statement for the last three financial years i.e. 2022-23, 2023-24 & 2024-25.
- Photocopy of GST registration certificate and GST updated return copy of Oct'25 to Dec'25 (GSTR-3B & GSTR-1).
- A declaration about "Not black listed", submitted by a Notary Public.
- EMD Cost of Rs 1,00,000/- (One Lakh Only.) in the shape of Demand Draft in favor of ZSS NON NRHM Fund A/C Mayurbhanj Payable at Baripada.
- The Documents in support of Local office in Odisha.
- NABL accredited Certificate along with documentary proof of date of registration as required & mentioned in Eligibility Section.
- A performance certificate regarding the testing of linen items and dialysis water in the past for any Organizations.
- All the aforesaid documents should be signed duly by the bidder at the bottom of each page with their official seal duly affixed.

### Operational Modalities & Timelines:

- The bidders will download the tender from the District Web Site: <https://Mayurbhanj.odisha.gov.in>.
- The Sealed tender must be received on or before 16.03.2026 till 04.00PM. Any tender document received after the due date and time will be rejected/returned to the sender unopened. The tender paper must be received through Speed Post/ Regd. Post only. The Sealed tenders will be open on dated 17.03.2026 at 11.00 AM in the presence of Purchase Committee Members and bidders/their authorized representative.
- The CDM&PHO, Mayurbhanj shall have no responsibility for any delay / Omission on part of the bidder and reserves the right to reject any or all the tenders without assigning any reason thereof.
- The bidder(s) are to submit their tender/s in separate sealed covered envelopes for Technical Bid and Financial Bid by superscripting Cover 'A' (Technical Bid) and Cover 'B' (Financial Bid) & both the sealed covers should be put into a third outer cover which should be superscripted as " Selection of NABL Accredited Lab for Quality testing of Linen

BA

& Water (Used especially in Dialysis Centers) Samples at Public Health Facilities” and Tender Reference No. CDM & PHO, Mayurbhanj/ 18 /2025-26

- The sealed tenders will be opened by the CDM & PHO, Mayurbhanj in the NHM Conference Hall, O/O- CDM & PHO, Mayurbhanj on dated 17.02.2026. The bidder or their duly authorized representatives are allowed to be present during the opening of the tenders if they desire.
- The receiving & opening of tender may be changed if required by the under Signed, it will be intimated.
- The Tender documents should be typewritten or computerized, failing which the bidders will be ineligible for consideration. No further correction will be allowed.
- Under no circumstances shall the bidder appoint any subcontractor or sublease the contract. If it is found that the organization has violated these conditions, the contract will be terminated forthwith without any notice and EMD by the organization shall be forfeited.
- The rates quoted against this tender notice shall remain valid up to 24 months after the award of contract. No request for an increase in rates, if any, will be allowed or entertained during this period.
- Violating any terms and conditions of the tender will be liable for blacklisted and the department will disqualify and debarred the firm to participate in any tender of this district for a period of next 03 (three) years from the date of issue of the letter and the EMD (if any) will be forfeited.
- The Authority will not make any advance payment to the organization. The organization will have to carry out the tests on its own and the amount will be paid only after the satisfactory conduction of the tasks and submission of bill in that regards on quarterly basis.
- All the legal disputes are subject to the jurisdiction of Court of District Judge Mayurbhanj only.

#### Testing and Quality Assurance Protocol

- **Laboratory Requirement:**  
Testing shall be carried out only by NABL-accredited laboratories, strictly as per the terms and conditions of the tender.
- **Sample Collection Modalities:**
  - The sample/s for the aforesaid tests shall be collected as per the terms & Conditions mentioned above at district level. In this regard, CDM&PHO, Mayurbhanj shall formally communicate to the outsourced agency to provide linen samples to the selected NABL accredited lab for the same.

- The concerned official as assigned by CDM&PHO, Mayurbhanj/ADMO-Med, DHH Baripada shall ensure timely collection and proper sealing of samples and handed over to the NABL-accredited lab selected in accordance with the tender provisions by the district authority.
- The Hospital Manager/ AM-Quality shall coordinate the process at district level and maintain details records of samples collection, date of samples sent to NABL-accredited lab, testing reports and its compliances etc.
- **Testing Parameters:**  
Only NABL-accredited laboratories with BIS/IS guidelines.
- **Timeline for Testing:**  
The test results must be submitted within 10-15 working days from the date of receipt of the sample. Delays beyond the stipulated period may attract penalties as specified in the tender.
- **Reporting Format:**  
A detailed test report, duly signed and certified by the authorized signatory of the NABL-accredited laboratory, must be submitted to the designated authority. The report should clearly mention the batch number, test methods used, results, observations, and compliance status.
- **Non-Compliance and Rejection Protocol:**  
In case of any deviation or non-compliance with BIS or other applicable standards, the entire batch shall be liable for rejection. The submitted test report shall be treated as final and binding for such decisions.
- **Confidentiality & Data Integrity:**  
The laboratory must ensure the confidentiality of all samples and data. Any alteration, manipulation, or misrepresentation of test results will be treated as a serious violation and may lead to blacklisting or legal action as per tender provisions.

## CHECK LIST

(To be submitted in Cover "A" Technical Bid)

Note: The documents has to be arranged serially as per the order mentioned in the Check List  
Please put ✓ in the respective box

### COVER – A (TECHNICAL BID) DOCUMENTS: SUBMITTED OR NOT

| Sl. No. | List of Tender Documents Submitted                                                                                                                                                                    | Yes | No | Page No. |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|----------|
| 1       | Self-attested Copy of the PAN Card.                                                                                                                                                                   |     |    |          |
| 2       | Self-attested Copies of financial statements for the last three financial years i.e.2022-23, 2023-24 & 2024-25.                                                                                       |     |    |          |
| 3       | Self-attested Photocopy of GST registration certificate and GST updated return copy of Oct'25 to Dec'25 (GSTR-3B & GSTR-1).                                                                           |     |    |          |
| 4       | Earnest Money Deposit (EMD) of Rs. 1,00,000/- submitted in the shape of a Demand Draft only in favor of ZSS NON NRHM Funds, Mayurbhanj from any Nationalized/Scheduled Bank payable at Baripada       |     |    |          |
| 5       | Self-attested Valid OGST registration with local contact person's address and telephone no                                                                                                            |     |    |          |
| 6       | Self-attested a NABL-accredited certificate                                                                                                                                                           |     |    |          |
| 7       | Self-attested 1. ISO 9001-2015 2. ISO 15189-2022 3. OHSAS 45001:2015 4. GHP (GOOD HYGIENE PRACTICE) SYSTEM 5. GLP (GOODS LABORATORY PRACTICE SYSTEM 6. ISO 14001: 2015 7. ISO 1001: 2018 certificates |     |    |          |
| 8       | Certificate that Agency/ Firm/ Clinical Establishment is not blacklisted in desired format.                                                                                                           |     |    |          |
| 9       | Performance certificate                                                                                                                                                                               |     |    |          |
| 10      | Documents from MSME Department, Odisha for exemptions / benefits (if any)                                                                                                                             |     |    |          |
| 11      | Any Other as detailed out in eligibility Section                                                                                                                                                      |     |    |          |

## DECLARATION FORM

I / We ..... having My /Our ..... office at ..... do hereby declare that I/We have carefully read all the terms & conditions of tender of the CDM & PHO, Mayurbhanj for the Testing of Lenin Item Like Bed sheet & Pillow Cover & Dialysis water. The approved rate will remain valid for a period of two year from the date of approval. I will abide with all the terms & conditions set forth in the Tender Reference no. CDM & PHO, Mayurbhanj/\_\_\_\_\_/2025-26

I/We do hereby declare I/We have not been de-recognized/black listed by any State Govt./ Union Territory/ Govt. of India / Govt. Organization/Govt. Health Institutions for supply of Not of Standard Quality (NSQ) items/non-supply.

I/We agree that the Tender Inviting Authority can forfeit the Earnest Money Deposit and or Security Deposit and blacklist me/us for a period of 5 years if, any information furnished by us proved to be false at the time of inspection/verification and not complying with the Tender terms & conditions.

Signature of the bidder

Seal

Date

Name & Address of the Firm

Affidavit before Executive Magistrate / Notary Public.

Dr

(To Be Submitted in Cover B – Financial Bid)

**Price Schedule**

| SL. No. | TEST NAME                                                                         | Rate (₹) | Remarks                                                                                                                                                                                                                                    |
|---------|-----------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1       | Linen Quality - Cost of each Report (Quote the rate as found out from Annexure-1) |          | <ul style="list-style-type: none"><li>• The rate quoted should be inclusive of all taxes (GST/ET/Freight/insurance etc.).</li><li>• Cost of each report shall be irrespective of no of sample/s tested for finalising the report</li></ul> |
| 2       | Water Quality – Cost of each Report (Quote the rate as found out from Annexure-2) |          |                                                                                                                                                                                                                                            |
|         | Total Cost                                                                        |          |                                                                                                                                                                                                                                            |
|         | Average Cost                                                                      |          | Total Cost /2<br>The average cost shall be calculated only to find out L1 Cost for finalisation of Successful Bidder.                                                                                                                      |

Seal:

Date:

Place

Signature of Bidder  
Name & Address of the Bidder

12

# Annexure-1

## Testing Parameter for linen

| Sl. No. | Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed | Test Method/ Standard | Rate (in Rs.) | Testing Parameter            |
|---------|------------------------------------------------------------------------------------------------------------|-----------------------|---------------|------------------------------|
| 1       | Colour fastness to light Colour change                                                                     | ISO 105-B02           |               | Chemical/ Tensile Strength   |
| 2       | Pilling resistance                                                                                         | IS 10971 (P-2)        |               | Mechanical/ Tensile Strength |
| 3       | PH value                                                                                                   | IS 1390               |               | Chemical                     |
| 4       | Seam strength                                                                                              | ISO 13935 (P-1)       |               | Steam Durability             |
| 4A      | Dry                                                                                                        | ISO 13935 (P-1)       |               | Steam Durability             |
| 4B      | Wet                                                                                                        | ISO 13935 (P-1)       |               | Steam Durability             |
| 5       | Cleanness microbial                                                                                        | ISO 11737             |               | Microbial                    |
| 6       | Particle release                                                                                           | IS 15891 (P-10)       |               | Microbial                    |
| 7       | Bio-compatibility evaluation                                                                               |                       |               | Microbiology                 |
| 7A      | Cytotoxicity                                                                                               | ISO 10993 (P-5)       |               | Bio Compatibility            |
| 7B      | Irritation and skin sensitization                                                                          | ISO 10993 (P-10)      |               | Bio Compatibility            |
| 8       | Colour fastness to perspiration (acidity & alkaline)                                                       | ISO 105-E04           |               | Chemical                     |
| 8A      | Colour change                                                                                              | ISO 105-E04           |               | Chemical                     |
| 8B      | Staining                                                                                                   | ISO 105-E04           |               | Chemical                     |
| 9       | Dimensional stability to washing (percentage length and width)                                             | ISO 6330              |               | Mechanical                   |
| 10      | Colour fastness to washing                                                                                 | ISO 105-C06           |               | Mechanical                   |
| 10A     | Colour change                                                                                              | ISO 105-C06           |               | Chemical                     |
| 10B     | Staining                                                                                                   | ISO 105-C06           |               | Chemical                     |
| 11      | Tensile strength                                                                                           | IS 1969 (P-1)         |               | Tensile Strength             |
|         | <b>Total Cost:</b>                                                                                         |                       |               |                              |

## Annexure-2

| TEST OF WATER |                                 |                                                    |              |
|---------------|---------------------------------|----------------------------------------------------|--------------|
| Sl. No.       | Parameter                       | Test Method                                        | Rate (in Rs) |
| 1             | ANTIMONY                        | ISO 17294-2:2016 US EPA,#200.9                     |              |
| 2             | ARSENIC                         | ISO 17294-2:2016 American Public Health Assn,#3114 |              |
| 3             | BARIUM                          | ISO 17294-2:2016 American Public Health Assn,#3113 |              |
| 4             | BERLYUM                         | ISO 17294-2:2016 US EPA,#200.9                     |              |
| 5             | CHROMIUM                        | ISO 17294-2:2016 American Public Health Assn,#3113 |              |
| 6             | MERCURY                         | American Public Health Assn,#3112                  |              |
| 7             | SELENUM                         | ISO 17294-2:2016 American Public Health Assn,#3114 |              |
| 8             | SILVER                          | ISO 17294-2:2016 American Public Health Assn,#3113 |              |
| 9             | THALLIUM                        | ISO 17294-2:2016 US EPA,200.9                      |              |
| 10            | CADMIUM                         | ISO 17294-2:2016 American Public Health Assn,#3113 |              |
| 11            | Tryptone Glucose Extract Agar   | ISO 17646 PART 3                                   |              |
| 12            | Reasoner's Agar no. 2 (R2A)     | ISO 17646 PART 3                                   |              |
| 13            | Sabouraud or Malt Extract Agara | ISO 17646 PART 3                                   |              |
| 14            | Tryptic Soy Agar (TSA) b        | ISO 17646 PART 3                                   |              |

CHEMICAL PURITY TEST

BACTERIOLOGICAL TEST